

SAGA -FRAMES FOR SURFACE PRODUCTS

# PEP ecopassport®

# Product Environmental Profile





Product Environmental Profile - PEP Ecopassport.

Document in compliance with ISO 14025: 2006 "Environmental labels and declarations." Type III environmental declarations."

ORGANIZATION C		CONTACT INFORMATION	CONTACT INFORMATION				
ABB Oy, Wiring Accessorie	25	ella.helynranta@fi.abb.com					
ADDRESS		WEBSITE					
Porvoon Sisäkehä 2, 06100 Porvoo, Finland		www.new.abb.com	www.new.abb.com				
STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REGISTRATION NUMBER REV. LANG.				
Approved	Public	ABBG-00549-V01.02-EN	ABBG-00549-V01.02-EN 2 en		1/11		



ABB is committed to continually promoting and embedding sustainability across its operations and value chain, aspiring to become a role model for others to follow. With its ABB Purpose, ABB is focusing on reducing harmful emissions, preserving natural resources and championing ethical and humane behavior.

Scan or click the QR code for more information on the topic






## **General Information**

Reference product	2TKA00005104 SAGA-Surface mounting box for surface products  The content of this PEP cannot be compare with content from another program.
Description of the product	The family "SAGA- Frames for Surface Products" is composed of frames that are from 1-gang to 3-gang for surface mounting boxes of 85 or 100 mm (width) and different height and depth dimensions.
Functional unit	Ensure to cover the surface mounting box using a frame for a refer-ence life of 20 years.
Other products covered	The other products covered by the PEP are listed on page 9.

STATUS	SECURITY LEVEL	Y LEVEL REGISTRATION NUMBER F		LANG.	PAGE				
Approved	Public	ABBG-00549-V01.02-EN 2 en		en	2/11				
© Copyright 2024 ABB. All rights reserved.									

# Constituent Materials



# Total weight of Reference product

89,6 g

Plastics as % o	f weight	Metals as % of	weight	Others as % of	f weight
Name and CAS number	Weight%	Name and CAS number	Weight%	Name and CAS number	Weight%
Bio-circular Polycarbonate	81,0	Steel	1,6	Cardboards	14,7
-	-	-	-	Plastic bag	2,7

The analysed product is in conformity with the provisions of Low Voltage Directive 2014/35/EU, RoHS directive 2011/65/EU, covering 2015/863(EU), REACH regulation No 1907/2006, and national legislation. Plastics used for the reference product are halogenfree materials (IEC/61249-2-21) and they are also recyclable.

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE			
Approved	Public ABBG-00549-V01.02-EN		2	en	3/11			
© Copyright 2024 ABB. All rights reserved.								



# Additional Environmental Information

Manufacturing	Includes the environmental impacts associated with extraction and processing of the raw materials used to produce the product and its packaging, transport to the manufacturing site and assembly; as well as the generated wastes during the manufacturing process.
Distribution	Includes the transportation of the packaged product from the manufacturer's last logistic platform to the distributor and then to end users.
Installation	Includes the manual installation of the products and the end-of-life of packaging.
Use	The product does not consume energy and has no electrical losses as it is not connected to the electricity network.
End of life	Includes the transportation of the product to the final end-of- life treatment site and treatment processes. A value of 100 km transport by lorry is used for the transportation.
Benefits and loads beyond the system boundaries	Prevented impacts of recycling materials.

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00549-V01.02-EN	2	en	4/11




# **Environmental Impacts**

Reference lifetime	20 years
Product category	Other equipment-Passive products
Installation elements	Installation carried out manually. End of life of packaging.
Use scenario	The product does not consume energy and has no electrical losses as it is not connected to the electricity network.
Geographical representativeness	Europe
Technological representativeness	Materials and processes data are specific for the production of 2TKA00005104 SAGA-Surface mounting box for surface products 2TKA00005104 product and its family covered in this PEP.
Software and database used	Simapro 9.5.0.1 and Ecoinvent 3.9
Energy model used	
Manufacturing	Estonian Energy Mix at low voltage obtained from IEA data
Installation	Manually done.
Use	The product does not consume energy and has no electrical losses as it is not connected to the electricity network.
End of life	Recycling of product and packaging (Europe).

STATUS	ECURITY LEVEL REGISTRATION NUMBER		REV.	LANG.	PAGE			
Approved	Public	ABBG-00549-V01.02-EN 2		en	5/11			
© Copyright 2024 ABB. All rights reserved.								

#### Common base of mandatory indicators





Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
GWP-total	kg CO <sub>2</sub> eq.	3,18E-01	3,06E-02	3,64E-02	5,83E-03	0,00E+00	2,45E-01	-3,16E-01
GWP-fossil	kg CO <sub>2</sub> eq.	3,09E-01	2,30E-01	3,64E-02	3,76E-03	0,00E+00	3,84E-02	-3,15E-01
GWP-biogenic	kg CO <sub>2</sub> eq.	8,95E-03	-2,00E-01	1,16E-05	2,07E-03	0,00E+00	2,06E-01	-1,27E-03
GWP-luluc	kg CO <sub>2</sub> eq.	2,14E-04	1,79E-04	1,77E-05	8,39E-07	0,00E+00	1,69E-05	-3,63E-0
GWP-biogenic = Glo GWP-luluc = Global	_	,	-	ange				
ODP	kg CFC-11 eq.	2,56E-09	1,44E-09	3,64E-02	3,76E-03	0,00E+00	3,84E-02	-3,15E-01
ODP = Depletion po	otential of the st	ratospheric	ozone layer					
AP	H+ eq.	1,29E-03	1,09E-03	1,19E-04	7,51E-06	0,00E+00	7,58E-05	-1,38E-03
AP = Acidification p	ootential, Accum	ulated Exce	edance					
EP-freshwater	kg P eq.	3,20E-06	2,44E-06	2,91E-07	2,31E-08	0,00E+00	4,45E-07	-1,11E-05
EP-marine	kg N eq.	3,88E-04	3,16E-04	4,04E-05	4,78E-06	0,00E+00	2,66E-05	-2,56E-04
EP-terrestrial	mol N eq.	4,05E-03	3,34E-03	4,32E-04	2,89E-05	0,00E+00	2,51E-04	-2,67E-03
EP-freshwater = Eu EP-marine = Eutrop EP-terrestrial = Eut	hication potenti	al, fraction	of nutrients read	hing marine e		rtment		
РОСР	kg NMVOC eq.	1,37E-03	1,09E-03	1,77E-04	1,13E-05	0,00E+00	9,34E-05	-1,25E-03
POCP = Formation	potential of trop	ospheric o	zone					
ADP-minerals &	ka Sb ea.	3.81E-07	1.67E-07	1.17E-07	6.58E-09	0.00E+00	9.08E-08	-2.44E-06

WDP	m³ eq. dep	or. 5,78E-02	5,25E-02	2,10E-03	1,62E-04	0,00E+00	3,09E-03	-1,70E-01	
WDP = Water Deprivation potential									
STATUS	SE	CURITY LEVEL		REGISTRATION NUI	MBER	REV.	LANG.	PAGE	
Approved	Pu	blic		ABBG-00549-V01.0	2-EN	2	en	6/11	

5,16E-01

2,10E-02

0,00E+00 2,69E-01 -6,72E+00

4,07E+00

4,88E+00

ADP-minerals & metals = Abiotic depletion potential for non-fossil resources

ADP-fossil = Abiotic depletion for fossil resources potential

© Copyright 2024 ABB. All rights reserved.

#### Common base of mandatory indicators

#### Inventory flows indicator - Resource use indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
PERE	МЈ	2,10E-02	0,00E+00	7,99E-03	7,22E-04	0,00E+00	1,23E-02	-3,59E-01
PERM	МЈ	1,73E+00	1,73E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	МЈ	1,75E+00	1,73E+00	7,99E-03	7,22E-04	0,00E+00	1,23E-02	-3,59E-01
PENRE	МЈ	1,56E+00	7,57E-01	5,16E-01	2,10E-02	0,00E+00	2,69E-01	-6,72E+00
PENRM	МЈ	7,30E-01	7,30E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	МЈ	2,29E+00	1,49E+00	5,16E-01	2,10E-02	0,00E+00	2,69E-01	-6,72E+00

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials

PERM = Use of renewable primary energy resources used as raw materials

PERT = Total Use of renewable primary energy resources

PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials

PENRM = Use of non-renewable primary energy resources used as raw materials

PENRT = Total Use of non-renewable primary energy resources

# Inventory flows indicator – Indicators describing the use of secondary materials, water, and energy resources

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
SM	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	МЈ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	МЈ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m³	4,57E-04	2,81E-04	7,34E-05	6,83E-06	0,00E+00	9,50E-05	-4,55E-03

SM = Use of secondary material

RSF = Use of renewable secondary fuels

NRSF = Use of non-renewable secondary fuels

FW = Use of net fresh water

#### Inventory flows indicator – Waste category indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Hazardous waste disposed	kg	1,21E-05	7,67E-06	3,28E-06	1,20E-07	0,00E+00	1,07E-06	-1,01E-05
Non- hazardous waste disposed	kg	7,61E-02	2,56E-02	2,52E-02	2,62E-03	0,00E+00	2,28E-02	-3,03E-02
Radioactive waste disposed	kg	9,59E-07	5,50E-07	1,67E-07	1,57E-08	0,00E+00	2,25E-07	-7,22E-06

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE		
Approved	Public	ABBG-00549-V01.02-EN	2	en	7/11		
© Convigint 2024 ABB. All rights resound							

### Common base of mandatory indicators

#### Inventory flows indicator – Output flow indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Components for re- use	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	7,29E-02	5,11E-04	0,00E+00	1,19E-02	0,00E+00	6,04E-02	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

#### Inventory flow indicator – other indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Biogenic carbon content of the product	kg of C	5,65E-02	5,65E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Biogenic carbon content of the associated packaging	kg of C	6,61E-03	6,61E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE	
Approved	Public	ABBG-00549-V01.02-EN	2	en	8/11	
© Copyright 2024 ABB. All rights reserved.						

#### **Extrapolation Factors**

For other products than the Reference product covered by this PEP, the environmental impacts for each phase of the lifecycle are obtained by multiplying the values of the Reference product by the following coefficients:

\* if the coefficient is "1", the impacts of the phase of the life cycle are assimilated to the Reference product, meaning that the impacts are unchanged in comparison to the Reference product

Product name	Manu- facturing	Distri- bution	Installation	Use	End of life	Benefits
2TKA00005162	1,00	1,00	1,00	0,00	1,00	1,00
2TKA00005161	0,86	0,86	1,00	0,00	0,83	0,86
2TKA00005101	1,32	1,32	1,30	0,00	1,33	1,32
2TKA00005241	1,65	1,65	0,81	0,00	1,83	1,65
2TKA00005200	1,45	1,45	0,81	0,00	1,58	1,45
2TKA00005242	1,48	1,48	0,81	0,00	1,63	1,48
2TKA00005244	2,42	2,42	0,81	0,00	2,76	2,42
2TKA00005245	2,16	2,16	0,81	0,00	2,44	2,16
2TKA00005243	2,10	2,10	0,81	0,00	2,37	2,10
2TKA00005358	1,55	1,55	0,80	0,00	1,71	1,55
2TKA00006101	0,79	0,79	1,11	0,00	0,72	0,79
ATUS	SECURITY LEVEL		REGISTRATION NUME	SER	REV. LANG.	PAGE

### **Environmental Impact Indicator Glossary**

#### Impact indicators

Indicator	Description	Distri- bution
Global warming potential (GWP) - total	Indicator of potential global warming caused by emissions to air contributing to the greenhouse effect. The total global warming potential (GWP-total) is the sum of three subcategories of climate change.  GWP-total = GWP-fossil + GWP-biogenic + GWP- land use and land use change	kg CO₂ eq.
Ozone depletion (ODP)	Emissions to air that contribute to the destruction of the stratospheric ozone layer	kg CFC-11 eq.
Acidification of soil and water (A)	Acidification of soils and water caused by the release of certain gases to the atmosphere, such as nitrogen oxides and sulphur oxides	H+ eq.
Eutrophication (E)	Indicator of the contribution to eutrophication of water by the enrichment of the aquatic ecosystem with nutritional elements, e.g. industrial or domestic effluents, agriculture, etc. This indicator is divided to three: freshwater, marine and terrestrial.	kg P eq., kg N eq., mole N eq.
Photochemical ozone creation (POCP)	Indicator of emissions of gases that affect the creation of photochemical ozone in the lower atmosphere (smog) because of the rays of the sun.	kg NMVOC eq.
Depletion of abiotic resources – elements (ADPe)	Indicator of the depletion of natural non-fossil resources	kg Sb eq.
Depletion of abiotic resources  – fossil fuels (ADPf)	The use of non-renewable fossil resources in an unsustainable way (e.g. from material to waste)	MJ (lower heating value)
Water Deprivation potential (WDP)	Deprivation-weighted water consumption. Assesses the potential of water deprivation, to either humans or ecosystems, building on the assumption that the less water remaining available per area, the more likely another user will be deprived.	m³ eq. depr.

#### Resource use indicators

Indicator	Description	Distri- bution
Total use of primary energy	Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) + Total use of renewable primary energy re-sources (primary energy and primary energy resources used as raw materials)	MJ (lower heating value)

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE	
Approved	Public	ABBG-00549-V01.02-EN	2	en	10/11	
© Copyright 2024 ABB. All rights reserved.						

Registration number:	ABBG-00549-V01.02-EN	Drafting Rules:	PCR-ed4-EN-2021 09 06
		Supplemented by:	PSR-0005-ed3-EN-2023 06 06
Verifier accreditation i	number: <b>VH08</b>	Information and refer	ence documents: www.pep-ecopassport.org
Date of issue:	February-2024	Validity period: <b>5 ye</b>	ars
Independent verificat	ion of the declaration and data, in complia	nce with ISO 14025: 200	6
Internal: 〇	External: ◉		
The PCR review was co	onducted by a panel of experts chaired by Ju	ulie ORGELET (DDemain)	
•	h XP C08-100-1 :2016 or EN 50693:2019 resent PEP cannot be compared with eleme	ents from any other progr	am. PASS
Document in compliar environmental declara	nce with ISO 14025: 2006 "Environmental la itions"	abels and declarations. Ty	pe III PORT

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00549-V01.02-EN	2	en	11/11