

FLEXLINE

Flexline is a ready-made 230V profile solution with connection. Available in white or black lacquered aluminium. Wide range of accessories such as connectors, suspension kits and connections (ordered separately). Available in lengths from 30 cm to 2 m. The luminaire has pre-drilled holes and is supplied with double-sided tape to facilitate installation. Screws should always be used for mounting. Select colour temperature via DIP-switch (2700K, 3000K or 4000K). Replaceable LED and driver. Dimmable via external dimmer and can be connected in series up to 10 metres. Perfect for a wide range of applications such as behind curtains, in changing rooms, niches, integrated into shelving systems or under cabinets, as well as suspended above counters, for example in shops.


- Ready-made 230V profile solution with connection
- Replaceable LED and driver
- Four lengths: 30cm, 50cm, 1m, 2m
- Mounting options: trunking rail, surface ceiling, wall or wire
- Build a complete system with accessories such as connections, connectors, suspension kits and brackets (ordered separately)
- Lifetime L80 100,000h Ta 25°C
- Lifetime driver 50,000h /5%






FLEXLINE

GTIN	Type	Color	Color Temperature	Luminaire lumen	Beam angle	Effect lumineaire
7392971153209	300	White	2700K/3000K/4000K	490-545lm	110°	6W
7392971153216	500	White	2700K/3000K/4000K	825-920lm	110°	10W
7392971153223	1000	White	2700K/3000K/4000K	1530-1715lm	110°	19W
7392971153230	2000	White	2700K/3000K/4000K	3045-3370lm	110°	38W
7392971153247	300	Black	2700K/3000K/4000K	410-460lm	110°	6W
7392971153254	500	Black	2700K/3000K/4000K	740-815lm	110°	10W
7392971153261	1000	Black	2700K/3000K/4000K	1350-1485lm	110°	19W
7392971153278	2000	Black	2700K/3000K/4000K	2645-2930lm	110°	38W




FLEXLINE SUSPENSION KIT

GTIN	Type	Colour
7392971153469	Suspension kit	White
7392971153476	Suspension kit	Black
7392971153483	Suspension Kit L	Aluminium
7392971153490	Suspension Kit T	Aluminium
7392971153506	Suspension Kit Straight	Aluminium




FLEXLINE CONNECTOR

GTIN	Type	Colour
7392971153513	Connector L	White
7392971153520	Connector L	Black
7392971153537	Connector T	White
7392971153544	Connector T	Black




EXTENSION ARM PROFILE

GTIN	Type	Colour
7392971153117	Extension arm Profile 27-32 mm, 2 pcs	White
7392971153124	Extension arm Profile 27-32 mm, 2 pcs	Aluminium
7392971153131	Extension arm Profile 27-32 mm, 2 pcs	Black



ANGLE BRACKET PROFILE

GTIN	Type	Colour
7392971153179	Angle bracket Profile 27-32mm Alu 2pcs	White
7392971153186	Angle bracket Profile 27-32mm Alu 2pcs	Aluminium
7392971153193	Angle bracket Profile 27-32mm Alu 2pcs	Black





FLEXLINE CONNECTING ACCESSORY

GTIN	Type	Length	Colour
7392971153285	Connection w/o switch male		White
7392971153292	Connection w/o switch male		Black
7392971153308	Connection w/o switch female		White
7392971153315	Connection w/o switch female		Black
7392971153322	Connection w switch		White
7392971153339	Connection w switch		Black
7392971153346	Connection Cable Straigh	2m	White
7392971153353	Connection Cable Straigh	2m	Black
7392971153360	Connection Cable 90°	2m	White
7392971153377	Connection Cable 90°	2m	Black
7392971153384	Connection Cable Pendant	3m	White
7392971153391	Connection Cable Pendant	3m	Black
7392971153407	Extension Cable Straight	10cm	White
7392971153414	Extension Cable Straight	10cm	Black
7392971153421	Extension Cable Straight	3m	White
7392971153438	Extension Cable Straight	3m	Black
7392971153445	Extension Cable 90°	3m	White
7392971153452	Extension Cable 90°	3m	Black

