

Product Environmental Profile

LK FUGA AIR - mounting box - 1.5 modules - blue

Representative of all variants of LK and Schneider Electric airtight flush-mounted boxes






General information

| | |
|----------------------------|--|
| Reference product | LK FUGA AIR - mounting box - 1.5 modules - blue - 504D3015 |
| Description of the product | Box for installation in cavity walls. The box can also be used for installation in sheet metal ceilings for all equipment. The boxes can be installed with the following frame types: Technical mounting frame, as well as design frames: CHOICE, PURE, SOFT. The boxes can be installed in wall thicknesses from 9 to 40 mm via the mounted claw pieces. Marking gauge for FUGA AIR front box is used. |
| Description of the range | The environmental impacts of this reference product are representative of the impacts of the other products of the range which are developed with a similar technology. The products of the range are: Representative of all variants of LK and Schneider Electric airtight flush-mounted boxes |
| Functional unit | Protect people from direct contact with live active parts and ensure the grouping of control, command and protection devices in a single enclosure or cabinet having the following dimensions 85x57x49mm, with rated current 0A (In), while protecting them against the penetration of solid objects and liquids (IP40), according to the appropriate use scenario, and for the reference service life of the product of 20 years. |
| Specifications are: | H = 85 mm L = 57 mm P = 49 mm In = 0 IP = IP40 IK = NA |



Constituent materials

Reference product mass 50 g including the product, its packaging, additional elements and accessories



| | |
|----------|-------|
| Plastics | 66.8% |
| Metals | 15.9% |
| Others | 17.3% |



Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric website

<https://www.se.com>



Additional environmental information

| | | | |
|-------------|--------------------------|-----|--|
| End Of Life | Recyclability potential: | 18% | The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability). |
|-------------|--------------------------|-----|--|



Environmental impacts

| | | | | |
|----------------------------------|---|----------------|---|--|
| Reference service life time | 20 years | | | |
| Product category | Unequipped enclosures and cabinets | | | |
| Life cycle of the product | The manufacturing, the distribution, the installation, the use and the end of life were taken into consideration in this study | | | |
| Electricity consumption | The electricity consumed during manufacturing processes is considered for each part of the product individually, the final assembly generates a negligible consumption | | | |
| Installation elements | The product does not require any installation operations. | | | |
| Use scenario | There is no use scenario to be considered | | | |
| Time representativeness | The collected data are representative of the year 2024 | | | |
| Technological representativeness | The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and representative of the actual type of technologies used to make the product. | | | |
| Geographical representativeness | Final assembly site | Use phase | | End-of-life |
| | Denmark | Europe | | Europe |
| Energy model used | [A1 - A3] | [A5] | [B6] | [C1 - C4] |
| | Electricity Mix; Low voltage; 2020; Denmark, DK | No energy used | Electricity Mix; Low voltage; 2020; Europe, EU-27 | Global, European and French datasets are used. |

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.se.com/contact>

| Mandatory Indicators | | LK FUGA AIR - mounting box - 1.5 modules - blue - 504D3015 | | | | | | |
|--|--------------|--|---------------------------|---------------------|---------------------|-----------------|-------------------------|--------------------------|
| Impact indicators | Unit | Total (without Module D) | [A1 - A3] - Manufacturing | [A4] - Distribution | [A5] - Installation | [B1 - B7] - Use | [C1 - C4] - End of life | [D] - Benefits and loads |
| Contribution to climate change | kg CO2 eq | 3.64E-01 | 2.05E-01 | 8.87E-03 | 6.89E-03 | 0* | 1.44E-01 | -2.88E-02 |
| Contribution to climate change-fossil | kg CO2 eq | 3.71E-01 | 2.12E-01 | 8.87E-03 | 6.56E-03 | 0* | 1.44E-01 | -3.62E-02 |
| Contribution to climate change-biogenic | kg CO2 eq | -6.62E-03 | -6.94E-03 | 0* | 0* | 0* | 0* | 7.36E-03 |
| Contribution to climate change-land use and land use change | kg CO2 eq | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to ozone depletion | kg CFC-11 eq | 1.58E-08 | 1.56E-08 | 1.36E-11 | 8.93E-11 | 0* | 9.14E-11 | -4.61E-09 |
| Contribution to acidification | mol H+ eq | 1.29E-03 | 1.06E-03 | 5.75E-05 | 2.02E-05 | 0* | 1.48E-04 | -2.11E-04 |
| Contribution to eutrophication, freshwater | kg P eq | 2.05E-06 | 1.86E-06 | 3.32E-09 | 1.58E-07 | 0* | 2.45E-08 | -1.47E-07 |
| Contribution to eutrophication marine | kg N eq | 2.92E-04 | 2.13E-04 | 2.69E-05 | 8.78E-06 | 0* | 4.42E-05 | -2.77E-05 |
| Contribution to eutrophication, terrestrial | mol N eq | 3.12E-03 | 2.24E-03 | 2.96E-04 | 6.10E-05 | 0* | 5.15E-04 | -2.87E-04 |
| Contribution to photochemical ozone formation - human health | kg COVNM eq | 9.80E-04 | 7.51E-04 | 7.61E-05 | 1.40E-05 | 0* | 1.39E-04 | -9.24E-05 |
| Contribution to resource use, minerals and metals | kg Sb eq | 1.14E-05 | 1.14E-05 | 0* | 0* | 0* | 0* | -9.58E-06 |
| Contribution to resource use, fossils | MJ | 7.37E+00 | 5.38E+00 | 1.23E-01 | 6.83E-02 | 0* | 1.79E+00 | -7.79E-01 |
| Contribution to water use | m3 eq | 9.02E-02 | 7.11E-02 | 3.36E-05 | 5.32E-04 | 0* | 1.85E-02 | -1.44E-02 |

| Inventory flows Indicators | | LK FUGA AIR - mounting box - 1.5 modules - blue - 504D3015 | | | | | | | |
|---|----------------|--|---------------------------|---------------------|---------------------|-----------------|-------------------------|--------------------------|--|
| Inventory flows | Unit | Total (without Module D) | [A1 - A3] - Manufacturing | [A4] - Distribution | [A5] - Installation | [B1 - B7] - Use | [C1 - C4] - End of life | [D] - Benefits and loads | |
| Contribution to use of renewable primary energy excluding renewable primary energy used as raw material | MJ | 8.88E-02 | 7.90E-02 | 1.65E-04 | 8.96E-03 | 0* | 6.63E-04 | 1.62E-02 | |
| Contribution to use of renewable primary energy resources used as raw material | MJ | 1.72E-01 | 1.72E-01 | 0* | 0* | 0* | 0* | -9.45E-02 | |
| Contribution to total use of renewable primary energy resources | MJ | 2.61E-01 | 2.51E-01 | 1.65E-04 | 8.96E-03 | 0* | 6.63E-04 | -7.82E-02 | |
| Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material | MJ | 5.60E+00 | 3.61E+00 | 1.23E-01 | 6.83E-02 | 0* | 1.79E+00 | -7.79E-01 | |
| Contribution to use of non renewable primary energy resources used as raw material | MJ | 1.78E+00 | 1.78E+00 | 0* | 0* | 0* | 0* | 0.00E+00 | |
| Contribution to total use of non-renewable primary energy resources | MJ | 7.37E+00 | 5.38E+00 | 1.23E-01 | 6.83E-02 | 0* | 1.79E+00 | -7.79E-01 | |
| Contribution to use of secondary material | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 | |
| Contribution to use of renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 | |
| Contribution to use of non renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 | |
| Contribution to net use of freshwater | m ³ | 2.10E-03 | 1.66E-03 | 7.82E-07 | 1.24E-05 | 0* | 4.31E-04 | -3.36E-04 | |
| Contribution to hazardous waste disposed | kg | 8.89E-01 | 8.89E-01 | 0* | 1.72E-04 | 0* | 0* | -7.56E-01 | |
| Contribution to non hazardous waste disposed | kg | 2.09E-01 | 1.66E-01 | 3.10E-04 | 2.95E-03 | 0* | 3.92E-02 | -2.86E-02 | |
| Contribution to radioactive waste disposed | kg | 9.87E-05 | 9.66E-05 | 2.21E-07 | 3.65E-07 | 0* | 1.49E-06 | -1.29E-05 | |
| Contribution to components for reuse | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 | |
| Contribution to materials for recycling | kg | 9.01E-03 | 1.18E-03 | 0* | 0* | 0* | 7.83E-03 | 0.00E+00 | |
| Contribution to materials for energy recovery | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 | |
| Contribution to exported energy | MJ | 3.66E-04 | 6.69E-06 | 0* | 2.82E-04 | 0* | 7.74E-05 | 0.00E+00 | |

* represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product kg of C 0.00E+00

Contribution to biogenic carbon content of the associated packaging kg of C 1.86E-03

* The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)

| Mandatory Indicators | | LK FUGA AIR - mounting box - 1.5 modules - blue - 504D3015 | | | | | | | | |
|--|--------------|--|------|------|------|------|------|------|------|--|
| Impact indicators | Unit | [B1 - B7] - Use | [B1] | [B2] | [B3] | [B4] | [B5] | [B6] | [B7] | |
| Contribution to climate change | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to climate change-fossil | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to climate change-biogenic | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to climate change-land use and land use change | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to ozone depletion | kg CFC-11 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to acidification | mol H+ eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to eutrophication, freshwater | kg P eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to eutrophication marine | kg N eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to eutrophication, terrestrial | mol N eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to photochemical ozone formation - human health | kg COVNM eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to resource use, minerals and metals | kg Sb eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to resource use, fossils | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |
| Contribution to water use | m3 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* | |

Country Customer Care Center
<http://www.se.com/contact>

Head Office
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

SCHN-01386-V01.01-EN

Published by Schneider Electric

©2024 - Schneider Electric – All rights reserved

03-2025