



Availability

PU (SPU): 200 (25) Piece



Add to project

Data sheet as PDF

Compare

Bookmark

Find distributors

Overview

Data

Downloads

Customers also purchased

Family



Product details

Details ^

Electrical data

Rated current (Ex e II)	30 A
-------------------------	------

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	800 V
-------------------------	-------

Rated current	32 A
---------------	------

Geometrical Data

Width	16.5 mm / 0.65 inch
-------	---------------------

Height	19 mm / 0.748 inch
--------	--------------------

Depth	4.1 mm / 0.161 inch
-------	---------------------

Material Data

Color	light gray
-------	------------

Fire load	0.01 MJ
-----------	---------

Weight	1.761 g
--------	---------

Commercial data

Country of Origin	DE
-------------------	----

GTIN	4044918583077
------	---------------

Product Group	22 (TOPJOB S)
---------------	---------------

Item no. 2004-433



Documentation ^

2004-433

Oct 26, 2017



DOC

24.1 kB



German

- › Download
- › Bookmark

CAD Files 



Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

› Show all products from the family.



Item no. 2004-433



United States (EN)

> We are happy to help

 **1-800-DIN-RAIL (346-7245)**



© 2018 WAGO Corporation

[Contact](#)

[Careers](#)

[Imprint](#)

[Privacy](#)

[Terms and Conditions](#)

[Legal](#)