



Availability

PU (SPU): 25 Piece



Add to project

Data sheet as PDF

Compare

Bookmark

Find distributors

Overview

Data

Downloads

Customers also purchased

Family



Product details

Details ^

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	400 V
Rated impulse voltage (III / 3)	6 kV
Rated current	25 A

Geometrical Data

Width	35.1 mm / 1.382 inch
-------	----------------------

Material Data

Color	light gray
Fire load	0.042 MJ
Weight	3.48 g

Commercial data

Packaging type	bag
Country of Origin	DE
GTIN	4055143692304
Product Group	22 (TOPJOB S)



Downloads

Item no. 2002-477



2002-477

Oct 25, 2017



DOC

24.6 kB



German

- › Download
- › Bookmark

CAD Tles 



Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

› Show all products from the family.



Item no. 2002-477



ted States (EN)

> We are happy to help

 **1-800-DIN-RAIL (346-7245)**



© 2018 WAGO Corporation

[Contact](#)

[Careers](#)

[Imprint](#)

[Privacy](#)

[Terms and Conditions](#)

[Legal](#)