


Item no.: 770-735/007-000
Product description: PLUG; SNAP IN TYPE; 5 POLE; 100% PROTECTED AGAINST MISMATING; WITH DIRECT CONTACT OF THE EARTH CONDUCTOR; CAGE CLAMP[®] CONNECTION



Packing unit 100 pieces

Product group	20 (WINSTA)
pole count	5
Cross section from [mm ²]	0,5 mm ²
Cross section to [mm ²]	4 mm ²
Cross section from [AWG]	20 AWG
Cross section to [AWG]	12 AWG
Connection method	CONTACT CAGE CLAMP [®] CONNECTION
Number of strands	2
Measured voltage EN	400 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	25 A
Weight	20,26 g
Color	white
No. of connection Points	10
No. of potentials	10
Height	18,5 mm
Height	0,728 in
Width	55,5 mm
Width	2,185 in
Depth	36 mm
Depth	1,417 in



Strip length from	9 mm
Strip length to	9 mm
Strip length	0,35 in



Item number	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm²]
770-735/007-000	CCA	NL5568	400	25	0,5-4,0
770-735/007-000	cURus	E45171	600	20	12
770-735/007-000	DNV	E6188	250	25	4
770-735/007-000	GL	42875-02HH	250	20	2,5
770-735/007-000	GL	42875-02HH	250	25	4
770-735/007-000	KEMA	2060958.03	400	25	0,5-4,0
770-735/007-000	PRS	TE/1719/880590/08	400	25	0,5-4,0

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected