

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**Universal-Sekundenkleber "HUPsuperglue" Flasche 20 g
Article number 170226**

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

See product information.

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company HAUPA GmbH & Co. KG
Königstraße 165-169
42853 Remscheid / GERMANY
Phone + 49 (0) 21 91 84 18 370
Fax + 49 (0) 21 91 84 18 840
Homepage www.haupa.com

Address enquiries to

Technical information ulrich.koenig@haupa.com

Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2: H319 Causes serious eye irritation.
Skin Irrit. 2: H315 Causes skin irritation.
STOT SE 3: H335 May cause respiratory irritation.

2.1.2 Classification according to Directive 67/548/EEC or 1999/45/EC

Xi, Irritant - R 36/37/38: Irritating to eyes, respiratory system and skin.

2.2 Label elements

The product is classified and required to be labelled in accordance with EC-Directives

Labelling according to Regulation (EC) 1272/2008

Hazard pictograms



Signal word

WARNING

Contains:

Ethyl-2-cyanoacrylate

Hazard statements

H319 Causes serious eye irritation.
H315 Causes skin irritation.
H335 May cause respiratory irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P261 Avoid breathing vapours.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P312 Call a POISON CENTER/doctor/.../if you feel unwell.
P405 Store locked up.
P501 Dispose of contents/container to in accordance with local/regional/national/international regulation.

Special labelling

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

2.3 Other hazards

Human health dangers

People who are allergic to cyanoacrylates should avoid the use of the product.

Other hazards

No particular hazards known.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

| Range [%] | Substance |
|------------|---|
| 80 - < 100 | Ethyl-2-cyanoacrylate |
| | CAS: 7085-85-0, EINECS/ELINCS: 230-391-5, EU-INDEX: 607-236-00-9 |
| | GHS/CLP: Eye Irrit. 2: H319 - STOT SE 3: H335 - Skin Irrit. 2: H315 |
| | EEC: Xi, R 36/37/38 |

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Change soaked clothing.

Inhalation

Ensure supply of fresh air.
 In the event of symptoms seek for medical treatment.

Skin contact

In case of contact with skin wash off immediately with soap and water.
 Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.

Ingestion

Supply with medical care.
 Rinse out mouth and give plenty of water to drink.
 Induce vomiting if patient is conscious, seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
 Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide.
 Water spray jet.
 Sand.
 Dry powder.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Carbon monoxide (CO).
 Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
 Use self-contained breathing apparatus.
 Collect contaminated firefighting water separately, must not be discharged into the drains.
 Cool containers at risk with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
 Keep away from all sources of ignition.
 Forms slippery surfaces with water.
 Use breathing apparatus if exposed to vapours/dust/aerosol.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
 Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).
 Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
 Avoid spilling or spraying in enclosed areas.
 Highly volatile, flammable components are liberated in processing.
 Keep away from all sources of ignition - Refrain from smoking.
 Do not eat, drink or smoke when using this product.
 After worktime and before work breaks the affected skin areas must be thoroughly cleaned.
 Use barrier skin cream.
 Contaminated work clothing should not be allowed out of the workplace.
 Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Only use containers that are approved specifically for the substance/product.
 Provide solvent-resistant and impermeable floor.
 Do not store together with oxidizing agents.
 Protect from heat/overheating.
 Keep container in a well-ventilated place.
 Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational
 exposure limits to be monitored (GB)

| Range [%] | Substance |
|------------|--|
| 80 - < 100 | Ethyl-2-cyanoacrylate |
| | CAS: 7085-85-0, EINECS/ELINCS: 230-391-5, EU-INDEX: 607-236-00-9 |
| | Short-term exposure (15-minute): 0,3 ppm, 1,5 mg/m ³ |

8.2 Exposure controls

| | |
|--|---|
| Additional advice on system design | Ensure adequate ventilation on workstation. |
| Eye protection | Safety glasses. |
| Hand protection | The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: Butyl rubber, >240 min (EN 374). In splash contact Nitrile rubber, >120 min (EN 374). |
| Skin protection | Light protective clothing. |
| Other | Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin. |
| Respiratory protection | Breathing apparatus in the event of high concentrations. Short term: filter apparatus, filter A. |
| Thermal hazards | No information available. |
| Delimitation and monitoring of the environmental exposition | not determined |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--------------------------------|
| Form | liquid |
| Color | colourless |
| Odor | pungent |
| Odour threshold | not determined |
| pH-value | not applicable |
| pH-value [1%] | not applicable |
| Boiling point [°C] | 185 |
| Flash point [°C] | 85 |
| Flammability [°C] | not determined |
| Lower explosion limit | not determined |
| Upper explosion limit | not determined |
| Oxidizing properties | no |
| Vapour pressure/gas pressure [kPa] | not determined |
| Density [g/ml] | 1,04 |
| Bulk density [kg/m³] | not applicable |
| Solubility in water | insoluble reacts with water |
| Partition coefficient [n-octanol/water] | not determined |
| Viscosity | not applicable |
| Relative vapour density determined in air | not determined |
| Evaporation speed | not determined |
| Melting point [°C] | not determined |
| Autoignition temperature [°C] | 490 |
| Decomposition temperature [°C] | not determined |

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.
Reactions with water.
Reactions with amines.
Reactions with alcohols.
Reactions with alkalies (lyes).

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

See SECTION 7

10.6 Hazardous decomposition products

Irritant gases/vapours.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Range [%] | Substance |
|------------|---------------------------------------|
| 80 - < 100 | Ethyl-2-cyanoacrylate, CAS: 7085-85-0 |
| | LD50, oral, Rat: > 5000 mg/kg. |

| | |
|--|----------------|
| Serious eye damage/irritation | not determined |
| Skin corrosion/irritation | not determined |
| Respiratory or skin sensitisation | not determined |
| Specific target organ toxicity — single exposure | not determined |
| Specific target organ toxicity — repeated exposure | not determined |
| Mutagenicity | not determined |
| Reproduction toxicity | not determined |
| Carcinogenicity | not determined |
| General remarks | |

Toxicological data of complete product are not available.
The product was classified on the basis of the calculation procedure of the preparation directive.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

| | |
|---------------------------------------|----------------|
| Behaviour in environment compartments | not determined |
| Behaviour in sewage plant | not applicable |
| Biological degradability | not applicable |

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment.
Do not allow product to reach the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.

Waste no. (recommended)

080409*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with IMDG

NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA UN 3334 Aviation regulated liquid, n.o.s. (Cyanoacrylates)[only for more than 0,5l] 9 III
- Label



14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|--|---|
| EEC-REGULATIONS | 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC |
| TRANSPORT-REGULATIONS | DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013). |
| NATIONAL REGULATIONS (GB): | EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4 |
| - Observe employment restrictions for people | yes |
| - VOC (1999/13/CE) | 0% |

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 R-phrases (SECTION 3)

R 36/37/38: Irritating to eyes, respiratory system and skin.

16.2 Hazard statements (SECTION 3)

H315 Causes skin irritation.
H335 May cause respiratory irritation.
H319 Causes serious eye irritation.

16.3 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.4 Other information

Customs Tariff

not determined

Classification procedure

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)
Skin Irrit. 2: H315 Causes skin irritation. (Calculation method)
STOT SE 3: H335 May cause respiratory irritation. (Calculation method)

Modified position

none

Copyright: Chemiebüro®