



CorePro LEDcapsule LV

CorePro LEDcapsuleLV 1.2-10W G4 827

The CorePro LEDcapsule is a true alternative to the halogen capsule. It is particularly suitable for task lighting and decorative applications in homes, shops, hotels and restaurants. Compatible with existing fixtures with G4 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers huge energy savings and minimizes maintenance costs without any compromise on light quality.

Produktdata

Generell informasjon	
Lyskildedefeste	G4 [G4]
Nominell levetid (nom.)	15000 h
Av/på-syklus.	50 000 X
Teknisk type	1.2-10W

Teknisk belysning	
Fargekode	827 [CCT av 2700 K]
Lysstrøm (nom.)	120 lm
Lysstrøm (merkekapasitet) (nominell)	120 lm
Fargebetegnelse	Varm hvit (WW)
Korrelert fargetemperatur (nom.)	2700 K
Lyseffekt (merkekapasitet) (nom.)	100.00 lm/W
Fargesamsvar	<6
Fargegjengivelse (nom)	80
Nominell vedlikeholdsfaktor for lyskildelumen ved utgangen av nominell levetid (nom.)	70 %

Drift og elektrisk	
Inngangsfrekvens	50 til 60 Hz
Power (Rated) (Nom)	1.2 W
lyskildestrøm (nom.)	200 mA

Effekten som tilsvare	10 W
Starttid (nom.)	0.5 s
Oppvarmingstid til 60 % lyseffekt (nom.)	0.5 s
Strømfaktor (nom)	0.5
Spenning (nom.)	12 V

Temperatur	
Maksimal temperatur for innfatningen (nom.)	80 °C

Kontroller og dimming	
Kan dimmes	No

Godkjenning og bruk	
Energisparingsprodukt	Yes
Egnet til effektbelysning	No
Energieffektivitetsmerke (EEL)	A++
Energiforbruk kWh/1000 t	2 kWh


Produktdata	
Fullstendig produktkode	871869657817900
Produktnavn for bestilling	CorePro LEDcapsuleLV 1.2-10W G4 827

CorePro LEDcapsule LV

EAN/UPC – produkt	8718696578179
Bestillingskode	57817900
EI-nummer	3711227
Teller – antall per pakke	1
Teller – pakker per utvendige boks	12

Materialenr. (12NC)	929001244302
Nettvekt (stykk)	0.012 kg

Målskisse



Capsule 12V 1.2W-10W 105lm 2700K G4 ND

Product	D	C
CorePro LEDcapsuleLV 1.2-10W G4 827	14.3 mm	39.2 mm

Fotometriske data

