SIEMENS

Product data sheet 8WA1501



THROUGH-TYPE TERMINAL SECTIONALIZING FEATURE SCREW TERMINAL ON BOTH ENDS 6MM, SZ 2.5

Similar to image

Technical data:		
Type of mounting		others
Type of longitudinal separation		others
Type of lateral separation		without
Length	mm	41
Color		grey
Height of lowest mounting type	mm	29
Number of terminal levels		1
Number of terminal points / per terminal level		2
Design of terminal / terminal levels linked internally		No
Operating voltage / rated value	V	300
Operating current / rated value	Α	10
Combustibility class acc. to UL 94		others
Insulation material		others
Terminal contact spacing	mm	6
Position / of terminal		top
Product component		
• required / connection plate		No
Test socket		Yes

Design of the electrical connection		
•1		screw-type terminal
• 2		screw-type terminal
Conductor cross-section that can be connected		
• solid		
• minimum	mm²	0.25
• maximum	mm²	4
• multibrin		
• minimum	mm²	0.5
• maximum	mm²	2.5
• finely stranded		
with wire end processing		
• minimum	mm²	0.5
• maximum	mm²	1.5
 without wire end processing 		
• minimum	mm²	0.5
• maximum	mm²	2.5

Certificates/approvals:

General Product Approval

Declaration of Conformity

other









Environmental Confirmations

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/lowvoltage/mall

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/8WA1501/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WA1501

CAx-Online-Generator

http://www.siemens.com/cax

last change: Mar 11, 2013