

LABELING PLATE SNAP-ON OR SELF-ADHESIVE FOR LABEL HOLDER, LABEL SIZE 17.5 X 27MM, LABEL BLACK, LETTERING WHITE, WITH INSCRIPTION: STOP



Figure similar

Product brand name	SIRIUS ACT
Product designation	Labeling plate
Product type designation	3SU1

General technical data	
Protection class IP	IP66, IP67, IP69(IP69K)
Shock resistance	Category 1, Class B
<ul style="list-style-type: none"> <li>for railway applications acc. to DIN EN 61373</li> </ul>	
Vibration resistance	Category 1, Class B
<ul style="list-style-type: none"> <li>for railway applications acc. to DIN EN 61373</li> </ul>	

Installation/ mounting/ dimensions	
Height	17.5 mm
Width	27 mm

Accessories	
Material of accessory	Plastic
Mounting type of label	snap on / stick
Marking of the name plate for command devices	STOP
Shape of the name plate for command devices	rectangular

Color of the label

black/white (plate/text)

## Certificates/approvals

### General Product Approval



CSA



UL



EG-Konf.

### Declaration of Conformity

### Test Certificates

[Declaration of the Compliance with the order](#)

[Special Test Certificate](#)

## other

[Confirmation](#)

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0AD16-0DS0>

### Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0AD16-0DS0>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0AD16-0DS0>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3SU1900-0AD16-0DS0&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0AD16-0DS0&lang=en)



last modified:

07/10/2017