

ID KEY ID-GROUP INDIVIDUAL, WHITE




Figure similar

Product brand name	SIRIUS ACT
Product designation	ID keys
Design of the product	ID group individual
Product type designation	3SU1
Actuator	
Outer diameter of the actuating element	7.7 mm
General technical data	
Design of the RFID coding	individually coded, multiple teach-in capability
Ambient conditions	
Environmental category during operation acc. to IEC 60721	3M6, 3S2, 3B2, 3C3, 3K6 (with relative air humidity of 10 ... 95 %)
Installation/ mounting/ dimensions	
Mounting height	8.5 mm
Installation depth	55 mm
Accessories	
Material of accessory	Plastic

Color of accessory

white

Certificates/approvals

General Product Approval		EMC	Declaration of Conformity	Test Certificates
			 EG-Konf.	
CSA		UL	EC-Declaration of Conformity EMC	Declaration of the Compliance with the order

Test Certificates	other
Special Test Certificate	Confirmation

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0FU60-0AA0>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0FU60-0AA0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0FU60-0AA0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0FU60-0AA0&lang=en



last modified:

07/13/2017