

KEY FOR BKS LOCK, LOCK NO. S1



Figure similar

|                                                           |                                                                     |
|-----------------------------------------------------------|---------------------------------------------------------------------|
| Product brand name                                        | SIRIUS ACT                                                          |
| Product designation                                       | Keys                                                                |
| Design of the product                                     | BKS                                                                 |
| Product type designation                                  | 3SU1                                                                |
| Actuator                                                  |                                                                     |
| Key number                                                | S1                                                                  |
| Ambient conditions                                        |                                                                     |
| Environmental category during operation acc. to IEC 60721 | 3M6, 3S2, 3B2, 3C3, 3K6 (with relative air humidity of 10 ... 95 %) |
| Installation/ mounting/ dimensions                        |                                                                     |
| Height                                                    | 21 mm                                                               |
| Width                                                     | 2 mm                                                                |
| Depth                                                     | 42.7 mm                                                             |
| Accessories                                               |                                                                     |
| Material of accessory                                     | Metal                                                               |
| Color of accessory                                        | Silver                                                              |

## Certificates/approvals

### General Product Approval



EG-Konf.

### Test Certificates

[Declaration of the  
Compliance with the  
order](#)

[Special Test  
Certificate](#)

### other

[Confirmation](#)

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1950-0FD80-0AA0>

### Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1950-0FD80-0AA0>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1950-0FD80-0AA0>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3SU1950-0FD80-0AA0&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1950-0FD80-0AA0&lang=en)



last modified:

07/10/2017