

ADAPTER FOR ACTUATORS AND SIGNALING DEVICES WITH
FRONT RING FOR FLAT INSTALLATION 30MM



Figure similar

Product brand name	SIRIUS ACT
Product designation	Adapter
Design of the product	for flat command devices
Product type designation	3SU1
General technical data	
Protection class IP	IP66, IP67, IP69(IP69K)
Installation/ mounting/ dimensions	
Height	43.7 mm
Width	34.4 mm
Installation depth	12.3 mm
Accessories	
Material of accessory	Metal
Color of accessory	Silver
Certificates/approvals	

General Product Approval			Declaration of Conformity	Test Certificates	
				Declaration of the Compliance with the order	Special Test Certificate
CSA	UL		EG-Konf.		

other
Confirmation

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1950-0KJ80-0AA0>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1950-0KJ80-0AA0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1950-0KJ80-0AA0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1950-0KJ80-0AA0&lang=en



last modified:

07/10/2017