

FIXED TIME DELAY DEVICE 24 V DC ACCESSORY FOR 3VA
UNDERVOLTAGE RELEASE






| Model | |
|---|--------------------|
| Product brand name | SETRON |
| Product designation | Accessories |
| Design of the product | Time-delay device |
| accessories | Time-delay device |
| General technical data | |
| Off-delay time / minimum | 100 ms |
| Mechanical Design | |
| Height | 57.5 mm |
| Width | 44.8 mm |
| Depth | 72.3 mm |
| Net weight | 117 g |
| <ul style="list-style-type: none"> Tightening torque / with screw-type terminals <ul style="list-style-type: none"> — minimum — maximum | 0.8 N·m 1.2 N·m |
| Connections according IEC | |
| Wire stripping length | 10 mm |
| Connectable conductor cross-section | |

| | |
|--|---------------------|
| <ul style="list-style-type: none"> • minimum | 0.5 mm ² |
| <ul style="list-style-type: none"> • maximum | 1.5 mm ² |
| AWG number / as coded connectable conductor cross section / for auxiliary contacts | |
| <ul style="list-style-type: none"> • minimum | 20 |
| <ul style="list-style-type: none"> • maximum | 16 |

| Connections according UL | |
|---|-------------|
| Wire stripping length [in] | 0.4 in |
| Tightening torque [lbf·in] / with screw-type terminals | |
| <ul style="list-style-type: none"> • minimum | 7.1 lbf·in |
| <ul style="list-style-type: none"> • maximum | 10.6 lbf·in |

Certificates

| General Product Approval | EMC | Declaration of Conformity | Test Certificates | other |
|---|---|---|--|-------------------------------|
|  |  |  | Type Test Certificates/Test Report | Miscellaneous |

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9988-0BF23>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9988-0BF23>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9988-0BF23

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

06/27/2017