

WIRE CONNECTOR WITH CONTROL WIRE TAP 4 PCS.
ACCESSORY FOR: 3VA1 250






Model	
product brandname	SETRON
Product designation	accessories

Connections according IEC	
Connectable conductor cross-section	
<ul style="list-style-type: none"> • for copper cable / finely stranded / minimum 	35 mm ²
<ul style="list-style-type: none"> • for copper cable / finely stranded / maximum 	150 mm ²
<ul style="list-style-type: none"> • for copper cable / finely stranded / with core end processing / minimum 	35 mm ²
<ul style="list-style-type: none"> • for copper cable / finely stranded / with core end processing / maximum 	150 mm ²
<ul style="list-style-type: none"> • for copper cable / stranded / minimum 	35 mm ²
<ul style="list-style-type: none"> • for copper cable / stranded / maximum 	185 mm ²
<ul style="list-style-type: none"> • for aluminum cable / stranded / minimum 	35 mm ²
<ul style="list-style-type: none"> • for aluminum cable / stranded / maximum 	185 mm ²
Wire stripping length	20 mm

Connections according UL	
Connectable conductor cross-section	

- for copper-cable / multi-stranded / minimum 35
- for copper-cable / multi-stranded / maximum 185
- for copper-cable / finely stranded / minimum 35
- for copper-cable / finely stranded / maximum 150
- for copper-cable / finely stranded / with insulated conductor end processing / minimum 35
- for copper-cable / finely stranded / with insulated conductor end processing / maximum 150
- for aluminum-cable / multi-stranded / minimum 35
- for aluminum-cable / multi-stranded / maximum 185

Certificates

General Product Approval	EMC	Declaration of Conformity	Test Certificates	other
		 EG-Konf.	Typprüfbescheinigung/Werkszeugnis	Sonstige

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9254-0JG12>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9254-0JG12>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9254-0JG12

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

06/05/2017