

REAR CONNECTION STUD FLAT LONG 1 PCS. ACCESSORY  
FOR: 3VA2 400/630



### Model

|                     |             |
|---------------------|-------------|
| product brandname   | SETRON      |
| Product designation | accessories |

### Certificates

| General Product Approval | EMC | Declaration of Conformity | Test Certificates | other |
|--------------------------|-----|---------------------------|-------------------|-------|
|--------------------------|-----|---------------------------|-------------------|-------|



[Typprüfbescheinigung/Werkszeugnis](#)

[Sonstige](#)

### Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9401-0QE20>



Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<https://support.industry.siemens.com/cs/ww/en/ps/3VA9401-0QE20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9401-0QE20](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9401-0QE20)


CAX-Online-Generator  
<http://www.siemens.com/cax>

Tender specifications  
<http://www.siemens.com/specifications>





|   | 3VA1      |          | 3VA2            |           |
|---|-----------|----------|-----------------|-----------|
|   | 100 / 160 | 250      | 100 / 160 / 250 | 400 / 600 |
| A | 114.5 mm  | 123.5 mm | 146 mm          | 180 mm    |
| B | 121 mm    | 134 mm   | 157 mm          | 200 mm    |
| C | 3.5 mm    | 5.25 mm  | 5.5 mm          | 10 mm     |
| D | 12.7 mm   | 17.5 mm  | 17.5 mm         | 23 mm     |
| E | 25.4 mm   | 35 mm    | 35 mm           | 46 mm     |
| F | 4 mm      | 4.5 mm   | 4.5 mm          | 5.5 mm    |
| G | 17 mm     | 24.5 mm  | 24.5 mm         | 34 mm     |



last modified:

06/05/2017