



TEST DEVICE TD500 INCL. 2 CONNECTION CABLES PC - TD500,
3VA - TD500 EXTERNAL POWER SUPPLY ACCESSORY
FOR: 3VA2

Similar to image

Allgemeine Technische Daten:

Accessories

Test device

Mechanische Eigenschaften

Height

mm

190

Width

mm

105

Depth

mm

42

Protection class IP

IP30

Ambient temperature

• during operating

°C

-10 ... +40

• during storage

°C

-40 ... +80

mounting position

any

Schnittstelle zum Leistungsschalter

Number of circuit breakers / directly connectable

1

Length / of the connecting cable

m

1.5

Spannungsversorgung

Number of electrical connections / for external network

1

externes Netzgerät

Input voltage • for AC	V	100 ... 240
Output voltage / for DC / nominal value	V	12

Schnittstelle zu PC

Number of interfaces / according to USB

1

Certificates/approvals:

Declaration of Conformity

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3VA9987-0MB10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<http://support.automation.siemens.com/WW/view/en/3VA9987-0MB10/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9987-0MB10

CAX-Online-Generator

<http://www.siemens.com/cax>



last change:

Apr 21, 2014