

LABELING PLATE SELF-ADHESIVE FOR ENCLOSURE, LABEL SIZE 22 X 22MM, LABEL BLACK, LETTERING WHITE, WITH INSCRIPTION: BELEUCHTUNG







Figure similar

Product brand name	SIRIUS ACT
Product designation	Labeling plate
Product type designation	3SU1
General technical data	
Protection class IP	IP66, IP67, IP69(IP69K)
Shock resistance	Category 1, Class B
<ul style="list-style-type: none"> • for railway applications acc. to DIN EN 61373 	
Vibration resistance	Category 1, Class B
<ul style="list-style-type: none"> • for railway applications acc. to DIN EN 61373 	
Installation/ mounting/ dimensions	
Height	22 mm
Width	22 mm
Accessories	
Material of accessory	Plastic
Mounting type of label	stick
Marking of the name plate for command devices	SYMBOL: ILLUMINATION
Shape of the name plate for command devices	Square

Color of the label	black/white (plate/text)
Printed ISO symbols	SYMBOL: ILLUMINATION

Certificates/approvals

General Product Approval		Declaration of Conformity	Test Certificates		
 CSA	 UL		 EG-Konf.	Declaration of the Compliance with the order	Special Test Certificate

other

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0AF16-0RX0>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0AF16-0RX0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0AF16-0RX0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0AF16-0RX0&lang=en



last modified:

07/10/2017