

SEALABLE CAP FOR PUSHBUTTON, FLAT, BLACK



Figure similar

|                                    |                                  |
|------------------------------------|----------------------------------|
| Product brand name                 | SIRIUS ACT                       |
| Product designation                | Sealable cap                     |
| Design of the product              | for pushbuttons, flat and raised |
| Product type designation           | 3SU1                             |
| General technical data             |                                  |
| Protection class IP                | IP66, IP67, IP69(IP69K)          |
| Degree of protection NEMA rating   | NEMA 1, 2, 3, 3R, 4, 4X, 12      |
| Installation/ mounting/ dimensions |                                  |
| Height                             | 39.2 mm                          |
| Width                              | 32.5 mm                          |
| Depth                              | 22 mm                            |
| Accessories                        |                                  |
| Material of accessory              | Plastic                          |
| Color of accessory                 | black                            |
| Certificates/approvals             |                                  |

| General Product Approval                                                          |                                                                                   |                                                                                   | Declaration of Conformity                                                         | Test Certificates                                            |                                          |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------|------------------------------------------|
|  |  |  |  | <a href="#">Declaration of the Compliance with the order</a> | <a href="#">Special Test Certificate</a> |
| CSA                                                                               | UL                                                                                |                                                                                   | EG-Konf.                                                                          |                                                              |                                          |

|                              |
|------------------------------|
| <b>other</b>                 |
| <a href="#">Confirmation</a> |

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0DA10-0AA0>

**Cax online generator**



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0DA10-0AA0>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0DA10-0AA0>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3SU1900-0DA10-0AA0&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0DA10-0AA0&lang=en)



last modified:

07/10/2017