

Select your language

- [German](#)
- [English](#)
- [Spanish](#)
- [French](#)
- [Dutch](#)
- [Italian](#)
- [Polish](#)
- [Czech](#)
- [Russian](#)
- [Norwegian Bokmål](#)

Worldwide English




KL25/35 - Cable duct, PVC, HxWxL=35x25x1500mm



012531 KL25/35

[Overview](#) [Specifications](#) [Resources](#)



- [Delivery program](#)
- [Technical data ETIM 7.0](#)

012531 KL25/35

Cable duct, PVC, HxWxL=35x25x1500mm

EL-Nummer (Norway)

2466400

EATON cable duct, PVC, hxWxL=35x25x1500mm

Delivery program

Product range

General switchboard accessories

Accessories

Cable management

Accessories

Cable ducts

Description

Screw fixing

Length

1500 mm

Cable carrying capacity. Max. no. of cables (approximate)

60

40

25

15

Type and cross-section

H0...V-K

0.75

1.5

2.5

4 mm²

H0...V-K

-

16

14

12 AWG

Technical data ETIM 7.0

Slotted Cable trunking system(EG000007) / Slotted cable trunking system(EC000012)

Electric engineering, automation, process control engineering / Electrical insulation and connecting material / Installation duct for wall and ceiling, wiring ducts / Wiring duct (ecl@ss10.0.1-27-40-07-03 [ACO411011])

Height

35 mm

Width

25 mm

Diameter

0 mm

Distance of slots

0 mm

Slit width

0 mm

Type of side wall

Slotted

Length

1500 mm

Halogen free

No

Self-extinguishing

Yes

Current leak stable

Yes

Flexible

No

Useful cross section

60 mm²

Type of fastening

Bottom perforation

With cover

Yes

Colour

Stone grey

Product photo




[wa_vt00417](#)

Photo

Cable duct

3D drawing



[4301078](#)

Line drawing

Cable duct

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center



Generate data sheet in PDF format



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2021 by Eaton Industries GmbH

