

Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norwegian Bokmål

Worldwide English




KL25/35K - Cable duct, PVC, HxWxL=35x25x650mm, self-adhesive



014904 KL25/35K

[Overview](#) [Specifications](#) [Resources](#)



- Delivery program
- Technical data ETIM 7.0

014904 KL25/35K

Cable duct, PVC, HxWxL=35x25x650mm, self-adhesive

EL-Nummer (Norway)

2466403

EATON cable duct, PVC, hxWxL=35x25x650mm, self-adhesive

Delivery program

Product range

General switchboard accessories

Accessories

Cable management

Accessories

Cable ducts

Description

Self-adhesive

Ambient air temperature max. +55°C

Length

650 mm

Cable carrying capacity. Max. no. of cables (approximate)

60

40

25

15

Type and cross-section

H0...V-K

0.75

1.5

2.5

4 mm²

H0...V-K

-

16

14
12 AWG

Technical data ETIM 7.0

Slotted Cable trunking system(EG000007) / Slotted cable trunking system(EC000012)

Electric engineering, automation, process control engineering / Electrical insulation and connecting material / Installation duct for wall and ceiling, wiring ducts / Wiring duct (ecl@ss10.0.1-27-40-07-03 [ACO411011])

Height

35 mm

Width

25 mm

Diameter

0 mm

Distance of slots

0 mm

Slit width

0 mm

Type of side wall

Slotted

Length

650 mm

Halogen free

No

Self-extinguishing

Yes

Current leak stable

Yes

Flexible

No

Useful cross section

60 mm²

Type of fastening

Self-adhesive and floor perforation

With cover

Yes

Colour

Stone grey

Product photo




wa_vt00417

Photo

Cable duct

3D drawing



4301078

Line drawing

Cable duct

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center

[Generate data sheet in PDF format](#)



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2021 by Eaton Industries GmbH

