

Select your language

- [German](#)
- [English](#)
- [Spanish](#)
- [French](#)
- [Dutch](#)
- [Italian](#)
- [Polish](#)
- [Czech](#)
- [Russian](#)
- [Norwegian Bokmål](#)

Worldwide English





KL60/60 - Cable duct, PVC, HxWxL=60x60x1500mm



029142 KL60/60

[Overview](#) [Specifications](#) [Resources](#)



- [Delivery program](#)
- [Technical data ETIM 7.0](#)

029142 KL60/60

Cable duct, PVC, HxWxL=60x60x1500mm

EL-Nummer (Norway)

EATON cable duct, PVC, hxWxL=60x60x1500mm

2466402

Delivery program

Product range

General switchboard accessories

Accessories

Cable management

Accessories

Cable ducts

Description

Screw fixing

Length

1500 mm

Cable carrying capacity. Max. no. of cables (approximate)

260

180

120

80

65

Type and cross-section

H0...V-K

0.75

1.5

2.5

4

6 mm²

H0...V-K

-

16
14
12
10 AWG

Technical data ETIM 7.0

Slotted Cable trunking system (EG000007) / Slotted cable trunking system (EC000012)

Electric engineering, automation, process control engineering / Electrical insulation and connecting material / Installation duct for wall and ceiling, wiring ducts / Wiring duct (ec1@ss10.0.1-27-40-07-03 [ACO411011])

Height

60 mm

Width

60 mm

Diameter

0 mm

Distance of slots

0 mm

Slit width

0 mm

Type of side wall

Slotted

Length

1500 mm

Halogen free

No

Self-extinguishing

Yes

Current leak stable

Yes

Flexible

No

Useful cross section

320 mm²

Type of fastening

Bottom perforation

With cover

Yes

Colour

Stone grey

Product photo




wa_vt00717

Photo

Cable duct

3D drawing



4301080

Line drawing

Cable duct

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)



[Generate data sheet in PDF format](#)



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2021 by Eaton Industries GmbH

