

Select your language

- [German](#)
- [English](#)
- [Spanish](#)
- [French](#)
- [Dutch](#)
- [Italian](#)
- [Polish](#)
- [Czech](#)
- [Russian](#)
- [Norwegian Bokmål](#)

Worldwide English



NH FUSE 50A 500V GG/GL SIZE 02 - Fuse-link, low voltage, 50 A, AC 500 V, 120 kA, NH02, gL/gG, IEC, dual indicator, live gripping lugs



50NHG02B NH FUSE 50A 500V GG/GL SIZE 02

[Overview](#) [Specifications](#) [Resources](#)



50NHG02B NH FUSE 50A 500V GG/GL SIZE 02

Fuse-link, low voltage, 50 A, AC 500 V, 120 kA, NH02, gL/gG, IEC, dual indicator, live gripping lugs
EL-Nummer (Norway) 1664061

Fuse, fuse-link, low voltage, 50 A, AC 500 V, NH02, gL/gG, IEC, dual (combination) indicator system, square-body with knife blade contacts, live gripping lugs, IEC 60269-2 fuse system A, DIN 43620, VDE 0636-2. Breaking capacity 120 kA

•



•



•



•



• [Delivery program](#)

• [Technical data ETIM 7.0](#)

Delivery program

Product range
Fuse
Basic function
Fuse-link

Field of application
 low voltage
 Rated current [I]
 50 A
 Rated voltage
 AC 500 V
 Construction size
 NH02
 Utilization category
 gL/gG
 Status indicator
 dual indicator
 Description
 live gripping lugs
 Breaking Capacity
 120 kA
 usable for size/applications
 industrial
 Standard/Approval
 IEC
 Shape
 square body with knife blade contacts
 Standards/Regulations
 IEC 60269-2 fuse system A
 DIN 43620
 VDE 0636-2

Technical data ETIM 7.0

Circuit breakers and fuses (EG000020) / Low Voltage HRC fuse (EC000055)
 Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts /
 Low-Voltage HRC fuse (ec1@ss10.0.1-27-14-20-05 [AFZ800015])
 Construction size
 Other
 Rated current
 50 A
 Rated voltage
 500 V
 Voltage type
 AC
 Rated switching capacity
 120 kA
 Utilization category
 gL/gG (cable protection/equipment protection)
 Type of fuse status indicator
 Combination fuse status indicator
 Insulated metal gripping lugs (IMGL)
 No

Product photo



50nhg02b_b
Photo



50nhg02b_c
Photo



[50nhg02b_l](#)
Photo



[50nhg02b_pkg](#)
Photo



[50nhg02b_r](#)
Photo

Declaration of Conformity

EU

- [Size 02, 500V fuse-links with blade contacts \(NH fuse system\) \(DA-DC-00003486\)](#)
Asset
(PDF)

UK

- [Size 02, 500V fuse-links with blade contacts \(NH fuse system\) \(DA-DC-00004054\)](#)
Asset
(PDF)

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center



[Generate data sheet in PDF format](#)



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2021 by Eaton Industries GmbH

