

Select your language

- [German](#)
- [English](#)
- [Spanish](#)
- [French](#)
- [Dutch](#)
- [Italian](#)
- [Polish](#)
- [Czech](#)
- [Russian](#)
- [Norwegian Bokmål](#)

Worldwide English



Powering Business Worldwide

CYLINDRICAL FUSE 14 x 51 10A GG 690V AC - Fuse-link, low voltage, 10 A, AC 690 V, 80 kA, 14 x 51 mm, gL/gG, IEC



C14G10 CYLINDRICAL FUSE 14 x 51 10A GG 690V AC

[Overview](#) [Specifications](#) [Resources](#)



# C14G10 CYLINDRICAL FUSE 14 x 51 10A GG 690V AC

Fuse-link, low voltage, 10 A, AC 690 V, 80 kA, 14 x 51 mm, gL/gG, IEC

EL-Nummer (Norway)

1600235

Fuse, fuse-link, low voltage, 10 A, AC 690 V, 14 x 51 mm, gL/gG, IEC, cylindrical, for industrial applications, for general purpose use, IEC 60269-2



• [Delivery program](#)

• [Technical data ETIM 7.0](#)

## Delivery program

Product range

Fuse

Basic function

Fuse-link

Field of application

low voltage

Rated current [I]

10 A

Rated voltage

AC 690 V

Size  
14 x 51 mm  
Utilization category  
gL/gG  
Breaking Capacity  
80 kA  
usable for size/applications  
for industrial applications  
for general purpose use  
Standard/Approval  
IEC  
Shape  
cylindrical  
Standards/Regulations  
IEC 60269-2

## Technical data ETIM 7.0

Circuit breakers and fuses (EG000020) / Cylindrical fuse (EC002704)  
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts /  
Cylindrical fuse (safety fuse) (ecl@ss10.0.1-27-14-20-02 [AFZ797013])  
Size  
14x51 mm  
Rated voltage  
690 - 690 V  
Rated voltage  
Other  
Voltage type  
AC  
Utilization category  
gL/gG (cable protection/equipment protection)  
Rated operating frequency  
45 - 62 Hz  
Nominal current  
10 A  
With striker  
No  
Release characteristic  
Other  
Breaking capacity  
80 kA

## Product photo

- ☐ [c14g10\\_b](#)  
Photo
-   
[c14g10\\_c](#)  
Photo
-   
[c14g10\\_l](#)  
Photo
- ☐ [c14g10\\_pkg](#)  
Photo
- 

# Declaration of Conformity

## EU

- [Low voltage cylindrical fuse-links \(DA-DC-00003494\)](#)  
Asset  
(PDF)

## UK

- [Low voltage cylindrical fuse-links \(DA-DC-00004021\)](#)  
Asset  
(PDF)

# Download-Center

- [Download-Center \(this item\)](#)  
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)  
Eaton EMEA Download-Center



Generate data sheet in PDF format



Generate data sheet in Excel format



Write a comment

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2021 by Eaton Industries GmbH

