

Select your language

- [German](#)
- [English](#)
- [Spanish](#)
- [French](#)
- [Dutch](#)
- [Italian](#)
- [Polish](#)
- [Czech](#)
- [Russian](#)
- [Norwegian Bokmål](#)

Worldwide English



CYLINDRICAL FUSE 14 x 51 6A AM690V AC - Fuse-link, low voltage, 6 A, AC 690 V, 80 kA, 14 x 51 mm, aM, IEC



C14M6 CYLINDRICAL FUSE 14 x 51 6A AM690V AC

[Overview](#) [Specifications](#) [Resources](#)



# C14M6 CYLINDRICAL FUSE 14 x 51 6A AM 690V AC

Fuse-link, low voltage, 6 A, AC 690 V, 80 kA, 14 x 51 mm, aM, IEC

EL-Nummer (Norway)

1600278

Fuse, fuse-link, low voltage, 6 A, AC 690 V, 14 x 51 mm, aM, IEC, cylindrical, motor protection, for industrial applications, IEC 60269-2



•



•



•

Delivery program

•

Technical data ETIM 7.0

## Delivery program

Product range  
Fuse  
Basic function  
Fuse-link  
Field of application  
low voltage  
Rated current [I]  
6 A  
Rated voltage  
AC 690 V  
Size  
14 x 51 mm  
Utilization category  
aM  
Breaking Capacity  
80 kA  
usable for size/applications  
motor protection  
for industrial applications  
Standard/Approval  
IEC  
Shape  
cylindrical  
Standards/Regulations  
IEC 60269-2

## Technical data ETIM 7.0

Circuit breakers and fuses (EG000020) / Cylindrical fuse (EC002704)  
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts /  
Cylindrical fuse (safety fuse) (ecl@ss10.0.1-27-14-20-02 [AFZ797013])  
Size  
14x51 mm  
Rated voltage  
690 - 690 V  
Rated voltage  
Other  
Voltage type  
AC  
Utilization category  
aM (switchgear protection)  
Rated operating frequency  
45 - 62 Hz  
Nominal current  
6 A  
With striker  
No  
Release characteristic  
Other  
Breaking capacity  
80 kA

Product photo



[c14m1\\_b](#)

Photo



[c14m1\\_c](#)

Photo



[c14m1\\_l](#)

Photo



[c14m1\\_r](#)

Photo



[c14m6\\_b](#)

Photo



[c14m6\\_c](#)

Photo



[c14m6\\_pkg](#)

Photo



[c14m6\\_r](#)

Photo

## Declaration of Conformity

### EU

- [Low voltage cylindrical fuse-links \(DA-DC-00003494\)](#)  
Asset  
(PDF)

### UK

- [Low voltage cylindrical fuse-links \(DA-DC-00004021\)](#)

# Download-Center

- [Download-Center \(this item\)](#)  
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)  
Eaton EMEA Download-Center



Generate data sheet in PDF format



Generate data sheet in Excel format



Write a comment

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2021 by Eaton Industries GmbH

