

Select your language

- [German](#)
- [English](#)
- [Spanish](#)
- [French](#)
- [Dutch](#)
- [Italian](#)
- [Polish](#)
- [Czech](#)
- [Russian](#)
- [Norwegian Bokmål](#)

Worldwide English



FUSE-D01 2A T GL/GG 400VAC E14 - Fuse-link, low voltage, 2 A, AC 400 V, 50 kA, D01, gL/gG, IEC, time-delay



2NZ01 FUSE-D01 2A T GL/GG 400VAC E14

[Overview](#) [Specifications](#) [Resources](#)



2NZ01 FUSE-D01 2A T GL/GG 400VAC E14



Fuse-link, low voltage, 2 A, AC 400 V, 50 kA, D01, gL/gG, IEC, time-delay

EL-Nummer (Norway)

1600290

Fuse, fuse-link, low voltage, 2 A, AC 400 V, D01, gL/gG, IEC, time-delay, E14, for domestic and general industrial applications, IEC 60269-3, VDE 0636



- [Delivery program](#)
- [Technical data ETIM 7.0](#)

Delivery program

Product range

Fuse

Basic function

Fuse-link

Field of application
low voltage
Rated current [I]
2 A
Rated voltage
AC 400 V
Construction size
D01
Utilization category
gL/gG
Breaking Capacity
50 kA
usable for size/applications
E14
for domestic and general industrial applications
Release characteristic [class]
time-delay
Standard/Approval
IEC
Shape
bottle
Standards/Regulations
IEC 60269-3
VDE 0636

Technical data ETIM 7.0

Circuit breakers and fuses (EG000020) / D0-system fuse link (EC001642)
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse systems /
Neozed fuse link (ecl@ss10.0.1-27-14-21-19 [ACN353011])
Construction size
D01
Rated current
2 A
Rated voltage
400 V
Colour code
Pink
Utilization category
gL/gG (cable protection/equipment protection)

Product photo



2nz01_b
Photo



2nz01_c
Photo



2nz01_l
Photo



[2nz01_pkg](#)

Photo



[2nz01_r](#)

Photo

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center



[Generate data sheet in PDF format](#)



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2021 by Eaton Industries GmbH

