

Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norwegian Bokmål

Worldwide English



FUSE 63A DIII/E33 500VAC - Fuse-link, low voltage, 63 A, AC 500 V, 50 kA, D3, 27 x 16 mm, gR, IEC, fast-acting



63D33Q FUSE 63A DIII/E33 500VAC
[Overview](#) [Specifications](#) [Resources](#)



63D33Q FUSE 63A DIII/E33 500VAC

Fuse-link, low voltage, 63 A, AC 500 V, 50 kA, D3, 27 x 16 mm, gR, IEC, fast-acting

EL-Nummer (Norway) 1601277

Fuse, Fuse-link, low voltage, 63 A, AC 500 V, D3, 27 x 16 mm, gR, IEC, fast-acting, bottle, E33, for domestic and general industrial applications, IEC 60269-3, VDE 0636, Breaking Capacity 50 kA



-
-
-

- Delivery program
- Technical data ETIM 7.0

Delivery program

Product range
Fuse
Basic function
Fuse-link
Field of application
low voltage
Rated current [I]
63 A
Rated voltage

AC 500 V
Construction size
D3
Size
27 x 16 mm
Utilization category
gR
Breaking Capacity
50 kA
usable for size/applications
E33
for domestic and general industrial applications
Release characteristic [class]
fast-acting
Standard/Approval
IEC
Shape
bottle
Standards/Regulations
IEC 60269-3
VDE 0636

Technical data ETIM 7.0

Circuit breakers and fuses (EG000020) / D-system fuse link (EC000099)
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts /
Diazed fuse link (ecl@ss10.0.1-27-14-20-04 [AFZ799015])
Construction size
DIII
Rated current
63 A
Rated voltage
500 V
Colour code
Copper
Utilization category
gR (general purpose semiconductor protection)
Release characteristic
Fast (F)

Product photo



63d33q_b
Photo



63d33q_c
Photo



63d33q_l
Photo



63d33q_r

Photo

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center



[Generate data sheet in PDF format](#)



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2021 by Eaton Industries GmbH

