



114692
XLST5F85

[Overview](#)

[Specifications](#)

[Resources](#)



[Delivery program](#)

[Technical data ETIM 7.0](#)

DELIVERY PROGRAM

Product range
Control centres XV/TL

Basic function
Combination enclosures

Product function
Accessories

Accessories
Bottom plates
Roof plates

Single unit/Complete unit
Modular system

Description
with flange cutouts
Roof panel with cutouts for F3A flange

Material
Sheet steel 1.25 mm

Surface finish
Polyester powder coating
RAL 7035, light grey

Suitable for width
800

Suitable for depth
500

Protection type
IP55 (with cable entry flange F3A)

Openings (number)
6

Information about equipment supplied
Including screws

TECHNICAL DATA ETIM 7.0

Cabinet enclosures (EG000011) / Top-/floor cover element (enclosure/switchgear cabinet) (EC000744)

Electric engineering, automation, process control engineering / Electrical cabinet, housing, rack / Roof element (electrical cabinet) / Top cover/top cover element (electrical cabinet) (ec1@ss10.0.1-27-18-24-05 [ACN616011])

Suitable for roof planking
Yes

Suitable for bottom planking
Yes

Width
800 mm

Height
15 mm

Depth
500 mm

Suitable for enclosure building width
800 mm

Suitable for enclosure building depth
500 mm

Material
Steel

Surface finishing
Powder coating

Colour
Grey

RAL-number
7035

With de-aeration
No

Suitable for outdoor set-up
No

With cable entry
Yes



