100-153





## **Features**

- Specified to 500MHz
- Suitable for 10 Gigabit, 10GBase-T, Ethernet application
- Individual foil screen over each pair
- Blade style moulded strain relief boot with clip protector
- Choice of length and Colour
- LSOH outer sheath

## **Product Overview**

Excel Category 6A (Augmented Category 6) patch leads take the performance capabilities of copper infrastructure to new levels. Designed to the current ISO and EIA/TIA standards for Class Ea augmented Category 6A performance these products are intended to deliver reliable, high network performance including support of emerging applications such as 10GBase-T, 10 Gigabit Ethernet.

Each Excel Category 6A patch leads consists of 4 twisted pairs of 26AWG stranded copper wires, an aluminium/polyester foil tape provides an individual screen for each pair. These pairs are then cabled together, with different lay lengths to ensure optimum performance. Staggered pin RJ45 Screened plugs, terminate the cable, and each lead is fitted with colour coded slimline moulded boots, suitable for use in high density router or switch blades.

Features	
1: Category	6A (IEC)
2: Cable type	F/FTP
3: Strain relief boot	Moulded-on
4: Strain relief boot colour	Grey
5: Outer sheath colour	Grey
6: Length	3 m
7: Flame retardant version	yes
8: Halogen free	yes
9: Type of connector connection 1	RJ45 8(8)
10: Type of connector connection 2	RJ45 8(8)
11: AWG-size	26
12: Pin assignment	1:1

## www.excel-networking.com



Features	
13: Lockable	no
14: Cable construction	1x4

Nedre Eikervei 65 Postboks 1 - 3001 Drammen Faks: 32 83 38 30

Tlf: 32 86 10 50



## www.excel-networking.com