



CATALOG



SERIES



PRODUCT

Power

90 MCB Modular circuit brea.

COMPACT MINIATURE CIRCU..

Save in your list

Print

m




GW90290

COMPACT MINIATURE CIRCUIT BREAKER - MTC 60 - 4P CHARACTERISTIC C 32A - 2MODULES

* representative image

Download photo

Dimensional



Download photo



[Check same range products](#)

TECHNICAL DATA

Description	Code	No. of poles	No. modules
COMPACT MINIATURE CIRCUIT BREAKER	MTC 60	4P	2
Rated current	Curve	Rated voltage	Standard
32 A	C	230-400 V	EN 60898, EN 60947-2
Rated frequency (Hz)	Breaking capacity EN 60898 230V (Icn)	Breaking capacity EN 60898 400V (Icn)	Breaking capacity EN 60898 (Ics)
50/60 Hz	6000 A	6000 A	1 x Icn
Breaking capacity EN 60947-2 230V (Icu)	Breaking capacity EN 60947-2 400V (Icu)	Breaking capacity EN 60947-2 (Ics)	Insulation voltage
7.5 kA	6 kA	100% Icu	500 V

Rated impulse withstand voltage

4 kV

Minimum operating voltage

12V ac/dc

Maximum operating voltage

440V AC / 220V DC

Electrical endurance

10000

Mechanical endurance

20.000

Section rigid cable<=1x16 - <=1x10+1x6 mm²**Section flexible cable**<=1x10 - <=2x6 mm²**Rated tightening torque**

1.2 Nm

Operating temperature

-25 +60 °C

Stocking temperature

-40 +70 °C

Electrocod

1411

PRODUCT DOWNLOADProduct Data Sheet **RANGE DOWNLOAD**Technical characteristics - IT Technical characteristics - EN Technical characteristics - DE **MARKS QUALITY****RELATED PRODUCTS****GW46202F**

POLYESTER
ENCLOSURE WITH
TRANSPARENT...
DOOR FITTED WITH
LOCK - 310X425X160
- IP66 - GRIGIO RAL
7035

**GW96001**

AUXILIARY CONTACT
OF OPEN/CLOSED
POSITION - 0,5...
MODULES

**GW90893**

RESTART RM TOP -
TO BE COUPLED
WITH...
MDC/MT+BD/MTC/M
- 230 V - 4 MODULES
EN 50022

**GW96012**

SHUNT TRIP
RELEASE 110-125V
DC/110-415V AC - 1...
MODULE

**GW96016**

UNDER VOLTAGE
RELEASE - 230V AC -
1 MODULE

**GW96006**

AUXILIARY CONTACT
OF FAULT
INDICATOR SWITCH..
0,5 MODULES

Customized solutions for you

PRODUCTS AND SOLUTIONS FOR YOUR NEEDS

Professional

Private

Industry

or

[Sign up now](#)



PRODUCTS

[Domotics](#)
[Power](#)
[Building](#)
[Lighting](#)
[Browse online the catalog](#) [BIM](#)

SERVICES

[Download](#)
[Technical assistance](#)
[Partner Sales Network](#)
[Softwares](#)

[CHANGE COUNTRY >](#)

COMPANY

[Mission](#)
[Advertising](#)
[References](#)
[Press](#)
[Corporate Governance](#)

[CONTACTS](#) [INTRASTAT](#) [LEGAL](#) [PRIVACY POLICY](#) [CONDITIONS](#)

WORK WITH US

Sole Shareholder Company. Registered Office: Via A. Volta, 1 - 24069 CENATE SOTTO BG - Italia
Tax and VAT code and registered with the Bergamo Chamber of Commerce in Bergamo, under the
registration number: 00385040167
Share capital 60.000.000,00 EUR Fully paid up.

Copyright ©2020 Gewiss S.p.A. P.IVA
00385040167