

# PRODUKT DATABLAD

## ST 151 LONGLIFE

Tennere for seriedrift ved 230 V AC



---

### PRODUKTEGENSKAPER

- Temperaturområde for pålitelig utkobling: -20...+80 °C




## TEKNISK DATA

## Elektriske data

|                   |             |
|-------------------|-------------|
| Nominell spenning | 220...240 V |
| Nominell effekt   | 22,00 W     |
| Nettfrekvensen    | 50...60 Hz  |


## Mål og vekt



|        |         |
|--------|---------|
| Lengde | 40,3 mm |
|--------|---------|

## Ytterligere produktdata

|                                   |    |
|-----------------------------------|----|
| Vis piktogram for WEEE direktivet | Ja |
|-----------------------------------|----|



## Circuit diagram

## LOGISTIKK DATA

| Product kode  | Produkt beskrivelse | Forpakkings enhet (stk/enhet) | Dimensjoner (lengde x bredde x høyde) | Volum                 | Brutto vekt |
|---------------|---------------------|-------------------------------|---------------------------------------|-----------------------|-------------|
| 4050300012803 | ST 151 LONGLIFE     | NO: VS 1200                   | 400 mm x 235 mm x 325 mm              | 30.55 dm <sup>3</sup> | 8362.00 g   |

|               |                 |               |                             |                      |           |
|---------------|-----------------|---------------|-----------------------------|----------------------|-----------|
| 4050300092638 | ST 151 LONGLIFE | NO: VS<br>20  | 165 mm x 154 mm x<br>133 mm | 3.38 dm <sup>3</sup> | 308.67 g  |
| 4050300854083 | ST 151 LONGLIFE | NO: VS<br>400 | 227 mm x 179 mm x<br>227 mm | 9.22 dm <sup>3</sup> | 2796.25 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

#### ANSVARSRASKRIVELSE

Endres uten varsel. Sørg alltid for å bruke den nyeste versjonen.