PRESENCE AND MOTION **DETECTORS**

STANDARD



👚 | Indoor automation | Presence and motion detectors | STANDARD | Motion detectors / Wall mounting / ON/OFF





MD 180i/R Set SKK

Item number EM10002106



 $The \ tried-and-tested \ technology \ in \ the \ Standard \ series \ is \ suitable \ for \ many \ different \ applications \ in \ buildings.$ Multiple variants of the presence and motion detector enable flexible application due to the different fields of detection, installation types and further details.



Installation type	Recessed mounting
Installation position	Wall
Protection type	IP20, IP44 depending on cover (order separately)
Dimensions	Length 86 mm x Width 86 mm x Height/Depth 29 mm
Power consumption	0.9 W
Detection angle	180° horizontal, 60° vertical
Detection range diagonally	Ø16 m
Field of detection	up to 101 m ²
Light measurement	mixed light
Level of brightness	5 - 2000 lx
Warranty	3-year

ACCESSORIES



ESY-Pen

Item number EP10425356









MD/PD 180 Slave

Item number EM10410024





REMOTE CONTROL MDi/PDi

Item number EM10425509






FILTER 230 V

Item number EP10426988







With the ESY-App, ESYLUX intelligent detectors and light controls can be easily configured and operated via Bluetooth.









Item number EB10430626



CATALOGUE 2020/2021



CONTACT US
Firstname *
Lastname *
Company *
Phone
E-mail-address*
Subject *
Your message *
Yes, I agree that ESYLUX will inform me about news in the future via newsletter. I have read and agree to the privacy policy *
* Required

SIMILAR PRODUCTS

OTHER PRODUCTS





Solutions
Offices
Education
Health Care Innovations
Demand-driven Automation
Intelligent Lighting
Human Centric Lighting Service
Media centre
Planning & project support
Name concept Company
Vision and mission
Experience and quality
Corporate responsibility
Research and development
Cooperations and memberships
Awards and prizes
References Highlights
ESYLUX Light Control
DEFENSOR
COMPACT
ESY-Pen
ALVA
FLAT
ISABELLE

Imprint Privacy policy |
General terms and conditions |
Guarantee | Disclaimer Contact © 2020 ESYLUX GmbH







