


Description




- Passive infrared presence detector for ceiling mounting
- Square detection area for corridors and storage areas
- Detection area with 2 individually connectable and disconnectable detection zones, each 15 x 5 m (total 30 x 5 m)
- Test mode for checking function and detection area
- Extension of detection area via Master/Slave or Master/Master switching, a maximum of 10 detectors can be switched in parallel with each other
- Ceiling installation in flush-mounted socket
- Ceiling installation also possible with surface-mounted frame
- User remote control theSenda S, management remote control SendoPro (optional)

Technical data


Operating voltage	110 – 230 V AC
Frequency	50 – 60 Hz
Installation height	2 – 6 m
Minimum height	> 1,7 m
Installation type	Ceiling installation
Colour	Grey
Power consumption	ca. 0,1 W
Light measurement	Mixed light measurement
Type of connection	Screw terminals
Max. cable cross section	max. 2 x 2,5 mm ²
Size of concealed housing	Ø 55 mm (NIS, PMI)
Detection range	150 m ² (30,0 x 5 m)
Ambient temperature	-15 °C ... +50 °C
Type of protection	IP 54 (when fitted)

Connection example




Detection range

Mounting height (A)	Head on to (r)	Diagonally (t)
2 m	56 m ² 16 m x 3,5 m	56 m ² 16 m x 3,5 m
2,5 m	72 m ² 18 m x 4 m	88 m ² 22 m x 4 m
3 m	90 m ² 20 m x 4,5 m	135 m ² 30 m x 4,5 m
3,5 m	100 m ² 20 m x 5 m	150 m ² 30 m x 5 m
4 m	100 m ² 20 m x 5 m	150 m ² 30 m x 5 m
4,5 m	100 m ² 20 m x 5 m	150 m ² 30 m x 5 m
5 m	100 m ² 20 m x 5 m	150 m ² 30 m x 5 m
5,5 m	100 m ² 20 m x 5 m	150 m ² 30 m x 5 m
6 m	100 m ² 20 m x 5 m	150 m ² 30 m x 5 m



Scale drawings



Accessories

Surface frame 110A GR

- Article number: 9070913
[Details ► www.theben.de](http://www.theben.de)



SendoPro 868-A

- Article number: 9070675
[Details ► www.theben.de](http://www.theben.de)



theSenda P

- Article number: 9070910
[Details ► www.theben.de](http://www.theben.de)



theSenda B

- Article number: 9070985
[Details ► www.theben.de](http://www.theben.de)



theSenda S

- Article number: 9070911
[Details ► www.theben.de](http://www.theben.de)



Ceiling installation box 73A

- Article number: 9070917
[Details ► www.theben.de](http://www.theben.de)



Article number: 2010331

Masking clip

- Article number: 9070921
[Details ▶ www.theben.de](http://www.theben.de)



QuickSafe

- Article number: 9070531
[Details ▶ www.theben.de](http://www.theben.de)



Product selection

Installation type	Channel	Operating voltage	Colour	Type	Article number
Ceiling installation		110 – 230 V AC	White	thePassa P360 Slave UP WH	2010330
Ceiling installation		110 – 230 V AC	Grey	thePassa P360 Slave UP GR	2010331