

flush-mounting caravan appliance inlet - housing dimensions 163x102 white pivotable plug




Product description	
BALS-Prd.-Nr	254
EAN	4024941002547
product category (PG)	flush-mounting caravan appliance inlet
current (A)	16A
number of poles (P99)	3p
number of poles (P)	2P+PE
position of earth contact (H)	6 h
voltage (V)	200 up to 250V

Product description	
frequency (HZ)	50 and 60Hz
protection degree (SA)	IP44
colour code 1 (KF1)	white
Colour of appliance	Housing bottom blue, Collar blue, Housing cover blue
connection design (AT)	screw terminal
maximum conductor size (LQ)	2,5 qmm
cable entry (KE)	up to diameter 13,5
dimension of enclosure (GG)	163x102 mm (HxW)
material of enclosure (GM)	ABS
contact	The contact carrier is made of polyamide, The contacts are brass

Additional technical information	
	Fixing centers 103x88 built-in opening 135x70, The cable entry is one rear sided open
	Housing with rubber gasket and frame for intermediate fixing, Pivotal plug

Logistics data	
Weight/pcs	0.332 kg / Piece
Packaging	Bag
Content amount	1 ST
EAN	4024941002547
Length	410 mm

Logistics data	
Width	285 mm
Weight	0.333 kg
Packaging	Carton
Content amount	10 ST
EAN	4024941965545
Length	330 mm
Width	216 mm
Height	260 mm
Weight	3.546 kg
Volume	17,062.5 ccm



5 MB 16