

wall mounting socket outlet - 7 poles, housing dimensions 126x83




Product description	
BALS-Prd.-Nr	11482
EAN	4024941114820
product category	GT wall mounting socket outlet
current	32A
number of poles	7p
number of poles	6p+PE
position of earth contact	9 h
voltage	230V

Product description	
frequency	50 and 60Hz
protection degree	IP44
colour code	blue RAL 5015
Colour of appliance	Hinged lid blue, Housing bottom grey, Housing top grey, Collar grey
connection design	with screw terminal
maximum conductor size	10,0 qmm
cable entry	1xM25 top, 2xM25 bottom
Height	157mm
Width	83mm
Depth	136mm
dimension of enclosure	126x83 mm (HxW)
material of enclosure	Polyamide
contact	The contact carrier is made of high temperature resistant material, The contacts are brass

Additional technical information	
	The cable entry is one at top open and two at bottom closed
	Lower part of housing rotatable by 180°
	4 cut out fixing holes in the lower part of housing

Logistics data	
Weight/pcs	0.453 kg / Piece

Logistics data	
Packaging	Bag
Content amount	1 ST
EAN	4024941114820
Length	136 mm
Width	83 mm
Height	157 mm
Weight	0.454 kg
Volume	1,772.216 ccm
Packaging	Carton
Content amount	10 ST
EAN	4024941959018
Length	330 mm
Width	216 mm
Height	260 mm
Weight	4.756 kg
Volume	17,062.5 ccm

	Ampere	16	32						
	Polzahl	7	7						
	a	83,0	83,0						
	b	126,0	126,0						
	c	155,0	155,0						
	d	130,0	136,0						
	e	68,0	68,0						
	f	11,0	11,0						
	h ø	5,5	5,5						
	i	6,5	6,5						
	k ø	12,0	12,0						
	l	65,0	65,0						
	m	80,0	80,0						
	n ø	10,0	10,0						
	o	M25	M25						
	p	2 x M25	2 x M25						
	Leiter mm² min	1,5	2,2						
	Leiter mm² max	4	10						

1 MB 124

