

Select your language

- [German](#)
- [English](#)
- [Spanish](#)
- [French](#)
- [Dutch](#)
- [Italian](#)
- [Polish](#)
- [Czech](#)
- [Russian](#)
- [Norwegian Bokmål](#)

Worldwide English



SL7-L120 - Filament lamp, 120V, 7W



171292 SL7-L120

[Overview](#) [Specifications](#) [Resources](#)



171292 SL7-L120

Filament lamp, 120V, 7W

Alternate Catalog No.

EL-Nummer (Norway)

SL7-L120

4137640

Filament lamp, Product range: Accessories, Mounting: Ba15d, lifespan: 3000 h, Power: 7 W, Rated operational voltage: $U_e = 120 \text{ V V}$, For use with: SL7-L-..., Connection to SmartWire-DT: no

- [Delivery program](#)

Design verification as per
IEC/EN 61439

- [Technical data ETIM 7.0](#)

- [Dimensions](#)

Delivery program

Product range

Accessories

Basic function accessories

Filament bulbs

Mounting

Ba15d

lifespan

> 3000 h

Power

7 W

Rated operational voltage [U_e]

120 V V

For use with

SL7-L-...

Connection to SmartWire-DT

no

Design verification as per IEC/EN 61439

Operating ambient temperature min.

-30 °C

Operating ambient temperature max.

+60 °C

Technical data ETIM 7.0

Technical data ETL712

Lamps (EG000028) / Indication- and signalling lamp (EG000399)

Electric engineering, automation, process control engineering / Lighting installation, device / Light medium/ Indication- and signal lamp (ecl@ss10.0.1-27-11-06-31 [AKE242014])

Lamp power

7 - 7 W

Lamp voltage

120 - 120 V

Luminous flux

0 lm

Socket

BA15d

Technology

Incandescent lamp

Lamp shape

Other

Halogen

No

Krypton

No

Xenon

No

Colour

None

Colour temperature

2800 K

Diameter

0 mm

Total length

0 mm

Suitable for torches

No

Suitable for pointer

Yes

Suitable for round flashing luminaire

Yes

Nominal current


0 mA

Average nominal lifespan

3000 h

Energy efficiency class

Dimensions



CAD data

- [Product-specific CAD data](#)
(Web)
- [3D Preview](#)
(Web)

DWG files

- [DA-CD-sl7_l120v7w](#)
File
(Web)

edz files

- [DA-CE-ETN.SL7-L120](#)
File
(Web)

Step files

- [DA-CS-sl7_l120v7w](#)
File
(Web)


Product photo

- 
[1160PIC-1287](#)
Photo

3D drawing

- 
[1160DRW-301](#)
Line drawing

Dimensions single product

- 
[1160DIM-104](#)
Line drawing

Instruction Leaflet

- [Signal Towers SL4/7: Incandescent Mbduls \(IL047005ZU\)](#)
Asset
(PDF, multilingual)

Declaration of Conformity

EU

- [Signal tower series SL4 and SL7 \(DA-DC-00003679\)](#)
Asset
(PDF)

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center



[Generate data sheet in PDF format](#)



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2021 by Eaton Industries GmbH

