

Product data sheet

Item No. R:6587218830

Cross connector, insulated for DIN rail terminal blocks type WK ..., 12 -pole



Item No.	R:6587218830
EAN	
Order Unit	Piece(s)

Certificates / Approvals

Technical data


General

Type	Cross connector
Modular spacing	5.95 mm
Number of bridged clamps	12
Mounting method	Screwable
Insulated	Yes

Accessories

Type	Cross connector
Mounting method	Screwable
Insulated	Yes
Number of bridged clamps	12
Modular spacing	5.95 mm

Technical drawing



Diese Maße werden bei Abnahme besonders geprüft
 Ausschließlich Prüfmaße
 M.L.G. - GABENZUSCHNEIDEN Maße sind nur für interne Zwecke gültig

Teile-Nr. part nr.	Pol- zahl poles	L	l	Typ type
Z7.281.72MM.0	2	10,35	5,95	IVB WK4/D..-2
Z7.281.73MM.0	3	16,3	11,9	IVB WK4/D..-3
Z7.281.74MM.0	4	22,25	17,85	IVB WK4/D..-4
Z7.281.75MM.0	5	28,2	23,8	IVB WK4/D..-5
Z7.281.76MM.0	6	34,15	29,75	IVB WK4/D..-6
Z7.281.77MM.0	7	40,1	35,7	IVB WK4/D..-7
Z7.281.78MM.0	8	46,05	41,65	IVB WK4/D..-8
Z7.281.79MM.0	9	52	47,6	IVB WK4/D..-9
Z7.281.80MM.0	10	57,95	53,55	IVB WK4/D..-10
Z7.281.81MM.0	11	63,9	59,5	IVB WK4/D..-11
Z7.281.82MM.0	12	69,85	65,45	IVB WK4/D..-12

MM	
27	Katalogteil catalogue part
97	spezielle Verpackung special packing

Freitoleranz nach DIN CAD - Zeichnung, keine manuellen Änderungen 1. Verwendung: - Bl.: 1 von 1

2002	Tag	Name	Zeichnung Nr.	Index
Entworfen	08.03.	Treschan	Z7.281.7227.0 01K	
Geprüft				
Normgepr.			Ersatz für:	

wieland Elektrische Verbindungen

Typ: IVB WK4/D...
 Benennung: VERBINDUNGSSTEG jumper bar

A
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
M1
M2
M3
L
G
i
1.1
2.1
1.1
Z7817227001 CAD/M28 Treschan 08.03.2002 13:51:29 1.000

