

compact Pin Busbar, 10mm<sup>2</sup> connection: 3p/N (FI N-right) 1x RCCB  
4-pole + 8x compact device 1-pole touch protected N-right 12 MW  
cuttable



| Model                                     |                    |
|-------------------------------------------|--------------------|
| Product brand name                        | SETRON             |
| General technical data                    |                    |
| Phase number                              | 3                  |
| Cross-section                             | 10 mm <sup>2</sup> |
| Operating voltage / rated value / maximum | 230 V              |
| Current                                   |                    |
| Continuous current / rated value          | 63 A               |
| Suitability                               |                    |
| <b>Suitability for interaction</b>        |                    |
| • Devices with auxiliary switch           | No                 |
| • Devices with N conductor                | Yes                |
| Product details                           |                    |
| Product feature / insulated               | Yes                |
| Number                                    |                    |
| Number of devices / suitable for fitting  | 9                  |

## Connections

|                               |     |
|-------------------------------|-----|
| Type of electrical connection | Pin |
|-------------------------------|-----|

## Mechanical Design

|            |          |
|------------|----------|
| Height     | 13.7 mm  |
| Width      | 42.4 mm  |
| Length     | 215.8 mm |
| Net weight | 124 g    |

## Certificates

### Declaration of Conformity



EG-Konf.

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3783-0>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3783-0>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3783-0](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3783-0)

### CAX-Online-Generator

<http://www.siemens.com/cax>

### Tender specifications

<http://www.siemens.com/specifications>



5ST3783-0

