

Data sheet | Item number: 2002-423

Continuous jumper; from 1 to 3; insulated; light gray

www.wago.com/2002-423



 Picture differs from the item.

RoHS
Compliant



Color: 

Data

Electrical data

Ratings per IEC/EN 60664-1

Nominal voltage (III/3)

800 V

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Rated surge voltage (III/3)	8 kV
Rated current	25 A

Geometrical Data

Width	10.9 mm / 0.429 inch
Height	18.5 mm / 0.728 inch
Depth	4.1 mm / 0.161 inch

Material Data

Color	light gray
Weight	0.9 g

Commercial data

Packaging type	bag
Country of origin	DE
GTIN	4055143690874
Customs tariff number	85366990990

Counterpart**Downloads****Documentation****Bid Text**

2002-423	Apr 27, 2017	doc	Download
doc - Datei		24.1 kB	

2002-423	Feb 19, 2019	xml	Download
GAEB X81 - Datei		2.6 kB	

Additional Information

Technical explanations	Apr 3, 2019	pdf	Download
		2.1 MB	

CAD/CAE-Data**CAE data**

EPLAN Data Portal 2002-423

Subject to changes. Please also observe the further product documentation!


WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

	URL	Download
WSCAD Universe 2002-423	URL	Download
ZUKEN Portal 2002-423	URL	Download
CAD data		
2D/3D Models 2002-423	URL	Download

Installation Notes

Commoning




The 1-to-3 adjacent jumper for continuous commoning enables every other terminal block to be commoned. For example, positive and negative potentials can be accommodated alongside each other.

Commoning

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



By combining a 1-to-2 continuous jumper with a 1-to-3 adjacent jumper, various commoning applications can be performed in just one jumper slot.

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.