SIEMENS

Data sheet

6GK5008-0GA10-1AB2

SCALANCE XB008G unmanaged Industrial Ethernet Switch for 10/100/1000 Mbit/s; for setting up small star and line topologies; LED diagnostics, IP20, 24 V DC power supply, with 8x 10/100/1000 Mbit/s RJ45 ports electrical Manual available as a download



| product type designation | SCALANCE XB008G |
|--|------------------------------------|
| transfer rate | |
| transfer rate | 10 Mbit/s, 100 Mbit/s, 1000 Mbit/s |
| interfaces / for communication / integrated | |
| number of electrical connections | |
| • for network components or terminal equipment | 8; RJ45 |
| number of 100 Mbit/s SC ports | |
| • for multimode | 0 |
| interfaces / other | |
| number of electrical connections | |
| • for power supply | 1 |
| type of electrical connection | |
| • for power supply | 3-pole terminal block |
| supply voltage, current consumption, power loss | |
| type of voltage / 1 / of the supply voltage | DC |
| supply voltage / 1 / rated value | 24 V |
| • power loss [W] / 1 / rated value | 12.5 W |

| supply voltage / 1 / rated value | 19.2 28.8 V |
|--|-----------------------|
| consumed current / 1 / maximum | 0.52 A |
| type of electrical connection / 1 / for power supply | 3-pole terminal block |
| product component / 1 / fusing at power supply input | Yes |

| ambient conditions | |
|--|------------|
| ambient temperature | |
| during operation | -10 +60 °C |
| during storage | -40 +80 °C |
| during transport | -40 +80 °C |
| relative humidity | |
| at 25 °C / without condensation / during operation / maximum | 95 % |
| protection class IP | IP20 |

| design, dimensions and weights | |
|---|---------|
| design | Box |
| width | 45 mm |
| height | 100 mm |
| depth | 87 mm |
| net weight | 0.26 kg |
| fastening method | |
| 35 mm top hat DIN rail mounting | Yes |
| wall mounting | Yes |
| • S7-1500 rail mounting | No |

| product functions / management, configuration, engineering | | |
|--|-----|--|
| product function | | |
| multiport mirroring | No | |
| • CoS | Yes | |
| PROFINET conformity class | А | |
| product function / switch-managed | No | |

| product functions / redundancy | |
|--|-----|
| product function | |
| Parallel Redundancy Protocol (PRP)/operation in the PRP-network | Yes |
| Parallel Redundancy Protocol (PRP)/Redundant Network Access (RNA) | No |

| standards, specifications, approvais | |
|--------------------------------------|--|
| standard | |
| • for FM | FM3611: Class 1, Divison 2, Group A, B, C, D / T4, CL.1, Zone 2, |
| | GP. IIC, T4 |

for hazardous zone
 EN 60079-0:2009, EN60079-15:2010, II 3 G Ex nA IIC T4 Gc, KEMA 07ATEX0145 X
 for safety / from CSA and UL
 for emitted interference
 for interference immunity
 EN 61000-6-2
 EN 61000-6-2

112 y

standards, specifications, approvals / CE

certificate of suitability / CE marking Yes

standards, specifications, approvals / other

certificate of suitability EN 61000-6-2, EN 61000-6-4

C-TickKC approvalYes

further information / internet-Links

Internet-Link

MTBF

• to website: Selector TIA Selection Tool http://www.siemens.com/snst

• to website: Industrial communication http://www.siemens.com/simatic-net

• to website: Industry Mall https://mall.industry.siemens.com

• to website: Information and Download Center http://www.siemens.com/industry/infocenter

• to website: Image database http://automation.siemens.com/bilddb

• to website: CAx-Download-Manager http://www.siemens.com/cax

• to website: Industry Online Support https://support.industry.siemens.com

security information

security information

Siemens provides products and solutions with industrial security functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Thirdparty products that may be in use should also be considered. For more information about industrial security, visit http://www.siemens.com/industrialsecurity. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit http://support.automation.siemens.com. (V3.4)

last modified: 10/30/2020