# **SIEMENS**

## Data sheet

# 6GK5008-0BA10-1AB2

SCALANCE XB008 Unmanaged Industrial Ethernet Switch for 10/100 Mbit/s for setting up small star and line topologies; LED diagnostics, IP20, 24 V AC/DC power supply, with 8x 10/100 Mbit/s twisted pair ports with RJ45 sockets; Manual available as a download



product type designation	SCALANCE XB008	
transfer rate		
transfer rate	10 Mbit/s, 100 Mbit/s	
interfaces / for communication / integrated		
number of electrical connections		
• for network components or terminal equipment	8; RJ45	
number of 100 Mbit/s SC ports		
• for multimode	0	
interfaces / other		
number of electrical connections		
• for power supply	1	
type of electrical connection		
• for power supply	3-pole terminal block	
supply voltage, current consumption, power loss		
type of voltage / 1 / of the supply voltage	DC	
<ul><li>supply voltage / 1 / rated value</li></ul>	24 V	
• power loss [W] / 1 / rated value	2.88 W	

19.2 28.8 V
0.12 A
3-pole terminal block
Yes
19.2 28.8 V
-10 +60 °C
-40 +80 °C
-40 +80 °C
95 %
IP20
IP20
IP20 Box
Box
Box 45 mm
Box 45 mm 100 mm
Box 45 mm 100 mm 87 mm
Box 45 mm 100 mm 87 mm
Box 45 mm 100 mm 87 mm 0.18 kg
Box 45 mm 100 mm 87 mm 0.18 kg
Box 45 mm 100 mm 87 mm 0.18 kg  Yes Yes
Box 45 mm 100 mm 87 mm 0.18 kg  Yes Yes No
Box 45 mm 100 mm 87 mm 0.18 kg  Yes Yes No
Box 45 mm 100 mm 87 mm 0.18 kg  Yes Yes No

product function / switch-managed	No
product functions / redundancy	

product function

● Parallel Redundancy Protocol (PRP)/operation
in the PRP-network

Yes

Parallel Redundancy Protocol
 No

(PRP)/Redundant Network Access (RNA)	
standards, specifications, approvals	
standard	

◆ for FM
 FM3611: Class 1, Divison 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4
 ◆ for hazardous zone
 EN 60079-0:2009, EN60079-15:2010, II 3 G Ex nA IIC T4 Gc, KEMA 07ATEX0145 X
 ◆ for safety / from CSA and UL
 UL 60950-1, CSA C22.2 No. 60950-1
 ◆ for emitted interference
 EN 61000-6-4 (Class A)
 ◆ for interference immunity

214 y

standards, specifications, approvals / CE

certificate of suitability / CE marking Yes

### standards, specifications, approvals / other

certificate of suitability EN 61000-6-2, EN 61000-6-4

C-TickKC approvalYes

#### further information / internet-Links

#### Internet-Link

MTBF

• to website: Selector TIA Selection Tool <a href="http://www.siemens.com/snst">http://www.siemens.com/snst</a>

• to website: Industrial communication http://www.siemens.com/simatic-net

• to website: Industry Mall <a href="https://mall.industry.siemens.com">https://mall.industry.siemens.com</a>

• to website: Information and Download Center <a href="http://www.siemens.com/industry/infocenter">http://www.siemens.com/industry/infocenter</a>

• to website: Image database <a href="http://automation.siemens.com/bilddb">http://automation.siemens.com/bilddb</a>

• to website: CAx-Download-Manager http://www.siemens.com/cax

• to website: Industry Online Support https://support.industry.siemens.com

#### security information

security information

Siemens provides products and solutions with industrial security functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Third-party products that may be in use should also be considered. For more information about industrial security, visit http://www.siemens.com/industrialsecurity. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit

http://support.automation.siemens.com. (V3.4)

last modified: 10/30/2020