



Wood burning heater Harvia Pro 20 ES black

WKP200ES

The Harvia 20 RS Pro stove is a popular choice for cottage saunas thanks to its practicality. The right side of the stove features a fixed and easy-to-use 20-litre water tank that heats up the water while the stove is being heated for bathing.



Features

Net weight (kg) : 70.0

H x W x D : 760.0 x 430.0 x 650.0 mm

Stone amount (kg) : 40.0

ID	GTIN	Power	Sauna room size min - max m3
WKP200ES	6410082666867	24.1 kW	8.0-20.0

Related products



WL100

Spare parts

Product	ID	Pcs
Furnace grate	ZKIP-10	1
Connection pipe	ZKIP-130	1
Ashpan Pro 2019	Z2ES-127	1
Hinge pin	ZKIP-50	1
	Z2ES-1	1
	Z2ES-221	1
	ZES-146	1
Glass for stove door 184*210 mm	ZTS-36	1


Technical details

Technical data	Type / attribute	WKP200ES
	Color	Black
	Power output	24.1 kW
	Stone sizes	10-15 cm
	Stone amount (kg)	40
Dimensions	Product width (mm)	430
	Product height (mm)	760
	Product depth (mm)	650
	Net weight (kg)	70
	Gross weight	70.4
	Package width	515
	Package height	800
	Package depth	745
Connections	Flue connection locations	Back, Top
	Chimney connection diameter	115
Safety and installation dimensions	Safety distance front (non-combustible materials)	300
	Safety distance front (combustible materials)	300
	Safety distance right side (combustible materials)	300
	Safety distance right side non-combustible materials	100
	Safety distance left side (combustible materials)	300
	Safety distance left side non-combustible materials	100
	Safety distance behind (non-combustible materials)	100
	Safety distance behind (combustible materials)	300
	Safety distance (Ceiling) (depends on connections and therefore from output, star/delta)	1300
	Room min. height(depends on connections and therefore from output, star/delta)	2060


Technical images

1.1. Stove Parts


- A. Upper connection opening
B. Rear connection opening
C. Soot opening
D. Stove door
E. Ash box



Stove parts. **Note!** Only use replacement parts recommended by the manufacturer. Unauthorised modification of the stove is prohibited.




Safety distances (all dimensions in millimeters)



Safety distances with protective sheaths (all dimensions in millimeters)

3.4. Accessories

- A. Harvia steel chimney WHP1500.
B. Water heater VL22L. Installed on the top of the upper connection opening. When a protective sheath or other protection is used that is not large enough to protect the inflammable materials around the stove from the heat radiation of the pipe between the water heater and smoke flue, you must install a radiation cover around the pipe.
C. Radiation cover WZ020130. Installed around the smoke pipe.
D. Harvia protective sheath WX017.
E. Harvia protective sheath WL400-WL775.
F. Harvia protective bedding WX018, WL100. (not for models 20 RS/LS Pro, 36, 36 Duo, Premium VS, Linear 22 RS/LS, 22 RS/LS S).
G. Harvia protective bedding WL110 (not for models 20 ES Pro/S, Linear 22 ES, 22 ES S).
H. Angle smoke pipe. Different models.
I. Lead-through flange for smoke pipe WZ020115. Covers the edges of the flue opening and the sealing in the wall. Made of stainless steel. Consists of two parts to make it useable with differently inclined smoke pipes.
J. Masonry connector WZ011115. Connected to the flue opening, does not require other seals. The inner side already has a seal.



Accessories (all dimensions in millimeters)