

HARVIA HPOXE

HPO704XE

Harvia Legend electric sauna heater, now in a new size, continues the Finnish sauna tradition and the story of unwavering Harvia quality! The compact Legend electric sauna heater brings the soft steam baths into small family saunas.

Advantages

- The large amount of stones in the tall Harvia Legend XE pillar model creates a pleasant feeling for home saunas. Digital and modern control ensures the perfect sauna experience.
- The Harvia Legend XE electric sauna heater a range of features and is easy to install in a new or old sauna. It does not require a separate control unit installed in a dry room. All connections, such as the control panel, door sensor and temperature sensor are connected directly to the heater.
- Harvia's new heating element tunnel solution, with the elements separated into their own space within the stone space, ensures quick heating time and steady heat in the sauna. The heating element tunnel also enables a more relaxing and quieter steam bath with an even temperature, but it can also provide a properly hot steam bath if you like.
- The versatile and intuitive Xenio control panel is equipped with illuminated touch keys and digital displays. The control panel makes it simple to turn on the sauna heater, set the desired temperature, control the lighting, turn the heater on at a specific time, and to regulate the temperature. The control panel can be placed inside the sauna, doubling as an accurate digital thermometer.
- The Legend XE is easy to update to be remotely controllable with the Xenio WiFi accessory package and MyHarvia mobile application. Learn about the MyHarvia mobile application at www.myharvia.com.



EAC

Features

Main material : Steel


H x W x D : 1080.0 x 325.0 x 325.0 mm

Net weight (kg) : 18.0

Installation type : Floor

ID	GTIN	Output (kW)	Sauna room size min - max m3
HPO704XE	6417659030458	6.8 kW	6.0-10.0

Related products



SFE-D350



AC3000



SAB00103



CX001WIFI



HP02

Spare parts

Product	ID	Pcs
Heating element 2260W/230V Figaro	ZRH-720	3
Sensor with reset button 125 degr.	WX248	1
Data cable 5 m	WX311	1
Data cable 1,5 m	WX312	1
Data cable extension 10 m	WX313	1
Control panel for CX170, CX110	WX380	1
Data cable 10 m Griffin, Xenio, Xafir	WX315	1
On/off electric switch	ZSK-684	1
Circuit board XE	WX683	1

Technical details

Technical data	Type / attribute	HP0704XE
	Color	Black
	Power output	6.8 kW
	Stone sizes	5-10 cm
	Stone amount (kg)	100
Dimensions	Product width (mm)	325
	Product height (mm)	1080
	Product depth (mm)	325
	Net weight (kg)	18
	Gross weight	19.35
	Package width	330
	Package height	1080
	Package depth	330
Safety and installation dimensions	Safety distance front (non-combustible materials)	100
	Safety distance front (combustible materials)	100
	Safety distance right side (combustible materials)	100
	Safety distance right side non-combustible materials	100
	Safety distance left side (combustible materials)	100
	Safety distance left side non-combustible materials	100
	Safety distance side (non-combustible materials)	100
	Safety distance side (combustible materials)	100
	Safety distance behind (non-combustible materials)	100
	Safety distance behind (combustible materials)	100
	Safety distance (Ceiling) (depends on connections and therefore from output, star/delta)	840



Technical details

Technical data	Type / attribute	HP0704XE
	Room min. height(depends on connections and therefore from output, star/delta)	1900
	Installation opening height	1900
	Installation opening width	525
	Installation opening depth	525