


Equalizer HAN

The Easee Equalizer HAN is made to optimize your power consumption. It prevents the main fuse from tripping and enables you to utilize all available power for EV charging when possible. It is easily connected to the HAN port on your smart meter and with a one-click setup it communicates with your Charging Robot(s), via Easee Link™ over radio or WiFi.



Why choose Easee Equalizer HAN?

Smart power management



Benefits

- Automatic load balancing between the Charging Robot(s) and the building
- Avoid overload and power interruption while charging your EV
- Charge your EVs faster when the general consumption in the building is low*
- Plug & Play – one-click setup*
- Communication over Easee Link™ directly with your chargers or by WiFi*
- Monitor the power consumption in your building through the Easee app
- Snap it directly onto your fuse cabinet with its magnetic backside
- No external power needed
- Up to 50m coverage in open air*
- For a list of supported meters, go to <http://easee.support>

*When used together with an Easee Charging Robot.

Why choose Easee Equalizer HAN?

Charge when there is available power

The Easee Equalizer HAN makes sure that the charging of your EVs is done at the most convenient time, when the demand for other loads is low.

When you have paired your Easee Equalizer HAN to the system, it will automatically start to balance the available power in the building based on its readings and optimize your charging experience.


Easee Link™ will ensure that the automatic load balancing will continue to work even if the connection with the cloud is interrupted or should there be a problem with your WiFi.



Monitoring

While the main purpose of the Easee Equalizer HAN is to optimize the charging experience, it also provides the opportunity to monitor your daily power consumption through the Easee App.

With a full overview of your home's consumption, you have the power literally in your hands to save energy and hence the environment.



Specifications

Measurement
in mm



Technical

General

Product (mm): H: 110 x W: 110 x D: 27.5
Packaging (mm): H: 130 x W: 130 x D: 39
Operating temperature: -20 °C to +50 °C
Weight: 110 g
Material: PC/ABS
Colour: White
IP degree: IP40
Supply: 20-32 V DC 30 mA
RJ11 connector

Cabling


Cable length: 1.5 m
RJ11 to RJ45 custom made cable
It can be extended using an extension cable:
up to 200 m
Integrated magnets for attaching the
product to metal surfaces or to wall
mount plate

Connectivity


Easee Link RFTM and WiFi¹
HAN (NVE/AMS) smart meter communication
Modbus connection to energy meter²
Monitor power consumption with
the Easee App
RFID / NFC reader

¹WiFi is required for normal operation and for future software updates. When offline or unstable, it will use Easee Link RF™ as backup in small installations with one primary charger. Easee Link RF™ via radio may be limited by walls, concrete or other obstacles.
²Only for supported meters.

The product contains



Equalizer HAN



Cable



Wall mount plate

THIS DOCUMENT CONTAINS INFORMATION THAT IS
SUBJECT TO CHANGE WITHOUT NOTICE.

The latest version of this publication can be
downloaded at <http://easee.support>

No part of this publication may be reproduced or
transmitted in any form or by any means, electronic
or mechanical, including, but not limited to, copying,
recording, retrieving data, or computer networks
without the written permission of Easee AS.

Easee and all other Easee product names and slogans
are trademarks or registered trademarks of Easee
AS. Easee products can be protected by one or more
patents.

All other products and services mentioned may be
trademarks or service marks of their respective owners.

Illustrations of the product and user interface are
exemplary and may differ from the actual appearance.

July 2022 - Version 2.00
© 2020 by Easee AS. All rights reserved.



Easee AS
Grenseveien 19
4313 Sandnes
Org.nr: 920 292 046

Easee is distributed and maintained by a
network of qualified partners and resellers.
Find more information and your local
partner at:

www.easee.com