




Flexi + 1M extension ring 6mm



NNZ5674000-00



ELKO AB,
Box 5115,
121 17 Johanneshov
www.elko.se/kundsupport

ELKO AS,
Pb. 6598 Etterstad, 0607 Oslo
www.proff.elko.no/kontakt-oss





Flexi + apparatus box - opening knockouts



⚠ CAUTION

PINCH HAZARD

Clear hand / fingers off the strike surface before a hammer blow.

Failure to follow these instructions can result in minor or moderate injury.

NNZ5674200-00


ELKO AB,
Box 5115,
121 17 Johanneshov
www.elko.se/kundsupport

ELKO AS,
Pb. 6598 Etterstad, 0607 Oslo
www.proff.elko.no/kontakt-oss





Flexi + apparatus Box - making combinations



NNZ5674300-00




ELKO AB,
Box 5115,
121 17 Johanneshov
www.elko.se/kundsupport

ELKO AS,
Pb. 6598 Etterstad, 0607 Oslo
www.proff.elko.no/kontakt-oss





Flexi + apparatus Box - making combinations



NNZ5674300-00





ELKO AB,
Box 5115,
121 17 Johanneshov
www.elko.se/kundsupport

ELKO AS,
Pb. 6598 Etterstad, 0607 Oslo
www.proff.elko.no/kontakt-oss





Flexi + apparatus Box - making combinations







NNZ5674300-00

ELKO AB,
Box 5115,
121 17 Johanneshov
www.elko.se/kundsupport

ELKO AS,
Pb. 6598 Etterstad, 0607 Oslo
www.proff.elko.no/kontakt-oss










Flexi + apparatus box - Ring adjustment



Box - Ring combination

Box Type	Ring Type	Board range
Low box	EKO07438 - Low ring	9 - 21 mm (Max.)
Low box	EKO07439 - High ring	24 - 36 mm (Max.)

NNZ5674800-00


ELKO AB,
Box 5115,
121 17 Johanneshov
www.elko.se/kundsupport

ELKO AS,
Pb. 6598 Etterstad, 0607 Oslo
www.proff.elko.no/kontakt-oss





Flexi + - Alternative fixing methods with screws



NNZ5675000-00



ELKO AB,
Box 5115,
121 17 Johanneshov
www.elko.se/kundsupport

ELKO AS,
Pb. 6598 Etterstad, 0607 Oslo
www.proff.elko.no/kontakt-oss





Flexi + - Alternative fixing methods with screws





NNZ5675000-00



ELKO AB,
Box 5115,
121 17 Johanneshov
www.elko.se/kundsupport


ELKO AS,
Pb. 6598 Etterstad, 0607 Oslo
www.proff.elko.no/kontakt-oss






















i




Refer IS NNZ5676300
for Blank Pate Assembly
instruction

Flexi + Stubs Removal





Flexi + - Removal of seals and reducing sleeves



NNZ5676100-00




ELKO AB,
Box 5115,
121 17 Johanneshov
www.elko.se/kundsupport

ELKO AS,
Pb. 6598 Etterstad, 0607 Oslo
www.proff.elko.no/kontakt-oss





Flexi + Stub variants



NNZ5676900-00

ELKO AB,
Box 5115,
121 17 Johanneshov
www.elko.se/kundsupport

ELKO AS,
Pb. 6598 Etterstad, 0607 Oslo
www.proff.elko.no/kontakt-oss

