



SACE Tmax XT

AUX-C - W - Contatti ausiliari 250V-24V cablati XT5 - XT6 (1Q+1SY; 2Q+1SY; 3Q+1SY; S51)
AUX-C - W - XT5 - XT6 wired auxiliary contacts 250V-24V (1Q+1SY; 2Q+1SY; 3Q+1SY; S51)
AUX-C - W - Hilfskontakte 250V-24V, verdrahtet XT5-XT6 (1Q+1SY; 2Q+1SY; 3Q+1SY; S51)
AUX-C - W - Contacts auxiliaires 250V-24V câblés XT5 - XT6 (1Q+1SY; 2Q+1SY; 3Q+1SY; S51)
AUX-C - W - Contactos auxiliares 250V-24V cableados XT5 - XT6 (1Q+1SY; 2Q+1SY; 3Q+1SY; S51)
AUX-C - W - 带导线辅助触点 250V-24V XT5 - XT6 (1Q+1SY; 2Q+1SY; 3Q+1SY; S51)

XT5 - XT6



250 V

IEC60947-5-1 

AUX 250V							
IEC	Voltage	Category / Operating current					
		AC-15	AC-14	AC-13	DC-14	DC-13	DC-12
	250Vac	4A	5A	6A	-	-	-
	125Vac	5A	6A	6A	-	-	-
	250Vdc	-	-	-	0.03A	0.03A	0.3A
	110Vdc	-	-	-	0.05A	0.05A	0.5A

Uimp = 1.5kV
Ui = 300V



UL	Voltage	max Current
	250Vac	3A
	125Vac	5A
	250Vdc	0.2A
	125Vdc	0.4A

24 V

IEC60947-5-1 

IEC	Voltage	max Current
	30Vdc	0.1A

IEC	Voltage	min Current
	24Vdc	1mA @ 5Vdc

Uimp = 1.5kV
Ui = 300V



UL	Voltage	max Current
	30Vdc	0.1A

UL	Voltage	min Current
	24Vdc	1mA @ 5Vdc

SY/1

Q/1

Q/2

Q/3

S51

CAVI
CABLES
KABEL
CÂBLES
CABLES
导线

95-96-98

11-12-14

21-22-24

31-32-34

05-06-08

CONNETTORE
CONNECTOR
STECKVORRICHTUNG
CONNECTEUR
CONNECTOR
連接器

JU1

JW1

JV1

JT1

JX1



	XT5		XT6
	Thermal-magnetic and Ekip Dip trip unit	Ekip Touch and Hi-Touch trip unit	
1Q+1SY	OK	OK	OK
2Q+1SY	OK	OK	OK
3Q+1SY	OK	OK	OK
1S51	OK	OK	OK

1Q+1SY	SY/1+Q/2
2Q+1SY	SY/1+Q/1+Q/2
3Q+1SY	SY/1+Q/1+Q/2+Q/3
1S51	S51

3


XT5 4

XT5



5



XT5



6

XT5 7



XT5





8


XT6 9

XT6








Example with XT5



Example with Q/2 on XT5 - XT6







17

XT5 18

XT6





19

XT5 - XT6 20

XT5



Example with XT5



21

XT5 22



XT5









23

XT5 24


XT5










Example with SY/1+Q/2 and S51



Example with XT5 F



32



Per ulteriori informazioni vedere:

For further details consult:

Für weitere Informationen siehe:

Pour plus d'informations voir:

Para más información véase:

有关更多信息请参考:

1SDM000005A1001