

CATALOG

Wiring Accessories

Impressivo and Jussi



- Full range of functions required in electrical installation
- Easy to install and reliable to use
- For flush and surface mounting

ABB wiring accessories are easy to install and reliable to use.

The product range is constantly expanded and existing products are developed, while maintaining their compatibility and availability.



Table of contents

01. Impressivo	04
02. Jussi	36
03. Electronics	58
04. Technical information	72

01

Impressivo

When style and functionality matter.



Flush mounting	
Switches and push switches	10
Signal lights	15
Socket outlets	15
Tele and data	19
Accessories	
IP44 sealing	25
Accessories	25
Cover frames	27
Design frames	28
Surface mounting	
Switches	31
Socket outlets	32
Surface mounting boxes and accessories	33






For modern-day minimalists

Impressivo is ideal for those who want a life less complicated. It's modernity and simplicity in one and lends itself perfectly to lovers of stylish, no-frill surroundings.


—
01



—
01

Illustration in original size

The cover frame measures 85 mm x 85 mm x 16 mm (w x h x d). Material: the rocker and frame are made of thermoplastic (PC), impact- and break-proof, UV-resistant, PVC- and halogen-free



Impressivo

Keeping things simple

Impressivo is the choice when you prefer clarity over complexity. Today's fans of straight forward functional aesthetics will be in their element.



- 01 white
- 02 aluminium
- 03 anthracite



—
02



—
03

Impressivo flush mounting

Switches



Flush mounting 1-gang switches, IP21

Switches with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
Includes switch insert and rocker			
1066UC-84	6438199001302	1-gang 2-way switch, 16AX/250 V, Impressivo, 2 X-terminals, white	1/10
1067UC-84	6438199001333	1-gang intermediate switch, 16AX/250 V, Impressivo, 2 X-terminals, white	1/10
Modular			
1066.21	6418677328626	1-gang 2-way switch insert, 16AX/250 V, 2 X-terminals, lamp possibility	10/100
1067.21	6418677328664	1-gang intermediate switch insert, 16AX/250 V, 2 X-terminals, lamp possibility	10/100
10662.00	6418677328657	Double pole 1-gang 2-way switch insert, 16AX/250 V, no X-terminals, lamp possibility	10/100
1786-84	6418677328855	Switch rocker, Impressivo, 1-gang, white	1/10
1786-81	6418677328879	Switch rocker, Impressivo, 1-gang, anthracite	1/10
1786-83	6418677328886	Switch rocker, Impressivo, 1-gang, aluminum	1/10
Design series. Delivery time 3 weeks.			
1786-866	4011395086018	Switch rocker, 1-gang, steel	1/10
1786-884	4011395129289	Switch rocker, 1-gang, white matt	1
1786-885	4011395129753	Switch rocker, 1-gang, black matt	1



Flush mounting 1-gang 1-way push switch, IP21

Push switches with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
Includes switch insert and rocker			
1466UC-84	6438199001425	1-gang 2-way push switch, 16A/250 V, Impressivo, 1N terminal, white	1/10
Modular			
1461.21	6418677328817	1-gang 1-way push switch insert 16A/250 V, 2 X-terminals, lamp possibility	10/100
1786-84	6418677328855	Switch rocker, Impressivo, 1-gang, white	1/10
1786-81	6418677328879	Switch rocker, Impressivo, 1-gang, anthracite	1/10
1786-83	6418677328886	Switch rocker, Impressivo, 1-gang, aluminum	1/10
1789LI-84	6418677334498	Switch rocker, Impressivo, 1-gang, "light" symbol, lens, white	1/10
1789LI-81	6418677334511	Switch rocker, Impressivo, 1-gang, "light" symbol, lens, anthracite	1/10
1789LI-83	6418677334528	Switch rocker, Impressivo, 1-gang, "light" symbol, lens, aluminum	1/10
Design series. Delivery time 3 weeks.			
1786-866	4011395086018	Switch rocker, 1-gang, steel	1/10
1786-884	4011395129289	Switch rocker, 1-gang, white matt	1
1786-885	4011395129753	Switch rocker, 1-gang, black matt	1
1789LI-866	4011395086087	Switch rocker, 1-gang, "light" symbol, lens, steel	1/10
1789LI-884	4011395129418	Switch rocker, 1-gang, "light" symbol, lens, white matt	1
1789LI-885	4011395129821	Switch rocker, 1-gang, "light" symbol, lens, black matt	1

**Flush mounting 2-pole switch, IP21**

Switches with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
Includes switch insert and rocker			
1062UC-84	6438199001180	2-pole 1-gang 1-way switch, 16AX/250 V, Impressivo, 2 X-terminals, white	1/10
Modular			
1062.21	6418677328633	Switch insert, 16AX/250 V, 2-pole, 2 X-terminals, lamp possibility	10/100
1788-81	6418677328954	Switch rocker, Impressivo, 1-gang, red lens, "1/0" symbol, anthracite	1/10
1788-83	6418677328961	Switch rocker, Impressivo, 1-gang, red lens, "1/0" symbol, aluminum	1/10
Design series. Delivery time 3 weeks.			
1788-866	4011395086322	Switch rocker, 1-gang, red lens, "1/0" symbol, steel	1/10
1788-884	4011395129319	Switch rocker, 1-gang, red lens, "1/0" symbol, white matt	1
1788-885	4011395129760	Switch rocker, 1-gang, red lens, "1/0" symbol, black matt	1

**Lamps for switches**

Lamps for switches and push buttons. Lamps can be installed in 1-gang switch inserts that include the signal-/ search light possibility. Lamps can't be installed in 2- or 3-gang switch inserts.

Type	EAN	Description	Package
8370	6410021060701	Lamp, 230 V/0.4 mA, fluorescent, for 1-gang switches	10/100
8372	6410021060725	Lamp, 230 V/2 mA, fluorescent, for 1-gang switches	10/100
8375	6410021060756	Lamp, 24 V/22 mA, incandescent, for 1-gang switches	10/100
8376	6410021060763	Lamp, 12 V/40 mA, incandescent, for 1-gang switches	10/100
8370R	6438199004860	Lamp, 250 V/0.4 mA, LED, for 1-gang switches	10/100
8375R	6438199004877	Lamp, 5-24 V/0.5-2.5 mA, LED, for 1-gang switches	10/100

**Flush mounting 2-gang switches, IP21**

Switches with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
Includes switch insert and rocker			
1065UC-84	6438199001241	2-gang 1-way switch, 16AX/250 V, Impressivo, 2 X-terminals, white	1/10
10666UC-84	6438199001272	2-gang 2-way switch, 16AX/250 V, Impressivo, no X-terminals, white	1/10
Modular			
1065.20	6418677328756	2-gang 1-way switch insert, 16AX/250 V, 2 X-terminals, no lamp possibility	10/100
10666.00	6418677328763	2-gang 2-way switch insert, 16AX/250 V, no X-terminals, no lamp possibility	10/100
1785-84	6418677329098	Switch rocker, Impressivo, 2-gang, white	1/10
1785-81	6418677329111	Switch rocker, Impressivo, 2-gang, anthracite	1/10
1785-83	6418677329128	Switch rocker, Impressivo, 2-gang, aluminum	1/10
Design series. Delivery time 3 weeks.			
1785-866	4011395086346	Switch rocker, 2-gang, steel	1/10
1785-884	4011395129210	Switch rocker, 2-gang, white matt	1
1785-885	4011395129685	Switch rocker, 2-gang, black matt	1

**Flush mounting 2-pole + 1-way switch, IP21**

The switch has one 1-way switch and one 2-pole 1 switch together. Switches with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
Includes switch insert and rocker			
10621UC-84	6438199001159	2-pole 2-gang 1-way switch, Impressivo, no X-terminals, white	1/10
10621UC-81	6438199001135	2-pole 2-gang 1-way switch, Impressivo, no X-terminals, anthracite	1/10
10621UC-83	6438199001142	2-pole 2-gang 1-way switch, Impressivo, no X-terminals, aluminum	1/10

**2-gang push switch inserts**

2-gang push switches with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
Modular			
2020/4U-101	6418677304217	Push switch insert 10A/250V, for up/down control	10/100
1785JA-84	6418677329135	Switch rocker, Impressivo, 2-gang, "up/down" symbol, white	1/10
1785JA-81	6418677329159	Switch rocker, Impressivo, 2-gang, "up/down" symbol, anthracite	1/10
1785JA-83	6418677329166	Switch rocker, Impressivo, 2-gang, "up/down" symbol, aluminum	1/10
Design series. Delivery time 3 weeks.			
1785JA-866	4011395086681	Switch rocker, 2-gang, "up/down" symbol, steel	1/10
1785JA-884	4011395129173	Switch rocker, 2-gang, "up/down" symbol, white matt	1
1785JA-885	4011395129531	Switch rocker, 2-gang, "up/down" symbol, black matt	1

**Flush mounting 3-gang 1-way switch, IP21**


Switches with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
Includes switch insert and rocker			
10631UC-84	6438199001210	3-gang 1-way switch, 16AX/250 V, Impressivo, no X-terminals, white	1/10
Modular			
10631.00	6418677328794	3-gang 1-way switch insert, 16AX/250 V, no X-terminals, no lamp possibility	10/100
1783-81	6418677329234	Switch rocker, Impressivo, 3-gang, anthracite	1/10
1783-83	6418677329241	Switch rocker, Impressivo, 3-gang, aluminum	1/10

**Flush mounting 1-gang 2-way switch, IP44**

Product includes switch insert, rocker, cover frame, screw-mounted rocker frame and seal. Screwless terminals are for max 2 rigid wires. Flush mounting on rough surface IP44.

Type	EAN	Description	Package
1066UW-84	6438199000022	1-gang 2-way switch, 16AX/250 V, Impressivo, no X-terminals, IP44	1/10

**Flush mounting 2-gang 1-way switch, IP44**

Product includes switch insert, rocker, cover frame, screw-mounted rocker frame and seal. Screwless terminals are for max 2 rigid wires. Flush mounting on rough surface IP44.

Type	EAN	Description	Package
1065UW-84	6438199000039	2-gang 1-way switch, 16AX/250 V, Impressivo, no X-terminals, IP44	1/10

**Card switch**


Card switch can be used, for example, as a hotel room "main switch". The card switch is operated with a credit card sized card. Delivery includes a 230V lamp.

Type	EAN	Description	Package
8114.1	6438199000534	Card switch insert, 16AX/250 V, 2-pole, no X terminals, lamp included	10/100
1792-84	6418677329258	Center plate, Impressivo, for card switch 8114.1, white	1/10
1792-81	6418677329272	Center plate, Impressivo, for card switch 8114.1, anthracite	1/10
1792-83	6418677329289	Center plate, Impressivo, for card switch 8114.1, aluminum	1/10
1792-866	4011395086797	Center plate, for card switch 8114.1, steel	10
1792-884	4011395131664	Center plate, for card switch 8114.1, white matt	1
1792-885	4011395127285	Center plate, for card switch 8114.1, black matt	1
8331	6410021060909	Lamp, 230 V/1.5 mA, fluorescent, for card switch	10/100

**Push button panel 4/2-gang, 5-24V ac/dc**

4/2-gang push button panel to control bistable relays or electronic control systems. Load capacity 1A AC/DC. White LED-light with adjustable illumination. Installation on surface or on top of a standard flush mounting box.

Type	EAN	Description	Package
FAP1204-84	6438199002309	Push button, 4/2-gang, Impressivo, white	1/10
FAP1204-81	6438199002286	Push button, 4/2-gang, Impressivo, anthracite	1/10
FAP1204-83	6438199002293	Push button, 4/2-gang, Impressivo, aluminum	1/10

**1-gang rockers, IP21/IP44**

1-gang rockers for all 1-gang switch inserts. Flush- and surface mounting: Protection class IP21, and IP44 with a seal and screw fastening rocker frame.

Type	EAN	Description	Package
1786-84	6418677328855	Switch rocker, Impressivo, 1-gang, white	1/10
1786-81	6418677328879	Switch rocker, Impressivo, 1-gang, anthracite	1/10
1786-83	6418677328886	Switch rocker, Impressivo, 1-gang, aluminum	1/10
Design series. Delivery time 3 weeks.			
1786-866	4011395086018	Switch rocker, 1-gang, steel	1/10
1786-884	4011395129289	Switch rocker, 1-gang, white matt	1
1786-885	4011395129753	Switch rocker, 1-gang, black matt	1

**1-gang rockers with name plate, IP21/IP44**

1-gang rockers for all 1-gang switch inserts. Flush- and surface mounting: Protection class IP21, and IP44 with a seal and screw fastening rocker frame. The rockers have a name plate (59,7 mm x 11,7 mm) with a strip for writing. The delivery includes one blank strip and one strip with the text "MASTER".

Type	EAN	Description	Package
1764NLI-84	6418677328893	Switch rocker, Impressivo, 1-gang, nameplate, white	1/10
1764NLI-81	6418677328916	Switch rocker, Impressivo, 1-gang, nameplate, anthracite	1/10
1764NLI-83	6418677328923	Switch rocker, Impressivo, 1-gang, nameplate, aluminum	1/10
Design series. Delivery time 3 weeks.			
1764NLI-866	4011395086186	Switch rocker, 1-gang, nameplate, steel	1/10
1764NLI-884	4011395131619	Switch rocker, 1-gang, nameplate, white matt	1
1764NLI-885	4011395128213	Switch rocker, 1-gang, nameplate, black matt	1

**1-gang rockers with red lens, IP21/IP44**

1-gang rockers for all 1-gang switch inserts. Flush- and surface mounting: Protection class IP21, and IP44 with a seal and screw fastening rocker frame. The rockers contain a red lens.

Type	EAN	Description	Package
1789-84	6418677328978	Switch rocker, Impressivo, 1-gang, red lens, white	1/10
1789-81	6418677328992	Switch rocker, Impressivo, 1-gang, red lens, anthracite	1/10
1789-83	6418677329005	Switch rocker, Impressivo, 1-gang, red lens, aluminum	1/10
Design series. Delivery time 3 weeks.			
1789-866	4011395086063	Switch rocker, 1-gang, red lens, steel	1/10
1789-884	4011395129456	Switch rocker, 1-gang, red lens, white matt	1
1789-885	4011395129852	Switch rocker, 1-gang, red lens, black matt	1



1-gang rockers with transparent lens and "light" symbol, IP21/IP44

1-gang rockers for all 1-gang switch inserts. Flush- and surface mounting: Protection class IP21, and IP44 with a seal and screw fastening rocker frame. The rocker contains transparent lens and "Light" symbol.

Type	EAN	Description	Package
1789LI-84	6418677334498	Switch rocker, Impressivo, 1-gang, "light" symbol, lens, white	1/10
1789LI-81	6418677334511	Switch rocker, Impressivo, 1-gang, "light" symbol, lens, anthracite	1/10
1789LI-83	6418677334528	Switch rocker, Impressivo, 1-gang, "light" symbol, lens, aluminum	1/10
Design series. Delivery time 3 weeks.			
1789LI-866	4011395086087	Switch rocker, 1-gang, "light" symbol, lens, steel	1/10
1789LI-884	4011395129418	Switch rocker, 1-gang, "light" symbol, lens, white matt	1
1789LI-885	4011395129821	Switch rocker, 1-gang, "light" symbol, lens, black matt	1



1-gang rockers with transparent lens and "key" symbol, IP21/IP44

1-gang rockers for all 1-gang switch inserts. Flush- and surface mounting: Protection class IP21, and IP44 with a seal and screw fastening rocker frame. The rocker contains transparent lens and "key" symbol.

Type	EAN	Description	Package
1789TR-84	6418677329012	Switch rocker, Impressivo, 1-gang, "key" symbol, lens, white	1/10
1789TR-81	6418677329036	Switch rocker, Impressivo, 1-gang, "key" symbol, lens, anthracite	1/10
1789TR-83	6418677329043	Switch rocker, Impressivo, 1-gang, "key" symbol, lens, aluminum	1/10
Design series. Delivery time 3 weeks.			
1789TR-866	4011395086131	Switch rocker, 1-gang, "key" symbol, lens, steel	1/10
1789TR-884	4011395129432	Switch rocker, 1-gang, "key" symbol, lens, white matt	1
1789TR-885	4011395129838	Switch rocker, 1-gang, "key" symbol, lens, black matt	1



1-gang rockers with transparent lens and "bell" symbol, IP21/IP44

1-gang rockers for all 1-gang switch inserts. Flush- and surface mounting: Protection class IP21, and IP44 with a seal and screw fastening rocker frame. The rocker contains transparent lens and "bell" symbol.

Type	EAN	Description	Package
1789KL-84	6418677329050	Switch rocker, Impressivo, 1-gang, "bell" symbol, lens, white	1/10
1789KL-81	6418677329074	Switch rocker, Impressivo, 1-gang, "bell" symbol, lens, anthracite	1/10
1789KL-83	6418677329081	Switch rocker, Impressivo, 1-gang, "bell" symbol, lens, aluminum	1/10
Design series. Delivery time 3 weeks.			
1789KL-866	4011395086117	Switch rocker, 1-gang, "bell" symbol, lens, steel	1/10
1789KI-884	4011395129357	Switch rocker, 1-gang, "bell" symbol, lens, white matt	1
1789KI-885	4011395129791	Switch rocker, 1-gang, "bell" symbol, lens, black matt	1



Seal for switches, IP44

Seal for 85 mm cover frame. Switches and push switches are IP21 when installed on a rough surface with a seal. Protection class is IP44 when using screw-mounted rocker frame with a seal.

Type	EAN	Description	Package
2463	6418677328176	Seal for 85 mm cover frame, IP44	20/200



Screw-mounted rocker frames, IP44

Screw-mounted rocker frames are used with the seals 2463 or 2464 to reach IP44 protection class on switches and push switches. Furthermore, it can be used to connect the switch frame to the insert for improved security.

Type	EAN	Description	Package
2474	6418677328190	Supporting frame for 1/3-gang rocker, screw fastening	20/200
2475	6418677328206	Supporting frame for 2-gang rocker, screw fastening	20/200



Claws

Claws for 1-gang socket outlets, Euro socket outlets, switches and push switches. Not suitable for 2-gang Impressivo socket outlet inserts. Inserts with claws are also available.

Type	EAN	Description	Package
ASE1	6410021660932	Claws for socket outlets and switches	10/100

Signal lights



Signal light inserts

LED signal light inserts for 230V supply. Center plates V-81, V-83 and V-84 fit to the inserts. There are screw terminals for max 2,5 mm² wires. Not extendable.

Type	EAN	Description	Package
Modular			
2661.09	6418677334399	Signal light insert, Led 230 V/25 mA white	1/10
2661.02	6418677334382	Signal light insert, Led 230 V/25 mA red	1/10
V-84	6418677330100	Center plate, Signal light, Impressivo, white	1/10
V-81	6418677330834	Center plate, Signal light, Impressivo, anthracite	1/10
V-83	6418677330841	Center plate, Signal light, Impressivo, aluminum	1/10

Lamps for switches

Lamps for switches. Lamps can be installed in 1-gang switch inserts that include the signal-/search light possibility. Lamps can't be installed to 2- or 3-gang switch inserts.



Type	EAN	Description	Package
8370	6410021060701	Lamp, 230 V/0.4 mA, fluorescent, for 1-gang switches	10/100
8372	6410021060725	Lamp, 230 V/2 mA, fluorescent, for 1-gang switches	10/100
8375	6410021060756	Lamp, 24 V/22 mA, incandescent, for 1-gang switches	10/100
8376	6410021060763	Lamp, 12 V/40 mA, incandescent, for 1-gang switches	10/100
8331	6410021060909	Lamp, 230 V/1.5 mA, fluorescent, for card switch	10/100
8370R	6438199004860	Lamp, 250 V/0.4 mA, LED, for 1-gang switches	10/100
8375R	6438199004877	Lamp, 5-24 V/0.5-2.5 mA, LED, for 1-gang switches	10/100

Socket outlets



3-gang Euro socket outlets, flush mounting IP21

Product includes euro socket outlet insert and center plate. The socket outlet insert has shutters and screwless N and L terminals for max 4 wires and 2 screwless X-terminals for max 2 wires. The terminals are for rigid wires.

Type	EAN	Description	Package
303UC-84	6438199001593	Euro socket outlet, Impressivo, 3-gang, shuttered, screwless terminals, branching terminals, white	1/10
303UC-81	6438199001579	Euro socket outlet, Impressivo, 3-gang, shuttered, screwless terminals, branching terminals, anthracite	1/10
303UC-83	6438199001586	Euro socket outlet, Impressivo, 3-gang, shuttered, screwless terminals, branching terminals, aluminum	1/10
Design series. Delivery time 3 weeks.			
303UC-866	6438199004617	Euro socket outlet, 3-gang, shuttered, screwless terminals, branching terminals, painted steel	1/10
303UC-884	6438199004624	Euro socket outlet, 3-gang, shuttered, screwless terminals, branching terminals, white matt	1/10
303UC-885	6438199004631	Euro socket outlet, 3-gang, shuttered, screwless terminals, branching terminals, black matt	1/10



2-gang Schuko socket outlets, flush mounting, with cover plate, IP21

Product includes Schuko socket outlet insert and cover plate. The socket outlet insert has shutters and screwless terminals for max 4 rigid wires.

Type	EAN	Description	Package
302EUI-84	6438199000336	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, white	1/10
302EUI-81	6438199000343	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, anthracite	1/10
302EUI-83	6438199001531	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, aluminum	1/10
Design series. Delivery time 3 weeks.			
302EUI-866	6438199004648	Socket outlet, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, painted steel	1/10
302EUI-884	6438199004655	Socket outlet, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, white matt	1/10
302EUI-885	6438199004662	Socket outlet, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, black matt	1/10



2-gang Schuko socket outlets, flush mounting in special 1,5 x box, IP21

Product includes Schuko socket outlet insert and cover plate. There are screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters. Flush mounting on a smooth surface IP21. Very flat construction. Installation in special 1,5X mounting box.

Type	EAN	Description	Package
302EUJT-84	6438199003665	Socket outlet, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, flat, white	1/10
302EUJT-81	6438199003641	Socket outlet, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, flat, anthracite	1/10
302EUJT-83	6438199003658	Socket outlet, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, flat, aluminum	1/10
302EUJT-885	6438199005348	Socket outlet, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, flat, matt black	1/10



2-gang Schuko socket outlets, flush mounting, IP21

Product includes Schuko socket outlet insert and center plate. The socket outlet insert has shutters and screwless terminals for max 4 rigid wires.

Type	EAN	Description	Package
302EUC-84	6438199001524	Schuko socket outlet, Impressivo, 2-gang, shuttered, screwless terminals, branching terminals, white	1/10
302EUC-81	6438199001500	Schuko socket outlet, Impressivo, 2-gang, shuttered, screwless terminals, branching terminals, anthracite	1/10
302EUC-83	6438199001517	Schuko socket outlet, Impressivo, 2-gang, shuttered, screwless terminals, branching terminals, aluminum	1/10



2-gang Schuko outlets with special colour, IP21

Product includes Schuko socket outlet insert and center plate. The socket outlet insert has shutters and screwless terminals for max 4 rigid wires. These socket outlets can be used, for instance, in hospitals and offices, when there is a need to limit socket outlet use to certain applications. Flush mounting: On a smooth surface IP21, on a rough surface with a seal IP21. Surface mounting: IP21.

Type	EAN	Description	Package
302EUC-02	6438199004686	Schuko socket outlet, Impressivo, 2-gang, shuttered, screwless terminals, branching terminals, red	1/10
302EUC-03	6438199004693	Schuko socket outlet, Impressivo, 2-gang, shuttered, screwless terminals, branching terminals, orange	1/10
302EUC-05	6438199004709	Schuko socket outlet, Impressivo, 2-gang, shuttered, screwless terminals, branching terminals, green	1/10
302EUC-06	6438199004716	Schuko socket outlet, Impressivo, 2-gang, shuttered, screwless terminals, branching terminals, blue	1/10



Flush mounting 2-gang Schuko socket outlets with lid IP21

Product includes Schuko socket outlet insert, center plate with lid. The socket outlet insert has shutters and screwless terminals. The terminals are for max 2 rigid wires. Flush mounting on slide surface IP21 and with seal 2464 on rough surface IP44. The seal 2464 is not included in delivery.

Type	EAN	Description	Package
302EUCK-84	6438199004792	Schuko socket outlet, Impressivo, 2-gang with lid, shuttered, screwless terminals, branching terminals, white	1/10
302EUCK-81	6438199004778	Schuko socket outlet, Impressivo, 2-gang with lid, shuttered, screwless terminals, branching terminals, anthracite	1/10
302EUCK-83	6438199004785	Schuko socket outlet, Impressivo, 2-gang with lid, shuttered, screwless terminals, branching terminals, aluminium	1/10



Non-earthed flush mounting 2-gang socket outlets IP21, with cover plate

Product includes socket outlet insert, center plate and cover frame. The socket outlet insert has shutters and screwless terminals for max 4 rigid wires. Claws can be fitted to socket outlet afterwards.

Type	EAN	Description	Package
302UJ-84	6438199001562	Socket outlet, Impressivo, not earthed, 2-gang, shuttered, screwless terminals, branching terminals, white	1/10
302UJ-81	6438199001548	Socket outlet, Impressivo, not earthed, 2-gang, shuttered, screwless terminals, branching terminals, anthracite	1/10
302UJ-83	6438199001555	Socket outlet, Impressivo, not earthed, 2-gang, shuttered, screwless terminals, branching terminals, aluminum	1/10



Flush mounting 2-gang Schuko socket outlets IP21 with cover plate

Product includes Schuko socket outlet insert, center plate and cover frame. The socket outlet has shutters and screwless terminals for max 2 rigid wires.

Type	EAN	Description	Package
20EUJ-84	6438199000572	Socket outlet, Impressivo, Schuko, 1-gang, shuttered, screwless terminals, white	1/10
20EUJ-81	6438199001487	Socket outlet, Impressivo, Schuko, 1-gang, shuttered, screwless terminals, anthracite	1/10
20EUJ-83	6438199001494	Socket outlet, Impressivo, Schuko, 1-gang, shuttered, screwless terminals, aluminum	1/10



1-gang Schuko socket outlets, flush mounting, IP21

Product includes Schuko socket outlet insert and center plate. The socket outlet has shutters and screwless terminals for max 2 rigid wires.

Type	EAN	Description	Package
20EUC-84	6438199000510	Socket outlet, Impressivo, Schuko, 1-gang, shuttered, screwless terminals, white	1/10
20EUC-81	6438199001449	Socket outlet, Impressivo, Schuko, 1-gang, shuttered, screwless terminals, anthracite	1/10
20EUC-83	6438199001456	Socket outlet, Impressivo, Schuko, 1-gang, shuttered, screwless terminals, aluminum	1/10

Design series. Delivery time 3 weeks.

20EUCKS-866	4011395087534	Socket outlet schuko, 16A/250V, 1-gang, steel	10
20EUCKS-884	4011395129913	Socket outlet schuko, 16A/250V, 1-gang, white matt	1/10
20EUCKS-885	4011395130049	Socket outlet schuko, 16A/250V, 1-gang, black matt	1/10



Flush mounting 1-gang Schuko socket outlets with lid IP21

Product includes Schuko socket outlet insert and center plate. The socket outlet has shutters and screwless terminals for max 2 rigid wires.

Type	EAN	Description	Package
20EUCK-84	6438199000527	Socket outlet, Impressivo, Schuko, 1-gang, screwless terminals, white	1/10
20EUCK-81	6438199001463	Socket outlet, Impressivo, Schuko, 1-gang, screwless terminals, anthracite	1/10
20EUCK-83	6438199001470	Socket outlet, Impressivo, Schuko, 1-gang, screwless terminals, aluminum	1/10



1-gang Schuko socket outlets, flush mounting, with LED light, IP20

Product includes Schuko socket outlet insert and center plate. A white color LED light is integrated into the socket outlet. The light can be controlled separately or it can be connected to the socket terminals. The socket outlet insert has shutters. There are screwless terminals for max 2 rigid wires for each contact of the socket outlet.

Type	EAN	Description	Package
20EUCBLI-84	4011395100769	Socket outlet, Impressivo, Schuko, 1-gang, shuttered, screwless terminals, LED light, white	1/10
20EUCBLI-83	4011395100752	Socket outlet, Impressivo, Schuko, 1-gang, shuttered, screwless terminals, LED light, aluminum	1/10
Design series. Delivery time 3 weeks.			
20EUCBLI-884	4011395129883	Socket outlet, Schuko, 1-gang, shuttered, screwless terminals, LED light, matt white	1
20EUCBLI-885	4011395130025	Socket outlet, Schuko, 1-gang, shuttered, screwless terminals, LED light, matt black	1



1-gang Schuko socket outlet with center plate and USB charger, IP20

The socket outlet has an integrated USB charger 5 V/0.7 A with electronic short-circuit and overload protection. Power dissipation 0.1 W. Compatible with USB devices, iPod and iPhone. The Schuko socket outlet is 16 A/250 V. There are screwless terminals for each contact of the socket outlet. The socket outlet has shutters. The terminals are for max 2 rigid wires. No X-terminals.

Type	EAN	Description	Package
20EUCBUSB-84	4011395164570	1-gang socket outlet and USB charger, Impressivo white, shuttered Schuko, screwless terminals	1
20EUCBUSB-81	4011395164549	1-gang socket outlet and USB charger, Impressivo anthracite, shuttered Schuko, screwless terminals	1
20EUCBUSB-83	4011395164563	1-gang Socket outlet and USB charger, Impressivo aluminum, shuttered Schuko, screwless terminals	1
Design series. Delivery time 3 weeks.			
20EUCBUSB-884	4011395164617	Socket outlet, Schuko, 1-g, shuttered, screwless terminals, with USB charger, matt white	1
20EUCBUSB-885	4011395164624	Socket outlet, Schuko, 1-g, shuttered, screwless terminals, with USB charger, matt black	1



Residual current devices

16 A/250 V IP21, with built-in A-type residual current device (RCD), tripping current 30 mA. Approved for extending a branch circuit, but only regular sockets connected to protected outlet wires are protected. The socket outlet insert has shutters. The products are sold with cover plates. The socket outlet insert has shutters and screwless terminals.

Type	EAN	Description	Package
3120EUC-84	7612271472283	Socket residual current device with a rated current of 16 A and s rated residual current of 30mA.	1/10
3150UC-84.1	7612271473808	Residual current device with a rated current of 16 A and s rated residual current of 30mA.	1/10



2-gang Schuko socket outlet, Flush mounting, IP44

Product includes Schuko socket outlet insert, center plate with lid, cover frame and seal. The socket outlet insert has shutters and screwless terminals. The terminals are for max 2 rigid wires. Flush mounting on rough surface IP44.

Type	EAN	Description	Package
302EUJW-84	6438199000046	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, white, IP44	1/10



1-gang Schuko socket outlet, flush mounting, IP44

Product includes Schuko socket outlet insert, center plate with lid, cover frame and seal. The socket outlet insert has shutters and screwless terminals. The terminals are for max 2 rigid wires. Flush mounting on rough surface IP44.

Type	EAN	Description	Package
20EUJW-84	6438199000015	Socket outlet, Impressivo, Schuko, 1-gang, shuttered, screwless terminals, white, IP44	1/10

**Seal for 2-gang socket outlet, IP44**

2-gang socket outlets installed with a seal and a center plate with a hinged lid are IP44. Socket outlet without hinged lid on a rough surface is IP21.

Type	EAN	Description	Package
2464	6418677328183	Seal for 100 mm cover frame, IP44	20/200

**Seal for 1-gang socket outlet, IP44**

1-gang socket outlets installed with a seal and a center plate with a hinged lid are IP44. Socket outlet without hinged lid on a rough surface is IP21.

Type	EAN	Description	Package
2463	6418677328176	Seal for 85 mm cover frame, IP44	20/200

**Claws**

Claws for 1-gang socket outlets, Euro socket outlets, switches and push switches. Not suitable for 2-gang Impressivo socket outlet inserts. Inserts with claws are also available.

Type	EAN	Description	Package
ASE1	6410021660932	Claws for socket outlets and switches	10/100

Tele and data

**RJ45 outlet with sliding dust covers for Impressivo**

Insert for 2 x RJ45 connectors and center plate with dust covers. The connectors CEL30.UX are not compatible with this device, due to its integrated blind covers.

Type	EAN	Description	Package
Modular			
1819.01	6418677330445	Supporting frame insert for 2 x RJ45, Keystone	10/100
1819.02	6418677330452	Supporting frame insert for 2 x RJ45, AMP	10/100
1819.03	6418677330469	Supporting frame insert for 2 x RJ45, Actassi	10/100
1819.04	6418677335945	Supporting frame insert for 2 x RJ45, Systimax	10/100
1819DC-84	6438199002835	Center plate, Impressivo, 2 x RJ45, dust covers, white	1/10
1819DC-81	6438199002811	Center plate, Impressivo, 2 x RJ45, dust covers, anthracite	1/10
1819DC-83	6438199002828	Center plate, Impressivo, 2 x RJ45, dust covers, aluminum	1/10

**RJ45 outlet with sliding dust covers for design-series**

Insert for 2 x RJ45 connectors and center plate with dust covers. The connectors CEL30.UX are not compatible with this device, due to its integrated blind covers.

Type	EAN	Description	Package
Modular			
1810.1	6410072040639	Supporting frame insert for 2 x RJ45, green, Systimax	10/100
1812.1	6410072040837	Supporting frame insert for 2 x RJ45, red, Keystone	10/100
1814.1	6410072040851	Supporting frame insert for 2 x RJ45, black, AMP	10/100
Design series. Delivery time 3 weeks.			
1800-866	4011395087923	Center plate, 2 x RJ45, dust covers, steel	1/10
1800-884	4011395127087	Center plate, 2 x RJ45, dust covers, white matt	1
1800-885	4011395127346	Center plate, 2 x RJ45, dust covers, black matt	1



RJ45 outlet including connectors

RJ45 outlet including 2 x Cat6 UTP RJ45 connectors manufactured by 3M and blind cover plates. The dust covers are integrated in the connector. Blind covers included.

Type	EAN	Description	Package
FOT6208-84	6438199001715	Tele outlet, Impressivo, 2 x RJ45, Cat6 UTP, white	1/10
FOT6208-81	6438199001692	Tele outlet, Impressivo, 2 x black RJ45, Cat6 UTP, anthracite	1/10
FOT6208-83	6438199001708	Tele outlet, Impressivo, 2 x RJ45, Cat6 UTP, aluminum	1/10



RJ45 connectors

Unshielded (UTP) RJ45 connectors with Keystone fixing and A/B coupling. No special connecting tool is needed. Use with RJ45 insert 1819.01 and center plate 1819-xx. The dust covers are integrated into the connectors. The connector is manufactured by 3M.

Type	EAN	Description	Package
CEL30.U6	6418677326486	Connector, RJ45, Cat6, UTP, white	10/100



DKS insert and center plate

DKS-center plate is used to fix many different kind of tele connectors into the mounting box. To be fitted with a suitable DKS adapter 18XXEB.XXX. The product includes center plate and assembly ring.

Type	EAN	Description	Package
1758-84	6418677329371	DKS center plate, Impressivo, DKS-system, white	1/10
1758-81	6418677329395	DKS center plate, Impressivo, DKS-system, anthracite	1/10
1758-83	6418677329401	DKS center plate, Impressivo, DKS-system, aluminum	1/10

Design series. Delivery time 3 weeks.

1758-866	4011395087992	Tele outlet, DKS-system, painted steel	1/10
1758-884	4011395131596	Tele outlet, DKS-system, white matt	1
1758-885	4011395128718	Tele outlet, DKS-system, black matt	1



DKS-adapter with VGA connector

Suitable for DKS-center plate 1758-xx. VGA connector is included (15pin D-sub). Cable should be connected by soldering.

Type	EAN	Description	Package
1850EB.VGA	6418677334375	Tele outlet for DKS-system with VGA display connector	1/10



DKS-adapter with Composite-/S-video connectors

Suitable for DKS-center plate 1758-xx. Composite (BNC) and S-video (Mini DIN) connectors are included. Composite video connectors internal coaxial cable should be terminated by BNC-type connector. S-video internal cable is standard twisted-pair cable with toolless connection.

Type	EAN	Description	Package
1875EB.YCV	6418677334351	Tele outlet for DKS-system with Composite-video and S-video connectors	1/10



DKS-adapter with Speakon connector

Suitable for DKS-center plate 1758-xx. Speakon 4-pin loudspeaker connector is included. Flat tab terminals.

Type	EAN	Description	Package
1876EB.SPE	6418677334368	Tele outlet for DKS-system with Speakon audio connector	1/10

**DKS-adapters**

Different adapters for DKS-system. Suitable for DKS-center plate 1758-xx.

Type	EAN	Description	Package
RJ45			
1867EB	4011395182802	Adapter for DKS-system, 2 x RJ45, Keystone	10/100
1875EB	4011395776902	Adapter for DKS-system, 2 x RJ45, AMP	10/100
1872EB	4011395540800	Adapter for DKS-system, 2 x RJ45, Systimax	10/100
Fiber			
1870EB	4011395454107	Adapter for DKS-system, fiber 2 x Simplex ST	10/100
1874EB	4011395734902	Adapter for DKS-system, fiber 2 x SCD	10/100
Audio			
1853EB	4011395181409	Adapter for DKS-system, XLR audio connector type FP	10/100
1854EB	4011395181508	Adapter for DKS-system, XLR audio connector type MP	10/100
1876EB	4011395022566	Adapter for DKS-system, XLR D-type or Speakon audio connector	10/100
Others			
1850EB	6438100605308	Adapter for DKS-system, D-type 9-pin connector	10/100
1855EB	4011395181607	Adapter for DKS-system, 2 x BNC/TNC, 9,8 mm	10/100
1857EB	6418677329975	Adapter for DKS-system, 2 x BNC/TNC, 12,9 mm	10/100
1869EB	4011395183007	Adapter for DKS-system, blank	10/100

**Antenna center plate**

Center plate for common antenna outlet inserts. The terminal "Sat" is closed, but can be knocked out.

Type	EAN	Description	Package
1743-84	6418677329418	Center plate, Impressivo, TV/R/Sat, white	1/10
1743-81	6418677329432	Center plate, Impressivo, TV/R/Sat, anthracite	1/10
1743-83	6418677329449	Center plate, Impressivo, TV/R/Sat, aluminum	1/10
Design series. Delivery time 3 weeks.			
1743-866	4011395087893	Center plate, TV/R/Sat, steel	1/10
1743-884	4011395128626	Center plate, TV/R/Sat, white matt	1
1743-885	4011395128695	Center plate, TV/R/Sat, black matt	1

**USB charger**

For supply and support of two mobile devices via USB-cable. With two USB A-type connectors. With electronic short-circuit and overload protection. Rated voltage: 230 V~/5 V-, 50 Hz - 60 Hz, power dissipation 0.3W. Suitable for: In case one output is used rated current max 1400 mA. In case two output are used rated current max 700 mA.

Type	EAN	Description	Package
Insert			
6472U	4011395151594	Tele outlet insert, USB charging station 2 x 0.7 A	1
Center plate			
1766-84	6418677331305	Center plate, Impressivo, tele outlet, white	1/10
1766-81	6418677331329	Center plate, Impressivo, tele outlet, anthracite	1/10
1766-83	6418677331336	Center plate, Impressivo, tele outlet, aluminum	1/10
Design series. Delivery time 3 weeks.			
1766-866	4011395087848	Center plate, tele outlet, steel	1/10
1766-884	4011395131626	Center plate, tele outlet, white matt	1
1766-885	4011395127261	Center plate, tele outlet, black matt	1

**Tele outlet USB**

Tele outlet with USB A-type connector. Compatible up to USB 2.0 versions. Internal connections with screw type terminals.

Type	EAN	Description	Package
Insert: Delivery time 3 weeks			
0261/13	4011395167557	Tele outlet insert, with USB A-type connector	1
Center plate			
1766-84	6418677331305	Center plate, Impressivo, tele outlet, white	1/10
1766-81	6418677331329	Center plate, Impressivo, tele outlet, anthracite	1/10
1766-83	6418677331336	Center plate, Impressivo, tele outlet, aluminum	1/10
Design series. Delivery time 3 weeks.			
1766-866	4011395087848	Center plate, tele outlet, steel	1/10
1766-884	4011395131626	Center plate, tele outlet, white matt	1
1766-885	4011395127261	Center plate, tele outlet, black matt	1

**Tele outlet VGA**

Tele outlet for VGA display with D-sub 15pin connector. Internal connections with screw type terminals.

Type	EAN	Description	Package
Insert: Delivery time 3 weeks			
0261/23	4011395167618	Tele outlet insert, with VGA 15pin D-sub connector	1
Center plate			
1766-84	6418677331305	Center plate, Impressivo, tele outlet, white	1/10
1766-81	6418677331329	Center plate, Impressivo, tele outlet, anthracite	1/10
1766-83	6418677331336	Center plate, Impressivo, tele outlet, aluminum	1/10
Design series. Delivery time 3 weeks.			
1766-866	4011395087848	Center plate, tele outlet, steel	1/10
1766-884	4011395131626	Center plate, tele outlet, white matt	1
1766-885	4011395127261	Center plate, tele outlet, black matt	1

**Tele outlet HDMI**

Tele outlet for HDMI display with A-type connector. Internal connections with screw type terminals.

Type	EAN	Description	Package
Insert: Delivery time 3 weeks			
0261/33	4011395167670	Tele outlet insert, with HDMI A-type connector	1
Center plate			
1766-84	6418677331305	Center plate, Impressivo, tele outlet, white	1/10
1766-81	6418677331329	Center plate, Impressivo, tele outlet, anthracite	1/10
1766-83	6418677331336	Center plate, Impressivo, tele outlet, aluminum	1/10
Design series. Delivery time 3 weeks.			
1766-866	4011395087848	Center plate, tele outlet, steel	1/10
1766-884	4011395131626	Center plate, tele outlet, white matt	1
1766-885	4011395127261	Center plate, tele outlet, black matt	1

**Tele outlet BNC-F**

Tele outlet for 1 or 2 BNC-F type connectors. Mounting hole for a connector is 12 mm. The insert and the connectors are sold separately.

Type	EAN	Description	Package
Insert and connector: Delivery time 3 weeks			
0262/13	4011395167731	Tele outlet insert for 2 x BNC-F type connectors	1
0262	4011395167748	Connector, BNC-F type, d = 12 mm	1
Center plate			
1766-84	6418677331305	Center plate, Impressivo, tele outlet, white	1/10
1766-81	6418677331329	Center plate, Impressivo, tele outlet, anthracite	1/10
1766-83	6418677331336	Center plate, Impressivo, tele outlet, aluminum	1/10
Design series. Delivery time 3 weeks.			
1766-866	4011395087848	Center plate, tele outlet, steel	1/10
1766-884	4011395131626	Center plate, tele outlet, white matt	1
1766-885	4011395127261	Center plate, tele outlet, black matt	1

**Tele outlet RCA**

Tele outlet for 1 or 2 RCA audio/video connectors. The insert and the connectors are sold separately.

Type	EAN	Description	Package
Insert and connectors: Delivery time 3 weeks			
0263/13	4011395167816	Tele outlet insert for 2 x RCA connectors	1
0263/04	4011395167861	Connector, RCA white	1
0263/05	4011395167878	Connector, RCA black	1
0263/06	4011395167885	Connector, RCA red	1
0263/07	4011395167892	Connector, RCA yellow	1
Center plate			
1766-84	6418677331305	Center plate, Impressivo, tele outlet, white	1/10
1766-81	6418677331329	Center plate, Impressivo, tele outlet, anthracite	1/10
1766-83	6418677331336	Center plate, Impressivo, tele outlet, aluminum	1/10
Design series. Delivery time 3 weeks.			
1766-866	4011395087848	Center plate, tele outlet, steel	1/10
1766-884	4011395131626	Center plate, tele outlet, white matt	1
1766-885	4011395127261	Center plate, tele outlet, black matt	1

**Tele outlet for Mini Jack**

Tele outlet for 1 or 2 Mini Jack connectors. The insert and the connectors are sold separately.

Type	EAN	Description	Package
Insert and connector: Delivery time 3 weeks			
0264/13	4011395167953	Tele outlet insert for 2 x Mini Jack connectors	1
0264	4011395167960	Connector, Mini Jack 3,5 mm, stereo	1
Center plate			
1766-84	6418677331305	Center plate, Impressivo, tele outlet, white	1/10
1766-81	6418677331329	Center plate, Impressivo, tele outlet, anthracite	1/10
1766-83	6418677331336	Center plate, Impressivo, tele outlet, aluminum	1/10
Design series. Delivery time 3 weeks.			
1766-866	4011395087848	Center plate, tele outlet, steel	1/10
1766-884	4011395131626	Center plate, tele outlet, white matt	1
1766-885	4011395127261	Center plate, tele outlet, black matt	1

**Speaker outlet, stereo**

There are plug in connectors for speaker wires and screw terminals for max 10 mm² internal wires.

Type	EAN	Description	Package
Modular			
0248.00	6418677331367	Tele outlet insert, speaker, stereo	1/10
1766-84	6418677331305	Center plate, Impressivo, tele outlet, white	1/10
1766-81	6418677331329	Center plate, Impressivo, tele outlet, anthracite	1/10
1766-83	6418677331336	Center plate, Impressivo, tele outlet, aluminum	1/10
Design series. Delivery time 3 weeks.			
1766-866	4011395087848	Center plate, tele outlet, steel	1/10
1766-884	4011395131626	Center plate, tele outlet, white matt	1
1766-885	4011395127261	Center plate, tele outlet, black matt	1

**Speaker outlet, mono**

There is one red and one black gold plated terminal screw for the speaker wires and screw terminals for max 10 mm² internal wires.

Type	EAN	Description	Package
Modular			
1819.LSP	6418677334337	Speaker insert, with terminal screws	1/10
1819-84	6418677330476	Center plate, Impressivo, 2 x RJ45, blind covers, white	1/10
1819-81	6418677330490	Center plate, Impressivo, 2 x RJ45, blind covers, anthracite	1/10
1819-83	6418677330506	Center plate, Impressivo, 2 x RJ45, blind covers, aluminum	1/10

**Center plates for Ø 22,5 mm devices**

Center plates with Ø 22,5 mm openings, equipped with a groove to prevent rotation. Use with 22 mm diameter to fasten different devices.

Type	EAN	Description	Package
2533-84	6418677329456	Tele outlet, Impressivo, 22,5 mm hole, white	1/10
2533-81	6418677329470	Tele outlet, Impressivo, 22,5 mm hole, anthracite	1/10
2533-83	6418677329487	Tele outlet, Impressivo, 22,5 mm hole, aluminum	1/10
Design series. Delivery time 3 weeks.			
2533-866	4011395087244	Tele outlet, 22,5 mm hole, painted steel	1/10
2533-884	4011395128671	Tele outlet, 22,5 mm hole, white matt	1
2533-885	4011395128756	Tele outlet, 22,5 mm hole, black matt	1

**Equipotential outlet**

2-gang equipotential outlet. Screw terminals for 1 x 6 mm² and 4 x 2,5 mm² wires. The product includes insert and center plate.

Type	EAN	Description	Package
2095UC-84	6418677330513	Equipotential outlet, Impressivo, 2-gang, white	10/100
2095UC-81	6418677330537	Equipotential outlet, Impressivo, 2-gang, anthracite	10/100
2095UC-83	6418677330544	Equipotential outlet, Impressivo, 2-gang, aluminum	10/100

**Equipotential plug**

Suitable for potential equalization and to be used with equipotential outlets. For max. 6 mm² wires. The wire is connected by pressing with tool or by soldering.

Type	EAN	Description	Package
0299.00032	6410070602921	Plug for potential compensation	10/100

Accessories

IP44 sealing



Screw-mounted rocker frames, IP44

Screw-mounted rocker frame is used with the seals 2463 or 2464 to reach IP44 protection class on switches and push switches. Furthermore, it can be used to connect the switch frame to the insert with screws for improved security.

Type	EAN	Description	Package
2474	6418677328190	Supporting frame for 1/3-gang rocker, screw fastening	20/200
2475	6418677328206	Supporting frame for 2-gang rocker, screw fastening	20/200



Seal 85 mm, IP44

1-gang socket outlet inserts installed with the seal and a center plate with hinged lid are IP44. Switches and push buttons installed with the seal and with the screwmounted rocker frames are IP44.

Type	EAN	Description	Package
2463	6418677328176	Seal for 85 mm cover frame, IP44	20/200



Seal 100 mm, IP44

2-gang socket outlet inserts installed with the seal and a center plate with hinged lids are IP44. Switches, push buttons and 1-gang socket outlets with a hinged lid are also IP44, when using the seal with adaptor 2519-xx. Screw mounted rocker frame must be used to reach IP44 protection class.

Type	EAN	Description	Package
2464	6418677328183	Seal for 100 mm cover frame, IP44	20/200

Accessories



Blind center plate, 85 mm

85 mm blind center plate can be used to cover an empty box. It can be used together with 85 mm flush- and surface mounting frames. Flush mounting: On a smooth surface IP21, on a rough surface IP20 (seal can't be used). When installed on surface with 2456.26 and 172xS85-xx, protection class is IP44.

Type	EAN	Description	Package
2538-84	6418677330551	Center plate, Impressivo, blind, white	1/10
2538-81	6418677330575	Center plate, Impressivo, blind, anthracite	1/10
2538-83	6418677330582	Center plate, Impressivo, blind, aluminum	1/10
1742-866	4011395086742	Center plate, blind, steel	1/10
1742-884	4011395126936	Center plate, blind, white matt	1
1742-885	4011395127179	Center plate, blind, black matt	1



Blind center plate, 100 mm

100 mm blind center plate can be used to cover an empty box. Can be used together with 100 mm flush- and surface mounting frames. Flush mounting: On a smooth surface IP21, on a rough surface IP20 (seal can't be used). When installed on surface the protection class is IP44 if wires are installed downwards.

Type	EAN	Description	Package
2538-100-84	6418677332319	Center plate, Impressivo, 100 mm, blind, white	1/10
2538-100-81	6418677332296	Center plate, Impressivo, 100 mm, blind, anthracite	1/10
2538-100-83	6418677332302	Center plate, Impressivo, 100 mm, blind, aluminum	1/10

**Adapter 85/100 mm, IP21/IP44**

1-gang center plated accessories can be mounted in 100 mm cover frames with the adapter. Final IP class of installation is defined by the accessories.

Type	EAN	Description	Package
2519-84	6418677328213	Adapter, Impressivo, 85/100 mm, white	1/20
2519-81	6418677328237	Adapter, Impressivo, 85/100 mm, anthracite	1/20
2519-83	6418677328244	Adapter, Impressivo, 85/100 mm, aluminum	1/20

**Labeling plate**

Labeling plate for Jussi and Impressivo cover frames. Size of text area is max 12 x 52 mm.

Type	EAN	Description	Package
2752	6438199000848	Labeling plate for Jussi and Impressivo cover plates.	10/100

**Lamps for switches**

Lamps for switches and push buttons. Lamps can be installed in 1-gang switch inserts that include the signal-/ search light possibility. Lamps can't be installed in 2- or 3-gang switch inserts.

Type	EAN	Description	Package
8370	6410021060701	Lamp, 230 V/0.4 mA, fluorescent, for 1-gang switches	10/100
8372	6410021060725	Lamp, 230 V/2 mA, fluorescent, for 1-gang switches	10/100
8375	6410021060756	Lamp, 24 V/22 mA, incandescent, for 1-gang switches	10/100
8376	6410021060763	Lamp, 12V/40 mA, incandescent, for 1-gang switches	10/100
8331	6410021060909	Lamp, 230 V/1.5 mA, fluorescent, for card switch	10/100
8370R	6438199004860	Lamp, 250 V/0.4 mA, LED, for 1-gang switches	10/100
8375R	6438199004877	Lamp, 5-24 V/0.5-2.5 mA, LED, for 1-gang switches	10/100

**Claws**

Claws for socket outlets, switches and push switches.

Type	EAN	Description	Package
ASE1	6410021660932	Claws for socket outlets and switches	10/100

**Impulse spring**

The impulse spring can be installed into ABB switches. The impulse spring changes the switch operation to push switch. The impulse spring can be installed to 1, 1 + 1 + 1, 5, 6, and 6 + 6 switches. Sales package contains 10 springs. 10 pcs in sales pack.

Type	EAN	Description	Package
PJ4.10	6438199004808	Impulse spring for ABB switches, 10 pcs	10/100

Impressivo cover frames



Flush mounting cover frames 85 mm, IP21/IP44

Flush mounting cover frames for 1-gang devices. Suitable for both horizontal and vertical installation. Standard installation is IP21 on smooth surface. When using seal 2463 installation is IP21 on rough surface. Final IP class of installation is defined by the used center plate (IP21/IP44).

Type	EAN	Description	Package
White			
1721F85-84	6418677327773	Cover frame, Impressivo, 85 mm, 1-gang, white	1/10
1722F85-84	6418677327810	Cover frame, Impressivo, 85 mm, 2-gang, white	1/5
1723F85-84	6418677327858	Cover frame, Impressivo, 85 mm, 3-gang, white	1/5
1724F85-84	6418677327896	Cover frame, Impressivo, 85 mm, 4-gang, white	1/5
1725F85-84	6418677327933	Cover frame, Impressivo, 85 mm, 5-gang, white	1/5
Anthracite			
1721F85-81	6418677327797	Cover frame, Impressivo, 85 mm, 1-gang, anthracite	1/10
1722F85-81	6418677327834	Cover frame, Impressivo, 85 mm, 2-gang, anthracite	1/5
1723F85-81	6418677327872	Cover frame, Impressivo, 85 mm, 3-gang, anthracite	1/5
1724F85-81	6418677327919	Cover frame, Impressivo, 85 mm, 4-gang, anthracite	1/5
1725F85-81	6418677327957	Cover frame, Impressivo, 85 mm, 5-gang, anthracite	1/5
Aluminum			
1721F85-83	6418677327803	Cover frame, Impressivo, 85 mm, 1-gang, aluminum	1/10
1722F85-83	6418677327841	Cover frame, Impressivo, 85 mm, 2-gang, aluminum	1/5
1723F85-83	6418677327889	Cover frame, Impressivo, 85 mm, 3-gang, aluminum	1/5
1724F85-83	6418677327926	Cover frame, Impressivo, 85 mm, 4-gang, aluminum	1/5
1725F85-83	6418677327964	Cover frame, Impressivo, 85 mm, 5-gang, aluminum	1/5



Flush mounting cover frames 100 mm, IP21/IP44

Flush mounting cover frames for 2-gang devices, such as double socket outlets. Also 1-gang devices, such as switches, can be installed using adapter 2519-xx. Suitable for both horizontal and vertical installation. Standard installation is IP21 on smooth surface. When using seal 2463 installation is IP21 on rough surface. Final IP class of installation is defined by the used center plate (IP21/IP44).

Type	EAN	Description	Package
White			
1721F100-84	6418677327971	Cover frame, Impressivo, 100 mm, 1-gang, white	1/10
1722F100-84	6418677328015	Cover frame, Impressivo, 100 mm, 2-gang, white	1/5
1723F100-84	6418677328053	Cover frame, Impressivo, 100 mm, 3-gang, white	1/5
1724F100-84	6418677328091	Cover frame, Impressivo, 100 mm, 4-gang, white	1/5
1725F100-84	6418677328138	Cover frame, Impressivo, 100 mm, 5-gang, white	1/5
Anthracite			
1721F100-81	6418677327995	Cover frame, Impressivo, 100 mm, 1-gang, anthracite	1/10
1722F100-81	6418677328039	Cover frame, Impressivo, 100 mm, 2-gang, anthracite	1/5
1723F100-81	6418677328077	Cover frame, Impressivo, 100 mm, 3-gang, anthracite	1/5
1724F100-81	6418677328114	Cover frame, Impressivo, 100 mm, 4-gang, anthracite	1/5
1725F100-81	6418677328152	Cover frame, Impressivo, 100 mm, 5-gang, anthracite	1/5
Aluminum			
1721F100-83	6418677328008	Cover frame, Impressivo, 100 mm, 1-gang, aluminum	1/10
1722F100-83	6418677328046	Cover frame, Impressivo, 100 mm, 2-gang, aluminum	1/5
1723F100-83	6418677328084	Cover frame, Impressivo, 100 mm, 3-gang, aluminum	1/5
1724F100-83	6418677328121	Cover frame, Impressivo, 100 mm, 4-gang, aluminum	1/5
1725F100-83	6418677328169	Cover frame, Impressivo, 100 mm, 5-gang, aluminum	1/5

Design frames



Carat® cover frames

Flush mounting cover frames for 85 mm center plate accessories, such as switches. Suitable for both horizontal and vertical installation. Use at least one screw-mounted rocker frame (2474 or 2475) when fastening carat®-frames.

Type	EAN	Description	Package
Black glass			
1721-825	4011395088913	Cover frame, Carat, 1-gang, Black	1
1722-825	4011395088920	Cover frame, Carat, 2-gang, Black	1
1723-825	4011395088937	Cover frame, Carat, 3-gang, Black	1
1724-825	4011395088944	Cover frame, Carat, 4-gang, Black	1
White glass			
1721-811	4011395157015	Cover frame, Carat, 1-gang, white glass	1
1722-811	4011395157022	Cover frame, Carat, 2-gang, white glass	1
1723-811	4011395157039	Cover frame, Carat, 3-gang, white glass	1
1724-811	4011395157046	Cover frame, Carat, 4-gang, white glass	1
Steel			
1721-860	6418677330186	Cover frame, Carat, 1-gang, Steel	1
1722-860	6418677330193	Cover frame, Carat, 2-gang, Steel	1
1723-860	6418677330209	Cover frame, Carat, 3-gang, Steel	1
1724-860	6418677330216	Cover frame, Carat, 4-gang, Steel	1
Bronze			
1721-821	6418677330223	Cover frame, Carat, 1-gang, Bronze	1
1722-821	6418677330230	Cover frame, Carat, 2-gang, Bronze	1
1723-821	6418677330247	Cover frame, Carat, 3-gang, Bronze	1
1724-821	6418677330254	Cover frame, Carat, 4-gang, Bronze	1
Chrome			
1721-826	6418677330339	Cover frame, Carat, 1-gang, Chrome	1
1722-826	6418677330346	Cover frame, Carat, 2-gang, horizontal, Chrome	1
1723-826	6418677330360	Cover frame, Carat, 3-gang, horizontal, Chrome	1
1724-826	6418677330384	Cover frame, Carat, 4-gang, horizontal, Chrome	1
Gold			
1721-823	6418677330261	Cover frame, Carat, 1-gang, Gold	1
1722-823	6418677330278	Cover frame, Carat, 2-gang, horizontal, Gold	1
1723-823	6418677330292	Cover frame, Carat, 3-gang, horizontal, Gold	1
1724-823	6418677330315	Cover frame, Carat, 4-gang, horizontal, Gold	1



axcent cover frames, white glass

Flush mounting cover frames for 1-gang center plate accessories, such as switches. Suitable for both horizontal and vertical installation. Material pure glass.

Type	EAN	Description	Package
White glass. Delivery time 3 weeks			
1721-280	4011395156957	Cover frame, axcent, 1-gang, white glass	1
1722-280	4011395156964	Cover frame, axcent, 2-gang, white glass	1
1723-280	4011395156971	Cover frame, axcent, 3-gang, white glass	1
1724-280	4011395156988	Cover frame, axcent, 4-gang, white glass	1
1725-280	4011395156995	Cover frame, axcent, 5-gang, white glass	1

**axcent cover frames, special colors**

Flush mounting cover frames for 1-gang center plate accessories, such as switches. Suitable for both horizontal and vertical installation. Plastic material.

Type	EAN	Description	Package
Entrée-grey. Delivery time 3 weeks.			
1721-291	4011395165072	Cover frame, axcent, 1-gang, entrée-grey	1
1722-291	4011395165195	Cover frame, axcent, 2-gang, entrée-grey	1
1723-291	4011395165317	Cover frame, axcent, 3-gang, entrée-grey	1
1724-291	4011395165423	Cover frame, axcent, 4-gang, entrée-grey	1
1725-291	4011395165539	Cover frame, axcent, 5-gang, entrée-grey	1
Château-black. Delivery time 3 weeks.			
1721-295	4011395165096	Cover frame, axcent, 1-gang, château-black	1
1722-295	4011395165225	Cover frame, axcent, 2-gang, château-black	1
1723-295	4011395165331	Cover frame, axcent, 3-gang, château-black	1
1724-295	4011395165447	Cover frame, axcent, 4-gang, château-black	1
1725-295	4011395165553	Cover frame, axcent, 5-gang, château-black	1
Chalet-white. Delivery time 3 weeks.			
1721-296	4011395165126	Cover frame, axcent, 1-gang, chalet-white	1
1722-296	4011395165249	Cover frame, axcent, 2-gang, chalet-white	1
1723-296	4011395165355	Cover frame, axcent, 3-gang, chalet-white	1
1724-296	4011395165461	Cover frame, axcent, 4-gang, chalet-white	1
1725-296	4011395165577	Cover frame, axcent, 5-gang, chalet-white	1
Foyer-red. Delivery time 3 weeks.			
1721-297	4011395165157	Cover frame, axcent, 1-gang, foyer-red	1
1722-297	4011395165263	Cover frame, axcent, 2-gang, foyer-red	1
1723-297	4011395165379	Cover frame, axcent, 3-gang, foyer-red	1
1724-297	4011395165485	Cover frame, axcent, 4-gang, foyer-red	1
1725-297	4011395165591	Cover frame, axcent, 5-gang, foyer-red	1
Maison-beige. Delivery time 3 weeks.			
1721-299	4011395165171	Cover frame, axcent, 1-gang, maison-beige	1
1722-299	4011395165287	Cover frame, axcent, 2-gang, maison-beige	1
1723-299	4011395165393	Cover frame, axcent, 3-gang, maison-beige	1
1724-299	4011395165515	Cover frame, axcent, 4-gang, maison-beige	1
1725-299	4011395165621	Cover frame, axcent, 5-gang, maison-beige	1

**axcent cover frames, basic colors**

Flush mounting cover frames for 1-gang center plate accessories, such as switches. Suitable for both horizontal and vertical installation. Plastic material.

Type	EAN	Description	Package
White. Delivery time 3 weeks.			
1721-284	4011395113240	Cover frame, axcent, 1-gang, white	1
1722-284	4011395113257	Cover frame, axcent, 2-gang, white	1
1723-284	4011395113264	Cover frame, axcent, 3-gang, white	1
1724-284	4011395113417	Cover frame, axcent, 4-gang, white	1
1725-284	4011395113424	Cover frame, axcent, 5-gang, white	1
Black. Delivery time 3 weeks.			
1721-281	4011395126363	Cover frame, axcent, 1-gang, black	1
1722-281	4011395126370	Cover frame, axcent, 2-gang, black	1
1723-281	4011395126387	Cover frame, axcent, 3-gang, black	1
1724-281	4011395126394	Cover frame, axcent, 4-gang, black	1
1725-281	4011395126615	Cover frame, axcent, 5-gang, black	1
Yellow. Delivery time 3 weeks.			
1721-285	4011395113271	Cover frame, axcent, 1-gang, yellow	1
1722-285	4011395113288	Cover frame, axcent, 2-gang, yellow	1
1723-285	4011395113295	Cover frame, axcent, 3-gang, yellow	1
1724-285	4011395113431	Cover frame, axcent, 4-gang, yellow	1
1725-285	4011395113448	Cover frame, axcent, 5-gang, yellow	1
Green. Delivery time 3 weeks.			
1721-286	4011395113318	Cover frame, axcent, 1-gang, green	1
1722-286	4011395113325	Cover frame, axcent, 2-gang, green	1
1723-286	4011395113332	Cover frame, axcent, 3-gang, green	1
1724-286	4011395113455	Cover frame, axcent, 4-gang, green	1
1725-286	4011395113462	Cover frame, axcent, 5-gang, green	1
Red. Delivery time 3 weeks.			
1721-287	4011395113349	Cover frame, axcent, 1-gang, red	1
1722-287	4011395113356	Cover frame, axcent, 2-gang, red	1
1723-287	4011395113363	Cover frame, axcent, 3-gang, red	1
1724-287	4011395113479	Cover frame, axcent, 4-gang, red	1
1725-287	4011395113486	Cover frame, axcent, 5-gang, red	1
Blue. Delivery time 3 weeks.			
1721-288	4011395113370	Cover frame, axcent, 1-gang, blue	1
1722-288	4011395113387	Cover frame, axcent, 2-gang, blue	1
1723-288	4011395113394	Cover frame, axcent, 3-gang, Blue	1
1724-288	4011395113493	Cover frame, axcent, 4-gang, blue	1
1725-288	4011395113516	Cover frame, axcent, 5-gang, blue	1



Cover frames

Flush mounting cover frames for 1-gang center plated accessories, such as switches. Suitable for both horizontal and vertical installation.

Type	EAN	Description	Package
Steel			
1721-866K	4011395088319	Cover frame, 80 mm, 1-gang, steel	1
1722-866K	4011395088340	Cover frame, 80 mm, 2-gang, steel	1
1723-866K	4011395088371	Cover frame, 80 mm, 3-gang, steel	1
1724-866K	4011395088395	Cover frame, 80 mm, 4-gang, steel	1
1725-866K	4011395088425	Cover frame, 80 mm, 5-gang, steel	1
White matt. Delivery time 3 weeks.			
1721-884K	4011395128244	Cover frame, 80 mm, 1-gang, white matt	1
1722-884K	4011395128251	Cover frame, 80 mm, 2-gang, white matt	1
1723-884K	4011395128268	Cover frame, 80 mm, 3-gang, white matt	1
1724-884K	4011395128275	Cover frame, 80 mm, 4-gang, white matt	1
1725-884K	4011395128282	Cover frame, 80 mm, 5-gang, white matt	1
Black matt. Delivery time 3 weeks.			
1721-885K	4011395128299	Cover frame, 80 mm, 1-gang, black matt	1
1722-885K	4011395128312	Cover frame, 80 mm, 2-gang, black matt	1
1723-885K	4011395128329	Cover frame, 80 mm, 3-gang, black matt	1
1724-885K	4011395128336	Cover frame, 80 mm, 4-gang, black matt	1
1725-885K	4011395128343	Cover frame, 80 mm, 5-gang, black matt	1

Surface mounting

Switches



1-gang switches

Switch with screwless terminals and lamp possibility. Rocker with clip-on fastening. IP21 when wires are installed downwards.

Type	EAN	Description	Package
1-gang 2-way switch			
1066A-84	6438199003221	1-gang 2-way switch, 16AX/250 V, Impressivo, 2 X-terminals, white	1/10
1066A-81	6438199003238	1-gang 2-way switch, 16AX/250 V, Impressivo, 2 X-terminals, anthracite	1/10
1066A-83	6438199003245	1-gang 2-way switch, 16AX/250 V, Impressivo, 2 X-terminals, aluminum	1/10
Intermediate switch			
1067A-84	6438199003535	1-gang intermediate switch, 16AX/250 V, Impressivo, 2 X-terminals, white	1/10
1067A-81	6438199003542	1-gang intermediate switch, 16AX/250 V, Impressivo, 2 X-terminals, anthracite	1/10
1067A-83	6438199003559	1-gang intermediate switch, 16AX/250 V, Impressivo, 2 X-terminals, aluminum	1/10



2-gang switches

Switch with screwless terminals, no lamp possibility. Rocker with clip-on fastening. IP21 when wires are installed downwards.

Type	EAN	Description	Package
2-gang 1-way switch			
1065A-84	6438199003191	2-gang 1-way switch, 16AX/250 V, Impressivo, 2 X-terminals, white	1/10
1065A-81	6438199003207	2-gang 1-way switch, 16AX/250 V, Impressivo, 2 X-terminals, anthracite	1/10
1065A-83	6438199003214	2-gang 1-way switch, 16AX/250 V, Impressivo, 2 X-terminals, aluminum	1/10
2-gang 2-way switch			
10666A-84	6438199003504	2-gang 2-way switch, 16AX/250 V, Impressivo, 2 X-terminals, white	1/10
10666A-81	6438199003511	2-gang 2-way switch, 16AX/250 V, Impressivo, 2 X-terminals, anthracite	1/10
10666A-83	6438199003528	2-gang 2-way switch, 16AX/250 V, Impressivo, 2 X-terminals, aluminum	1/10

**3-gang switch**

Switch with screwless terminals, no lamp possibility. Rocker with clip-on fastening. IP21 when wires are installed downwards.

Type	EAN	Description	Package
10631A-84	6438199003566	3-gang 1-way switch, 16AX/250 V, Impressivo, 2 X-terminals, white	1/10
10631A-81	6438199003573	3-gang 1-way switch, 16AX/250 V, Impressivo, 2 X-terminals, anthracite	1/10
10631A-83	6438199003580	3-gang 1-way switch, 16AX/250 V, Impressivo, 2 X-terminals, aluminum	1/10

**2-pole switch**

Switch with screwless terminals and lamp possibility. Rocker with clip-on fastening. IP21 when wires are installed downwards.

Type	EAN	Description	Package
1062A-84	6438199003474	1-gang 2-pole switch, 16AX/250 V, Impressivo, 2 X-terminals, white	1/10

**1-gang push switch**

Push switch with screwless terminals and lamp possibility. Rocker with clip-on fastening. Delivered with clear lens. IP21 when the wires are installed downwards.

Type	EAN	Description	Package
1461A-84	6438199003252	1-gang 1-way push switch, 10 A/250 V, Impressivo, 2 X-terminals, white	1/10
1461A-81	6438199003269	1-gang 1-way push switch, 10 A/250 V, Impressivo, 2 X-terminals, anthracite	1/10
1461A-83	6438199003276	1-gang 1-way push switch, 10 A/250 V, Impressivo, 2 X-terminals, aluminum	1/10

Socket outlets IP21

**4-gang Schuko socket outlet, IP21**

The device is based on two 2-gang socket outlet inserts, which are internally connected. The socket outlet inserts have shutters. There are screwless terminals for each contact of the socket outlet insert for max 4 rigid wires. No X-terminals. IP21 when the wires are installed downwards.

Type	EAN	Description	Package
404EA-84	6438199003344	Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, white	1/20
404EA-81	6438199003351	Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, anthracite	1/20
404EA-83	6438199003368	Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, aluminum	1/20

**2-gang Schuko socket outlet, IP21**

Screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters. IP21 when the wires are installed downwards.

Type	EAN	Description	Package
402EA-84	6438199003283	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, white	1/10
402EA-81	6438199003290	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, anthracite	1/10
402EA-83	6438199003306	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, aluminum	1/10



2-gang Schuko socket outlet, surface mounting, IP44

Product includes Schuko socket outlet insert, center plate with lid, surface mounting cover frame and box. The socket outlet insert has shutters and screwless terminals.

Type	EAN	Description	Package
302ESW-81	6438199003443	Socket outlet, Impressivo IP44, 2-gang Schuko, shuttered, screwless terminals, branching terminals, anthracite	1/10



2-gang Schuko outlets with special colour, IP21

Screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters. IP21 when the wires are installed downwards. These socket outlets can be used, for instance, in hospitals and offices, when there is a need to limit socket outlet use to certain applications.

Type	EAN	Description	Package
402EA-02	6438199004723	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, red	1/10
402EA-03	6438199004730	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, orange	1/10
402EA-05	6438199004747	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, green	1/10
402EA-06	6438199004754	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, blue	1/10



2-gang Schuko socket outlet, lath installation, IP21

Schuko 2-gang socket outlet for lath installation. There are screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters.

Type	EAN	Description	Package
402EL-84	6438199003894	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, lath installation, white	1/10
402EL-81	6438199003900	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, lath installation, anthracite	1/10
402EL-83	6438199003917	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, lath installation, aluminium	1/10



2-gang Schuko socket outlet, corner installation, IP21

Schuko 2-gang socket outlet for corner installation. There are screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters.

Type	EAN	Description	Package
402EE-84	6438199003313	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, corner installation, white	1/20
402EE-81	6438199003320	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, corner installation, anthracite	1/20
402EE-83	6438199003337	Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, corner installation, aluminum	1/20

Surface mounting boxes and accessories



Surface mounting box 85 mm, IP21

Surface mounting box for 1-gang devices such as antenna and data outlet and others, insert height max. 26 mm. Large devices such as dimmers doesn't fit in the box. Delivery includes bottom plate and cover.

Type	EAN	Description	Package
1721A-84	6438199003375	Surface mounting box, Impressivo, 85 mm, h=41 mm, 1-gang, white	1/10
1721A-81	6438199003382	Surface mounting box, Impressivo, 85 mm, h=41 mm, 1-gang, anthracite	1/10
1721A-83	6438199003399	Surface mounting box, Impressivo, 85 mm, h=41 mm, 1-gang, aluminum	1/10

**Lath installation box 85 mm, IP21**

Lath installation box for 1-gang devices such as antenna and data outlet and others, insert height max. 26 mm. Large devices such as dimmers doesn't fit in the box. Delivery includes bottom plate and cover.

Type	EAN	Description	Package
1721L-84	6438199003924	Surface mounting box, Impressivo, 85 mm, 1-gang, lath installation, white	1/10
1721L-81	6438199003931	Surface mounting box, Impressivo, 85 mm, 1-gang, lath installation, anthracite	1/10
1721L-83	6438199003948	Surface mounting box, Impressivo, 85 mm, 1-gang, lath installation, aluminium	1/10

**Corner installation box 85 mm, IP21**

Surface mounting box for 2 devices, also for electronic devices. Horizontal or vertical installation in corners. Use with 85 mm 2-gang cover frame.

Type	EAN	Description	Package
1722H-84	6438199003955	Surface mounting box, Impressivo, corner installation, 85 mm, 2-gang, white	1/20
1722H-81	6438199003962	Surface mounting box, Impressivo, corner installation, 85 mm, 2-gang, anthracite	1/20
1722H-83	6438199003979	Surface mounting box, Impressivo, corner installation, 85 mm, 2-gang, aluminium	1/20

**Surface mounting bottom plate, IP21/IP44**

Surface mounting bottom plate for flush mounted products, insert height max. 26 mm. To be combined with 85 mm and 100 mm surface mounting cover frames 172xS85-xx and 172xS100-xx. Socket outlets are IP44 when using center plates with hinged lid. Switches and push switches are IP44 when combined with screw fastening rocker. Wires must be installed downwards for IP44 protection class. Dimmers do not fit in the box.

Type	EAN	Description	Package
2456.26	6418677331299	Surface mounting box for flush mounted products, h=26 mm	10/100

**Surface mounting cover frames 85 mm, IP21/IP44**

Surface mounting cover frames for 1-gang devices, such as switches and socket outlets. Suitable for both horizontal and vertical installation. To be used with surface mounting box 2456.26. Dimmers do not fit in the frame. Wires must be installed downwards for IP44 protection class. Final IP class of installation is defined by the used center plate (IP21/IP44).

Type	EAN	Description	Package
White			
1721S85-84	6418677330971	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 1-gang, white	1/50
1722S85-84	6418677331015	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 2-gang, white	1/25
1723S85-84	6418677331053	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 3-gang, white	1/25
1724S85-84	6418677331091	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 4-gang, white	1/25
Anthracite			
1721S85-81	6418677330995	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 1-gang, anthracite	1/50
1722S85-81	6418677331039	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 2-gang, anthracite	1/25
1723S85-81	6418677331077	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 3-gang, anthracite	1/25
1724S85-81	6418677331114	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 4-gang, anthracite	1/25
Aluminum			
1721S85-83	6418677331008	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 1-gang, aluminum	1/50
1722S85-83	6418677331046	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 2-gang, aluminum	1/25
1723S85-83	6418677331084	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 3-gang, aluminum	1/25
1724S85-83	6418677331121	Surface mounting frame, Impressivo, 85 mm, h=40 mm, 4-gang, aluminum	1/25



Surface mounting cover frames 100 mm, IP21/IP44

Surface mounting cover frames for 2-gang devices, such as double socket outlets. Also 1-gang devices can be installed using the adaptor 2519-xx. Suitable for both horizontal and vertical installation. To be used with surface mounting box 2456.26. Wires must be installed downwards for IP44 protection class. Final IP class of installation is defined by the used center plate (IP21/IP44).

Type	EAN	Description	Package
White			
1721S100-84	6418677331138	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 1-gang, white	1/50
1722S100-84	6418677331176	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 2-gang, white	1/25
1723S100-84	6418677331213	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 3-gang, white	1/25
1724S100-84	6418677331251	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 4-gang, white	1/20
Anthracite			
1721S100-81	6418677331152	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 1-gang, anthracite	1/50
1722S100-81	6418677331190	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 2-gang, anthracite	1/25
1723S100-81	6418677331237	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 3-gang, anthracite	1/25
1724S100-81	6418677331275	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 4-gang, anthracite	1/20
Aluminum			
1721S100-83	6418677331169	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 1-gang, aluminum	1/50
1722S100-83	6418677331206	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 2-gang, aluminum	1/25
1723S100-83	6418677331244	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 3-gang, aluminum	1/25
1724S100-83	6418677331282	Surface mounting frame, Impressivo, 100 mm, h=40 mm, 4-gang, aluminum	1/20



High surface mounting boxes 80 mm, IP20

Surface mounting boxes for high 1-gang devices, such as dimmers, insert height max. 40 mm. Suitable for both horizontal and vertical installation. Delivery includes box and cover frame.

Type	EAN	Description	Package
White			
1721S80-84	6438199002651	Surface mounting box, Impressivo, 80 mm, h=54 mm 1-gang, white	1/10
1722S80-84	6438199002682	Surface mounting box, Impressivo, 80 mm, h=54 mm 2-gang, white	1/5
1723S80-84	6438199002712	Surface mounting box, Impressivo, 80 mm, h=54 mm 3-gang, white	1/10
Anthracite			
1721S80-81	6438199002637	Surface mounting box, Impressivo, 80 mm, h=54 mm 1-gang, anthracite	1/10
1722S80-81	6438199002668	Surface mounting box, Impressivo, 80 mm, h=54 mm 2-gang, anthracite	1/5
1723S80-81	6438199002699	Surface mounting box, Impressivo, 80 mm, h=54 mm 3-gang, anthracite	1/10
Aluminum			
1721S80-83	6438199002644	Surface mounting box, Impressivo, 80 mm, h=54 mm 1-gang, aluminum	1/10
1722S80-83	6438199002675	Surface mounting box, Impressivo, 80 mm, h=54 mm 2-gang, aluminum	1/5
1723S80-83	6438199002705	Surface mounting box, Impressivo, 80 mm, h=54 mm 3-gang, aluminum	1/10

02

Jussi

Timeless and discrete for various styles of interior decoration.



Flush mounting IP21

Switches and push switches	40
Signal lights	42
Socket outlets	42
Tele and data	45
Cover frames and accessories	50

Surface mounting IP20/IP21

Surface mounting boxes and accessories	52
Surface mounting switches and push switches	53
Surface mounting socket outlets	54

Surface mounting IP44/IP55

Switches, push switches and signal lights	55
Socket outlets	56





Timeless design

The design of Jussi series is timeless and suitable for various styles of interior decoration. Its white silky surface (RAL9010) is easy to keep clean, and its high quality material sustain years of everyday use with no change in appearance or durability.

—
01



—
01

Illustration in original size

The cover frame measures 85 mm x 85 mm x 19 mm (w x h x d). Material: the rocker and frame are made of thermoplastic (PC), impact- and break-proof, UV-resistant, PVC- and halogen-free

Jussi flush mounting IP21

Switches and push switches



Push button panel 4/2-gang, 5-24V AC/DC

4/2-gang push button panel to control bistable relays or electronic control systems. Load capacity 1 A AC/DC. White LED-light with adjustable illumination. Installation on surface or on top of a standard flush mounting box.

Type	EAN	Description	Package
FAP1204	6438199002279	Push button, 4/2-gang	1/10



Flush mounting 1-gang switches, IP21

16AX/250 V Switches with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
1061U	6410021060114	1-gang 1-way switch, Jussi, no X-terminals	10/100
1066U	6410021060169	1-gang 2-way switch, Jussi, 2 X-terminals	10/100
1067U	6410021060176	1-gang intermediate switch, Jussi, 2 X-terminals	10/100



Flush mounting 2-gang switches, IP21

16AX/250 V Switches with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. No lamp possibility. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
1065U	6410021060152	2-gang 1-way switch, Jussi, no X-terminals	10/100
1065U.1	6410021060657	2-gang 1-way switch, Jussi, 2 X-terminals	10/100
10666U	6410021060183	2-gang 2-way switch, Jussi, no X-terminals	10/100



Flush mounting 3-gang switch, IP21

16AX/250 V Switch with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. No lamp possibility. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
10631U	6410021060190	3-gang 1-way switch, Jussi, no X-terminals	10/100



Flush mounting 2-pole switch, IP21

16AX/250 V Switch with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
1062U	6410021060121	2-pole 1-gang 1-way switch, Jussi, 2 X-terminals, "1/0" symbol	10/100



Flush mounting 2-pole switch, IP21

16AX/250 V Switch with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Delivered with pilot light and red lens. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
1062UK	6410021060145	2-pole 1-gang 1-way switch, Jussi, no X-terminals, red lens, "1/0" symbol, incl.lamp	10/100

**Flush mounting 1-gang 2-way switch, IP21**

16AX/250V Switch with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Delivered with pilot light and red lens. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
1066UK	6410021060138	1-gang 2-way switch, Jussi, N-terminal, red lens, incl. lamp	10/100

**Flush mounting 1-gang 2-way push switch, IP21**

16A/250V Push switch with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Possibility to connect a lamp. Push switch includes an opening and closing contact terminal function.

Type	EAN	Description	Package
1466U	6410021260118	1-gang 2-way push switch, Jussi, N-terminal, lens, lamp not incl.	10/100

**Flush mounting 2-gang 1-way push switch, IP21**

16A/250V Push switch with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. No lamp possibility. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
1465U	6410021260132	2-gang 1-way push switch, 16 A, Jussi, no X-terminals	10/100
1465.20	6418677328824	2-gang 1-way push switch insert 16 A/250 V, 2 X-terminals, no lamp possibility	10/100

**2-gang push switch for up/down control, IP21**

10A/250V Push switch with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Use e.g. for controlling opening/closing of blinds and shutters. Not possible to push both buttons at the same time. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
2020/4U-101-212	6410021260156	2-gang push switch, Jussi, for up/down control	10/100

**1-gang rockers, IP21**

Rockers with screw or clip-on fastening for all 1-gang switches and push switches. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
2506-212	6410021061357	Switch rocker, Jussi, 1-gang, clip-on fastening	20/200
2506-212R	6410021061432	Switch rocker, Jussi, 1-gang, screw fastening	20/200
2520-212	6410021061364	Switch rocker, Jussi, 1-gang, clear lens, clip-on fastening	20/200
2520-212R	6410021061449	Switch rocker, Jussi, 1-gang, clear lens, screw fastening	20/200

**2-gang rockers, IP21**

Rockers with screw or clip-on fastening for 2-gang switches and push switches. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
2505-212	6410021061395	Switch rocker, Jussi, 2-gang, clip-on fastening	20/200
2505-212R	6410021061470	Switch rocker, Jussi, 2-gang, screw fastening	20/200

Signal lights



Lamps for switches

Lamps for switches and push buttons. Lamps can be installed in 1-gang switch inserts that include the signal-/search light possibility. Lamps can't be installed in 2- or 3-gang switch inserts.

Type	EAN	Description	Package
8370	6410021060701	Lamp, 230 V/0.4 mA, fluorescent, for 1-gang switches	10/100
8372	6410021060725	Lamp, 230 V/2 mA, fluorescent, for 1-gang switches	10/100
8375	6410021060756	Lamp, 24 V/22 mA, incandescent, for 1-gang switches	10/100
8376	6410021060763	Lamp, 12 V/40 mA, incandescent, for 1-gang switches	10/100
8370R	6438199004860	Lamp, 250 V/0.4 mA, LED, for 1-gang switches	10/100
8375R	6438199004877	Lamp, 5-24 V/0.5-2.5 mA, LED, for 1-gang switches	10/100



Rocker lens with symbols

Rocker lens with symbols for 1-gang Jussi-rockers with lens.

Type	EAN	Description	Package
2145TR	4011395077108	Rocker lens, Jussi, clear, "key" symbol	100
2145KI	6410020464821	Rocker lens, Jussi, clear, "bell" symbol	100



Signal light fittings

250V/max 3W, E-10 lamp, screw terminals. Cap with clip-on fastening is included. Lamp 8340 is not included. Can only be installed in dry indoor spaces (IP20).

Type	EAN	Description	Package
2661U-11	6410021460181	Signal light, Jussi, E10/3W max, clear	10/100
2661U-12	6410021460167	Signal light, Jussi, E10/3W max, red	10/100
2661U-13	6410021460150	Signal light, Jussi, E10/3W max, green	10/100
2661U-14	6410021460198	Signal light, Jussi, E10/3W max, orange	10/100
8340	6410021460891	Lamp, 230 V/3W/E10, incandescent, for signal light fittings	100/1000

Socket outlets



Euro socket outlet with center plate, IP21

2,5A/250V There are screwless N and L terminals for max 4 wires and 2 screwless X-terminals for max 2 wires. The socket outlet insert has shutters. The terminals are for rigid wires. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
303UC	6418677335136	Socket outlet, Jussi, Euro, 3-gang, shuttered, screwless terminals, branching terminals, 2 X-terminals	10/100



2-gang socket outlet Schuko with cover plate, screwless terminals, IP21

16A/250V. There are screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
302EUJ	6418677310409	Socket outlet, Jussi, Schuko, 2-gang, shuttered, screwless terminals, branching terminals	10/100
302EUJ.CLAW	6418677311628	Socket outlet, Jussi, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, claws	10/100


2-gang socket outlet Schuko with cover plate, screwless terminals, IP21

16A/250V There are screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
302EUJ.1	6418677331374	Socket outlet, Jussi, Schuko, 2-gang, shuttered, screwless terminals, branching terminals	10/100


2-gang socket outlet Schuko with cover plate, screw terminals, IP21

16A/250V There are screw terminals for each contact of the socket outlet and 2 X-terminals. The socket outlet insert has shutters. The terminals are for max 2 rigid wires. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
232EUJ	6410025064217	Socket outlet, Jussi, Schuko, 2-gang, shuttered, screw terminals, 2 X-terminals	10/100


2-gang socket outlet Schuko with center plate, screwless terminals, IP21

16A/250V There are screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
302EUC	6418677310393	Socket outlet, Jussi, Schuko, 2-gang, shuttered, screwless terminals, branching terminals	10/100
302EUC.CLAW	6418677311635	Socket outlet, Jussi, Schuko, 2-gang, shuttered, screwless terminals, branching terminals, claws	10/100


2-gang socket outlet Schuko with center plate, screw terminals, IP21

16A/250V There are screw terminals for each contact of the socket outlet and 2 X-terminals. The terminals are for max 2 rigid wires. The socket outlet insert has shutters. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
232EUC	6410025061216	Socket outlet, Jussi, Schuko, 2-gang, shuttered, screw terminals, 2 X-terminals	10/100


Non-earthed socket outlet with center plate

16A/250V There are terminals for N and L contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters. Claws can be fitted to socket outlet afterwards. Can only be installed in dry indoor spaces.

Type	EAN	Description	Package
302UC	6418677335808	Socket outlet, Jussi, non-earthed, 2-gang, shuttered, screwless terminals, branching terminals	10/100


1-gang socket outlet Schuko with cover plate, IP21

16A/250V There are screwless terminals for each contact of the socket outlet. The terminals are for max 2 rigid wires. The socket outlet insert has shutters. No X-terminals. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
20EUJKS-212	6410025064316	Socket outlet, Jussi, Schuko, 1-gang, shuttered, screwless terminals	10/100
20EUJ2	6418677302114	Socket outlet, Jussi, Schuko, 1-gang, shuttered, screwless terminals, claws	10/100
23-01EUJ-212	6410025064118	Socket outlet, Jussi, Schuko, 1-gang, shuttered, screw terminals	10/100


1-gang socket outlet Schuko with center plate, IP21

16 A/250 V There are screwless terminals for each contact of the socket outlet. The socket outlet insert has shutters. The terminals are for max 2 rigid wires. No X-terminals. Flush mounting on a smooth surface IP21.

Type	EAN	Description	Package
20EUCKS-212	6410025061315	Socket outlet, Jussi, Schuko, 1-gang, shuttered, screwless terminals	10/100
20EUC2	6418677302060	Socket outlet, Jussi, Schuko, 1-gang, shuttered, screwless terminals, claws	10/100
23-01EUC-212	6410025061117	Socket outlet, Jussi, Schuko, 1-gang, shuttered, screw terminals	10/100


1-gang Schuko socket outlet with center plate and LED light, IP20

16 A/250 V There are screwless terminals for each contact of the socket outlet. The socket outlet insert has shutters. The terminals are for max 2 rigid wires. No X-terminals. A white color LED light is integrated into the socket outlet.

Type	EAN	Description	Package
20EUCBLI-214	4011395100738	Socket outlet, Jussi, Schuko, 1-gang, shuttered, screwless terminals, LED light	1/10


1-gang Schuko socket outlet with center plate and USB charger, IP20

The socket outlet has an integrated USB charger 5 V/0.7 A with electronic short-circuit and overload protection. Compatible with USB devices, iPod and iPhone. The Schuko socket outlet is 16A/250V. There are screwless terminals for each contact of the socket outlet. The socket outlet insert has shutters. The terminals are for max 2 rigid wires. No X-terminals.

Type	EAN	Description	Package
20EUCBUSB-214	4011395164532	1-gang Socket outlet and USB charger, Jussi, shuttered Schuko, screwless terminals	1


Residual current devices

16 A/250 V IP21, with built-in A-type residual current device (RCD), tripping current 30 mA. Approved for extending a branch circuit, but only regular sockets connected to protected outlet wires are protected. The socket outlet insert has shutters. The products are sold with cover plates. The socket outlet insert has shutters and screwless terminals.

Type	EAN	Description	Package
3120EUC-214	7612271473822	1-gang, 30 mA, type A	1/10
3150UC-214.1	7612271473846	RCD (30 mA), extendable	1/10


Non-earthed socket outlet with center plate

16A/250V There are screwless terminals for each contact of the socket outlet. The socket outlet insert has shutters. The terminals are for max 2 rigid wires. No X-terminals. Can only be installed in dry indoor spaces.

Type	EAN	Description	Package
23-01UC-212	6410025060110	Socket outlet, Jussi, non-earthed, 1-gang, shuttered, screw terminals	10/100

Tele & data

**Telephone outlet, Sweden**

Swedish telephone socket outlet.

Type	EAN	Description	Package
FOT1006	6418677305849	Telephone outlet, Jussi, Swedish	1/10
2507-214	6418677327247	Center plate, Jussi, telephone, Swedish	10

**RJ45 outlet with sliding dust covers**

The RJ45 inserts and center plate are made for 2 connectors. The connectors are not included. The connectors CEL30.UX are not compatible with this device, due to its integrated dust covers.

Type	EAN	Description	Package
Insert			
1819.01	6418677330445	Supporting frame insert for 2 x RJ45, Keystone	10/100
1819.02	6418677330452	Supporting frame insert for 2 x RJ45, AMP	10/100
1819.03	6418677330469	Supporting frame insert for 2 x RJ45, Actassi	10/100
1819.04	6418677335945	Supporting frame insert for 2 x RJ45, Systimax	10/100
Center plate			
1819DC-214	6438199002804	Center plate, Jussi, 2 x RJ45, dust covers	10/100

**RJ45 outlet**

Insert and center plate for two RJ45 connectors. Blind covers included. RJ45 connectors are not included.

Type	EAN	Description	Package
FOT5000	6410072040509	Tele outlet, Jussi, for 2 x RJ45, connectors not included, Keystone	20/200
FOT5010	6410072040516	Tele outlet, Jussi, for 2 x RJ45, connectors not included, AMP	20/200
FOT5020	6418677328558	Tele outlet, Jussi, for 2 x RJ45, connectors not included, Actassi	20/200
FOT5030	6418677335921	Tele outlet, Jussi, for 2 x RJ45, connectors not included, Systimax	20/200

**RJ45 outlet, for 100 mm frames**

Insert and center plate for two RJ45 connectors. Blind covers included. RJ45 connectors are not included. Use with 100 mm cover frames.

Type	EAN	Description	Package
FOT5000-100	6418677328565	Tele outlet, Jussi, for 2 x RJ45, 100 mm, connectors not included, Keystone	20/200
FOT5010-100	6418677328572	Tele outlet, Jussi, for 2 x RJ45, 100 mm, connectors not included, AMP	20/200
FOT5020-100	6418677328589	Tele outlet, Jussi, for 2 x RJ45, 100 mm, connectors not included, Actassi	20/200
FOT5030-100	6418677335938	Tele outlet, Jussi, for 2 x RJ45, 100 mm, connectors not included, Systimax	20/200

**RJ45 outlet including connectors**

RJ45 outlet including RJ45 connectors manufactured by 3M. The dust covers are integrated into the connector. A blind cover is included for an empty connector hole. No special connecting tool is needed.

Type	EAN	Description	Package
FOT6208	6418677326493	Tele outlet, 2 x RJ45, Cat6 UTP	1/10

**RJ45 connector**

Unshielded (UTP) RJ45 connectors with Keystone fixing and A/B coupling. No special connecting tool is needed. The dust covers are integrated into the connectors. The connector is manufactured by 3M.

Type	EAN	Description	Package
CEL30.U6	6418677326486	Connector, RJ45, Cat6, UTP, white	10/100

**Center plate for antenna outlets**

Suitable as center plate for antenna outlet inserts according to SFS 2706.

Type	EAN	Description	Package
2531	6410070605700	Center plate, Jussi, antenna, TV-R	20/200

**Center plate for antenna outlets 100 mm frames**

Suitable as center plate for antenna socket outlet inserts according to SFS 2706. Prefabricated hole for satellite outlet. Compatible with 100 mm cover frames.

Type	EAN	Description	Package
2531-100	6418677328541	Center plate, Jussi, antenna, TV-R-Sat, for 100 mm cover frames	20/200

**Center plate for satellite antenna outlets**

For antenna outlet inserts with satellite connector.

Type	EAN	Description	Package
1743-03-214	6410070605717	Center plate, Jussi, antenna, TV-R-Sat	1/10

**Telephone outlet, Finland**

Finnish telephone outlet. The insert is 5-pole with screw terminals. The center plate is 3/5-pole. The insert and the center plate are sold separately.

Type	EAN	Description	Package
FOT1005	6410070440103	Telephone outlet insert, Jussi, 3/5-pole Finnish	10/100
2535	6410070609708	Center plate, Jussi, telephone, Finnish	20/200
FLK1010	6410070055017	Surface mounting frame, Jussi, for telephone outlet and signal products	10/100

**DKS-center plate**

DKS-center plate is used to fix many different kind of tele connectors into the mounting box. To be fitted with a suitable adapter 18XXEB.X.

Type	EAN	Description	Package
1758-214	6410072040424	DKS center plate, Jussi, DKS-system	10/100

**DKS-adapter with VGA connector**

Suitable for DKS-center plate 1758-214. VGA connector is included (15pin D-sub). Cable should be connected by soldering.

Type	EAN	Description	Package
1850EB.VGA	6418677334375	Tele outlet for DKS-system with VGA display connector	1/10

**DKS-adapter with Composite-/S-video connectors**

Suitable for DKS-center plate 1758-214. Composite video (BNC) and S-video (Mini DIN) connectors are included. Composite video connectors internal coaxial cable should be terminated by BNC-type connector. S-video internal cable is standard twisted-pair cable with toolless connections.

Type	EAN	Description	Package
1875EB.YCV	6418677334351	Tele outlet for DKS-system with Composite-video and S-video connectors	1/10

**DKS-adapter with Speakon connector**

Suitable for DKS-center plate 1758-214. Speakon 4 pin audio connector is included.

Type	EAN	Description	Package
1876EB.SPE	6418677334368	Tele outlet for DKS-system with Speakon audio connector	1/10

**DKS-adapters**

Different adapters for DKS-system. Suitable for DKS-center plate 1758-xx.

Type	EAN	Description	Package
RJ45			
1867EB	4011395182802	Adapter for DKS-system, 2 x RJ45, Keystone	10/100
1875EB	4011395776902	Adapter for DKS-system, 2 x RJ45, AMP	10/100
1872EB	4011395540800	Adapter for DKS-system, 2 x RJ45, Systimax	10/100
Fiber			
1870EB	4011395454107	Adapter for DKS-system, fiber 2 x Simplex ST	10/100
1874EB	4011395734902	Adapter for DKS-system, fiber 2 x SCD	10/100
Audio			
1853EB	4011395181409	Adapter for DKS-system, XLR audio connector type FP	10/100
1854EB	4011395181508	Adapter for DKS-system, XLR audio connector type MP	10/100
1876EB	4011395022566	Adapter for DKS-system, XLR D-type or Speakon audio connector	10/100
Others			
1850EB	6438100605308	Adapter for DKS-system, D-type 9-pin connector	10/100
1855EB	4011395181607	Adapter for DKS-system, 2 x BNC/TNC, 9,8 mm	10/100
1857EB	6418677329975	Adapter for DKS-system, 2 x BNC/TNC, 12,9 mm	10/100
1869EB	4011395183007	Adapter for DKS-system, blank	10/100

**USB charger**

For supply and support of two mobile devices via USB-cable. With two USB A-type connectors. With electronic short-circuit and overload protection. Rated voltage: 230 V~/5 V-, 50 Hz - 60 Hz, power dissipation 0.3W. Suitable for: In case one output is used rated current max 1400 mA. In case two output are used rated current max 700 mA.

Type	EAN	Description	Package
Insert: Delivery time 3 weeks			
6472U	4011395151594	Tele outlet insert, USB charging station 2 x 0.7 A	1
Center plate			
2539-214	6418677331343	Center plate, Jussi, for tele outlet	1/10

**Tele outlet USB**

Tele outlet with USB A-type connector. Compatible up to USB 2.0 versions. Internal connections with screw type terminals.

Type	EAN	Description	Package
Insert: Delivery time 3 weeks			
0261/13	4011395167557	Tele outlet insert, with USB A-type connector	1
Center plate			
2539-214	6418677331343	Center plate, Jussi, for tele outlet	1/10

**Tele outlet VGA**

Tele outlet for VGA display with D-sub 15pin connector. Internal connections with screw type terminals.

Type	EAN	Description	Package
Insert: Delivery time 3 weeks			
0261/23	4011395167618	Tele outlet insert, with VGA 15pin D-sub connector	1
Center plate			
2539-214	6418677331343	Center plate, Jussi, for tele outlet	1/10

**Tele outlet HDMI**

Tele outlet for HDMI display with A-type connector. Internal connections with screw type terminals.

Type	EAN	Description	Package
Insert: Delivery time 3 weeks			
0261/33	4011395167670	Tele outlet insert, with HDMI A-type connector	1
Center plate			
2539-214	6418677331343	Center plate, Jussi, for tele outlet	1/10

**Tele outlet BNC-F**

Tele outlet for 1 or 2 BNC-F type connectors. Mounting hole for a connector is 12 mm. The insert and the connectors are sold separately.

Type	EAN	Description	Package
Insert and connector: Delivery time 3 weeks			
0262/13	4011395167731	Tele outlet insert for 2 x BNC-F type connectors	1
0262	4011395167748	Connector, BNC-F type, d = 12 mm	1
Center plate			
2539-214	6418677331343	Center plate, Jussi, for tele outlet	1/10

**Tele outlet RCA**

Tele outlet for 1 or 2 RCA audio/video connectors. The insert and the connectors are sold separately.

Type	EAN	Description	Package
Insert and connectors: Delivery time 3 weeks			
0263/13	4011395167816	Tele outlet insert for 2 x RCA connectors	1
0263/04	4011395167861	Connector, RCA white	1
0263/05	4011395167878	Connector, RCA black	1
0263/06	4011395167885	Connector, RCA red	1
0263/07	4011395167892	Connector, RCA yellow	1
Center plate			
2539-214	6418677331343	Center plate, Jussi, for tele outlet	1/10

**Tele outlet for Mini Jack**

Tele outlet for 1 or 2 Mini Jack connectors. The insert and the connectors are sold separately.

Type	EAN	Description	Package
Insert and connector: Delivery time 3 weeks			
0264/13	4011395167953	Tele outlet insert for 2 x Mini Jack connectors	1
0264	4011395167960	Connector, Mini Jack 3,5 mm, stereo	1
Center plate			
2539-214	6418677331343	Center plate, Jussi, for tele outlet	1/10

**Speaker outlet, stereo**

There are plug in connectors for the speaker wires and screw terminals for max 10 mm² internal wires.

Type	EAN	Description	Package
0248.00	6418677331367	Tele outlet insert, speaker, stereo	1/10
2539-214	6418677331343	Center plate, Jussi, for tele outlet	1/10

**Speaker outlet, mono**

There is one red and one black gold plated terminal screw for the speaker wires and screw terminals for max 10 mm² internal wires.

Type	EAN	Description	Package
1819.LSP	6418677334337	Speaker insert, with terminal screws	1/10
1819-214	6418677334344	Center plate, Jussi, speaker/RJ45, for inserts 1819.xx/1819.LSP	1/10

**Tele outlet 6,3 mm Jack**

Stereo Plug Terminal for 6,3 mm Jack Plug. It can be used in calling and alarm systems as a socket outlet, or as a headphone or loudspeaker terminal. Good marking possibilities.

Type	EAN	Description	Package
FOT3103	6410070608633	Stereo Plug Terminal for 6,3 mm Jack Plug	1/10

**Fixing frame and center plate for D-sub**

Fixing frame and center plate for 25-pole D-connector. With adapter plate for 9 -and 15-pole D-connectors. Delivered without terminal.

Type	EAN	Description	Package
2549	6410070602815	Tele outlet, Jussi, 25pin D-connector, connector not included	1/10
PEL15	6410070602952	Adapter plate for 9/15pin D-connector	10/200

**Fixing frame and center plate for XLR-connectors**

Fixing frame and center plate for XLR / FP-series connector. The connector is not included.

Type	EAN	Description	Package
2553-214	6410070602785	Tele outlet, Jussi, XLR audio connector, connector not included	10

**Fixing frame and center plate, Ø 22,5 mm**

Fixing frame and center plate for devices assembled into 22,5 mm hole.

Type	EAN	Description	Package
2533-214	6410070602860	Tele outlet, Jussi, 22,5 mm hole	10

**Equipotential outlet 2-gang**

Equipotential outlet 2-gang. Screw terminals for 1 x 6 mm² and 4 x 2,5 mm² wires. The product includes insert and center plate.

Type	EAN	Description	Package
2095UC-212	6410070602907	Equipotential outlet, Jussi, 2-gang	10/100

**Fixing frame and center plate, Ø 19 mm**

Fixing frame and center plate for devices assembled into 19 mm hole. E.g. for installation of potential compensation plug 70 602 91 or TWINAX connectors.

Type	EAN	Description	Package
2534-212	6410070602853	Tele outlet, Jussi, 19 mm hole	10

**Equipotential outlet 1-gang, Ø 19 mm**

Equipotential connector for internal cabling up to 6 mm². Connection by soldering or pressing with tool. Fits to the center plate 2534-212.

Type	EAN	Description	Package
0471.00037	6410070602914	Equipotential outlet, 1-gang connector for 2534-212	10/100

**Equipotential plug**

Suitable for potential equalization and to be used with potential equalization socket outlets. For a max. 6 mm² conductor. The conductor is connected by pressing or soldering.

Type	EAN	Description	Package
0299.00032	6410070602921	Plug for potential compensation	10/100

Cover frames and accessories

**Cover frames 85 mm, IP21**

Flush mounting frames for 1-gang devices. Flush mounting: On a smooth surface IP21, on a rough surface IP20.

Type	EAN	Description	Package
2511	6410021661113	Cover frame, Jussi, 85 mm, 1-gang	20/200
2512	6410021661120	Cover frame, Jussi, 85 mm, 2-gang	10/100
2513	6410021661137	Cover frame, Jussi, 85 mm, 3-gang	10/100
2514	6410021661144	Cover frame, Jussi, 85 mm, 4-gang	10/50
2515	6410021661151	Cover frame, Jussi, 85 mm, 5-gang	10/50

**Cover frames for combinations of double socket outlet 85 mm, IP21**

Flush mounting frames for one double socket outlet + 1-gang products. Flush mounting: On a smooth surface IP21, on a rough surface IP20.

Type	EAN	Description	Package
2521	6410021661618	Cover frame, Jussi, 85 mm, 1+0-gang	20/200
2522	6410021661625	Cover frame, Jussi, 85 mm, 1+1-gang	10/100
2523	6410021661632	Cover frame, Jussi, 85 mm, 1+2-gang	10/100
2524	6410021661649	Cover frame, Jussi, 85 mm, 1+3-gang	10/50
2525	6410021661656	Cover frame, Jussi, 85 mm, 1+4-gang	10/50

**Cover frames 100 mm for double socket outlets, IP21**

Flush mounting frames for double socket outlets. Also possible to install standard 85 mm 1-gang devices by using adapter 2519-100. Flush mounting: On a smooth surface IP21, on a rough surface IP20.

Type	EAN	Description	Package
2521-100	6410021661212	Cover frame, Jussi, 100 mm, 1-gang	20/200
2522-100	6410021661229	Cover frame, Jussi, 100 mm, 2-gang	5/50
2523-100	6410021661236	Cover frame, Jussi, 100 mm, 3-gang	5/50
2524-100	6410021661243	Cover frame, Jussi, 100 mm, 4-gang	5/50
2525-100	6410021661250	Cover frame, Jussi, 100 mm, 5-gang	5/50

**Adapters**

Adapters are used to fit other accessories e.g. 48 x 48 mm and 50 x 50 mm devices to Jussi-frames and standard 85 mm devices to 100 mm cover frames.

Type	EAN	Description	Package
2519-100	6410021661199	Adapter, Jussi, 1/2-gang. for 85/100 mm cover frames	5/50
2519	6410021660109	Adapter, Jussi, for 48 x 48 mm center plates	10/100
1746-214	6410021660116	Adapter, Jussi, for 50 x 50 mm center plates	10/100
2519-B55	6438199000442	Adapter, Jussi center plate to Basic 55 cover plate	5/50

**Blind cover plates, IP21**

Used to cover empty flush mounting boxes. Flush mounting: On a smooth surface IP21, on a rough surface IP20.

Type	EAN	Description	Package
2607	6410021660512	Cover plate, Jussi, blind, 1-gang, clip-on fastening	20/200
2608	6410021660529	Cover plate, Jussi, blind, 2-gang, screw fastening	10/100

**Blind center plates, IP21**

100 mm blind center plate can be used to cover an empty box. Can be used together with 100 mm flush- and surface mounting frames. Flush mounting: On a smooth surface IP21, on a rough surface IP20 (seal can't be used). When installed on surface the protection class is IP44 if wires are installed downwards.

Type	EAN	Description	Package
2538-212	6410021660154	Center plate, Jussi, blind 85 mm, screw fastening	20/200
2538-100-214	6418677335709	Center plate, Jussi, blind 100 mm, screw fastening	1/10

**Labeling plate**

Labeling plate for Jussi and Impressivo cover frames. Size of text area is max 12 x 52 mm.

Type	EAN	Description	Package
2752	6438199000848	Labeling plate for Jussi and Impressivo cover plates.	10/100

**Claws**

Claws for 1-gang and Euro socket outlets, switches and push switches. Not suitable for double socket outlets 302.xx. Inserts with claws are also available.

Type	EAN	Description	Package
ASE1	6410021660932	Claws for socket outlets and switches	10/100

**Impulse spring**

Impulse spring for ABB switches, 10 pcs in sales pack.

Type	EAN	Description	Package
PJ4.10	6438199004808	Impulse spring for ABB switches, 10 pcs	10/100

Jussi surface mounting IP20/IP21

Surface mounting boxes and accessories



Floor installation housing

Product is usually mounted on the wall by the floor. When installing dimmers, the bottom of the housing need to be opened and further space is needed behind, a.g. flush mounting box. The lower part of the device housing can be used as a junction box, max 5 terminals.

Type	EAN	Description	Package
2511L	6438199004907	Surface mounting box, Jussi, 85 mm, 1-gang, lath installation, white	1/10
2551L-212	6410014027513	Floor installation box, Jussi, for 1-gang devices	5/50
2552L-212	6410014027520	Floor installation box, Jussi, for 2-gang socket outlets	5/50



Corner box 85 mm

Surface mounting box for 2 devices, also for electronic devices. Horizontal or vertical installation in corners. Use with 85 mm 2-gang cover frame (2512).

Type	EAN	Description	Package
2512H	6438199000602	Surface mounting box, Jussi, corner installation, 85 mm, 2-gang	1/20
2512H.13	6438199000671	Surface mounting box, Jussi, corner installation, 85 mm, 2-gang, with cover frame	1/20



Surface mounting frames 85 mm

Frame height 22 mm. Use with 85 mm cover frames.

Type	EAN	Description	Package
2511R-212	6410025161749	Surface mounting frame, Jussi, 1-gang for 1-gang device, for 85 mm cover plates, h=22	10/100
2552R-212	6410025161725	Surface mounting frame, Jussi, 2-gang for 1-gang devices, for 85 mm cover plates, h=22	10/100
2513R-214	6438199001999	Surface mounting frame, Jussi, 3-gang for 1-gang devices, h=22	1/5



Surface mounting frames 100 mm

Frame height 25 mm. Use with 100 mm cover frames.

Type	EAN	Description	Package
2521R-100	6418677328510	Surface mounting frame, Jussi, for one double socket outlet, h=25	10/100
2522R-100	6418677331404	Surface mounting frame, Jussi, for two double socket outlets, h=25	10/100
2523R-100	6418677331411	Surface mounting frame, Jussi, for three double socket outlets, h=25	1/5



Surface mounting frame for double socket outlets

Frame height 22 mm. Use with double socket outlets 302EUJ.1 and 232EUJ.

Type	EAN	Description	Package
2551R-212	6410025161510	Surface mounting frame, Jussi, for one double socket outlet 302EUJ.1 or 232EUJ	10/100



Surface mounting frames

Frame height 36 mm. Use with 85 mm cover frames. One X-terminal included.

Type	EAN	Description	Package
2551-510-212	6410024065710	Surface mounting frame, Jussi, 1-gang, for 85 mm cover plates, h=36	10/100
2552-510-212	6410024065727	Surface mounting frame, Jussi, 2-gang, for 85 mm cover plates, h=36	5/50



Surface mounting frame for signal devices

For use in the installation of Jussi signal devices, push button boards and telephone socket outlets. Delivered with a supporting ring, which makes installation of the housing easier. Housing dimensions: 63 x 63 x 34.

Type	EAN	Description	Package
FLK1010	6410070055017	Surface mounting frame, Jussi, for telephone outlet and signal products	10/100

Surface mounting switches and push switches



1-gang switches, IP21

16AX/250 V, with screwless terminals, lamp possibility. Rocker with clip-on fastening. IP21 when wires are installed downwards.

Type	EAN	Description	Package
1066A4	6418677307515	1-gang 2-way switch, Jussi, 2 X-terminals	10/100
1067A4	6418677307539	1-gang intermediate switch, Jussi, 2 X-terminals	10/100



2-gang 1-way switch, IP21

16AX/250 V, with screwless terminals, no lamp possibility. Rocker with clip-on fastening. IP21 when wires are installed downwards.

Type	EAN	Description	Package
1065A4	6418677307461	2-gang 1-way switch, Jussi, 2 X-terminals	10/100



3-gang 1-way switch, IP21

16AX/250 V, with screwless terminals, no lamp possibility. Rocker with clip-on fastening. IP21 when wires are installed downwards.

Type	EAN	Description	Package
10631A4	6418677307447	3-gang 1-way switch, Jussi, no X-terminals	10/100



1-gang 2-way push switch, IP21

10A/250V, with screwless terminals, lamp possibility. Push switch includes an opening and closing contact terminal function. Rocker with clip-on fastening. Delivered with clear lens. IP21 when the wires are installed downwards.

Type	EAN	Description	Package
1466AK4	6418677307560	1-gang 2-way push switch, Jussi, N-terminal, lens, lamp not included	10/100



Lamps for switches

Lamps for switches. Lamps can be installed in 1-gang switch inserts that include the signal-/search light possibility. Lamps can't be installed to 2- or 3-gang switch inserts.

Type	EAN	Description	Package
8370	6410021060701	Lamp, 230 V/0.4 mA, fluorescent, for 1-gang switches	10/100
8372	6410021060725	Lamp, 230 V/2 mA, fluorescent, for 1-gang switches	10/100
8375	6410021060756	Lamp, 24 V/22 mA, incandescent, for 1-gang switches	10/100
8376	6410021060763	Lamp, 12 V/40 mA, incandescent, for 1-gang switches	10/100
8370R	6438199004860	Lamp, 250 V/0.4 mA, LED, for 1-gang switches	10/100
8375R	6438199004877	Lamp, 5-24 V/0.5-2.5 mA, LED, for 1-gang switches	10/100

Surface mounting socket outlets



4-gang Schuko socket outlet, IP21

16 A/250 V. The device is based on two 2-gang socket outlet inserts, which are internally connected. The socket outlet inserts have shutters. There are screwless terminals for each contact of the socket outlet insert for max 4 rigid wires. No X-terminals. IP21 when the wires are installed downwards.

Type	EAN	Description	Package
404EA	6418677335822	Socket outlet, Jussi, Schuko, 4-gang, shuttered, screwless terminals	1/20



2-gang Schuko socket outlet, IP21

16 A/250 V. 402EA has screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. 232EA has screw terminals for max 2 wires. 2 X-terminals. The socket outlet insert has shutters. An installation plate is delivered with the socket outlets, for easier installation. Installation is also possible on conductive surfaces with the installation plate. IP21 when the wires are installed downwards.

Type	EAN	Description	Package
402EA	6418677335815	Socket outlet, Jussi, Schuko, 2-gang, shuttered, screwless terminals	10/100
232EA	6410024061217	Socket outlet, Jussi, Schuko, 2-gang, shuttered, screw terminals	10/100



2-gang brown Schuko socket outlet, IP21

16 A/250 V. This socket outlet has screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters. An installation plate is delivered with the socket outlets, for easier installation. Installation is also possible on conductive surfaces with the installation plate. IP21 when the wires are installed downwards. Colour RAL8028.

Type	EAN	Description	Package
402EA-01	6438199002774	Socket outlet, Jussi, Schuko, 2-gang, screwless terminals, brown	10/100



2-gang Schuko socket outlet, IP21

Screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters. IP21 when the wires are installed downwards.

Type	EAN	Description	Package
402EL	6438199004914	Socket outlet, Jussi, Schuko, 2-gang, shuttered, screwless terminals, lath installation, white	1/10



2-gang Schuko socket outlet, corner installation, IP21

16 A/250 V. Schuko 2-gang socket outlet for corner installation. There are screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters.

Type	EAN	Description	Package
402EA.E	6438199000619	Socket outlet, Jussi, Schuko, 2-gang, shuttered, screwless terminals, corner installation	1/20



1-gang Schuko socket outlet, IP21

16 A/250 V. There are screwless terminals for each contact of the socket outlet. The socket outlet insert has shutters. The terminals are for max 2 rigid wires. No X-terminals. An installation plate is delivered with the socket outlets, for easier installation. Installation is also possible on conductive surfaces with the installation plate. IP21 when the wires are installed downwards.

Type	EAN	Description	Package
20EAKS	6410024061316	Socket outlet, Jussi, Schuko, 1-gang, shuttered, screwless terminals	10/100
23EAKS	6410024061118	Socket outlet, Jussi, Schuko, 1-gang, shuttered, screw terminals	10/100



2-gang Schuko socket outlet in floor installation housing

Floor box incl. 2-gang socket outlet, shuttered, screwless terminals

Type	EAN	Description	Package
302EUC1L	6418677328534	Socket outlet, Jussi, Schuko, 2-gang, floor installation	5/50

Jussi surface mounting IP44/IP55

Switches, push switches and signal lights



1-gang switches, IP44

16AX/250V, with screwless terminals. The terminals are for max 2 rigid wires. One extra screw terminal inside the box for extending one wire. Signal light possibility. Delivered with white and clear lens but without lamp.

Type	EAN	Description	Package
1066SW	6418677334559	1-gang 2-way switch, Jussi IP44, 2 X-terminals, lamp not included	10/100
1067SW	6418677334566	1-gang intermediate switch, Jussi IP44, 2 X-terminals, lamp not included	1/10



2-pole switch, IP44

16AX/250V, with screwless terminals. The terminals are for max 2 rigid wires. One extra screw terminal inside the box for extending one wire. Signal light possibility. Delivered without lamp.

Type	EAN	Description	Package
1062SW	6418677334535	2-pole 1-gang 1-way switch, Jussi IP44, 2 X-terminals, lens, "1/0" symbol, lamp not included	1/10



2-gang switch, IP44

16AX/250V, with screwless terminals. The terminals are for max 2 rigid wires. One extra screw terminal inside the box for extending one wire. No signal light possibility.

Type	EAN	Description	Package
1065SW	6418677334542	2-gang 1-way switch, Jussi IP44, 2 X-terminals	10/100



1-gang 2-way push switch, IP44

10A/250V, with screwless terminals. The terminals are for max 2 rigid wires. One extra screw terminal inside the box for extending one wire. Signal light possibility. Delivered with white and clear lens but without lamp.

Type	EAN	Description	Package
1466SW	6418677334573	1-gang 2-way push switch, Jussi IP44, N-terminal, lamp not included	10/100



Lamps for switches

Lamps for switches. Lamps can be installed in 1-gang switch inserts that include the signal-/search light possibility. Lamps can't be installed to 2- or 3-gang switch inserts.

Type	EAN	Description	Package
8370	6410021060701	Lamp, 230 V/0.4 mA, fluorescent, for 1-gang switches	10/100
8372	6410021060725	Lamp, 230 V/2 mA, fluorescent, for 1-gang switches	10/100
8375	6410021060756	Lamp, 24 V/22 mA, incandescent, for 1-gang switches	10/100
8376	6410021060763	Lamp, 12 V/40 mA, incandescent, for 1-gang switches	10/100
8370R	6438199004860	Lamp, 250 V/0.4 mA, LED, for 1-gang switches	10/100
8375R	6438199004877	Lamp, 5-24 V/0.5-2.5 mA, LED, for 1-gang switches	10/100

**Signal light, IP55**

Red LED signal light 230 V/25 mA. Screw terminals for rigid wires. One extra screw terminal inside the box for extending/closure of one wire.

Type	EAN	Description	Package
2661SW-12	6418677335143	Signal light, Jussi IP55, Led 230V/25 mA, red	10/100

**Cable entry**

Thermoplastic cable entries for Jussi IP44/IP55 surface mounting products. Cable entry can be used for fitting 2 accessories.

Type	EAN	Description	Package
2124SW	6418677335884	Cable entry for Jussi IP44/IP55 products, 1-way	5/50
2125SW	6418677335891	Cable entry for Jussi IP44/IP55 products, 2-way	5/50
2138SW	6418677334610	Cable entry for fitting Jussi IP44/IP55 products	5/50
1237SW	6418677335952	Cable entry to the bottom for Jussi IP44/IP55 products, 1-way, round 16,5 mm	5/50

Socket outlets

**2-gang Schuko socket outlet, flush mounting, IP44**

16 A/250 V There are screwless terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals. The socket outlet insert has shutters.

Type	EAN	Description	Package
302EUG	6418677331398	Socket outlet, Jussi IP44, Schuko, 2-gang, shuttered, screwless terminals, branching terminals	10/100

**2-gang Schuko socket outlet, surface mounting, IP54/IP55**

16 A/250 V There are screwless terminals for each contact of the socket outlet for max 4 rigid wires. The socket outlet insert has shutters.

Type	EAN	Description	Package
402ESW	6418677334580	Socket outlet, Jussi IP54/55, 2-gang Schuko, shuttered, screwless terminals, branching terminals	10/100

**2-gang Schuko socket outlet, surface mounting, IP54/IP55**

16 A/250 V. There are screw terminals for each contact of the socket outlet and 2 X-terminals. The socket outlet insert has shutters. The terminals are for max 2 rigid wires. IP55 tested with hinged lids closed.

Type	EAN	Description	Package
232EWS	6410024065239	Socket outlet, Jussi IP54/55, 2-gang Schuko, shuttered, screw terminals, branching terminals, 2 X-terminals	10/100

**1-gang Schuko socket outlet, surface mounting, IP54/IP55**

16 A/250 V There are terminals for each contact of the socket outlet. The socket outlet insert has shutters. The terminals are for max 2 rigid wires. Inside the box there is one extra screw terminal for extending one wire. IP55 tested with hinged lid closed.

Type	EAN	Description	Package
20ESW	6418677334603	Socket outlet, Jussi IP54/55, 1-gang Schuko, shuttered, screwless terminals	10/100


Socket outlet with residual current device, IP44

230 V, 16 A, IP44, with A-type built-in residual current device (RCD), tripping current 30 mA. The socket outlet insert has shutters. Approved for extending a branch circuit, but only regular sockets connected to protected outlet wires are protected. Do not use the cellular-plastic seal in surface mounting.

Type	EAN	Description	Package
3120EUG-44.2	7612271473860	Socket residual current device, 30 mA, A-type	1/10
3120EUG-44	7612271473884	Socket outlet, IP44, Schuko, 1-gang with RCD (30 mA), shuttered, extendable, flush mounting	1/10


Cable entry

Thermoplastic cable entries for Jussi IP44/IP55 surface mounting products. Cable entry can be used for fitting 2 accessories.

Type	EAN	Description	Package
2124SW	6418677335884	Cable entry for Jussi IP44/IP55 products, 1-way	5/50
2125SW	6418677335891	Cable entry for Jussi IP44/IP55 products, 2-way	5/50
2138SW	6418677334610	Cable entry for fitting Jussi IP44/IP55 products	5/50
1237SW	6418677335952	Cable entry to the bottom for Jussi IP44/IP55 products, 1-way, round 16,5 mm	5/50

03

Electronics

Taking comfort, safety and sustainability to the next level.






Electronics

Dimmer	62
Motion detectors	66
Thermostats	67
Motor controllers	67
Audio	68
Timers	69
RF-products	70





Convenient and efficient electronics

Jussi and Impressivo electronics solutions improve comfort, safety, and sustainability in everyday life. The assortment includes for example dimmers, timers, motion sensors, presence detectors, thermostats, motor controllers and audio products.

—
01



—
01

Illustration in original size
The cover frame measures 85 mm x 85 mm
(w x h).

Dimmers



Flat LED-dimmer, with rotary control

Rotary control dimmer for LED lamps. Via mode switch adjustable between leading edge control (RL) or trailing edge control (RC). 2-wire connection (N-wire not needed). Nominal power: 2-100 VA or 10-400W(details in manual). Linear and low-noise operation. Mixed loads allowed. Electronic short-circuit and overload protection. Adjustable minimum brightness. Also applicable for 1-gang 2-way installations. Nominal voltage 230 V/50-60 Hz. Maximum 20 LED lamps behind one dimmer. Compatibility with defined Philips LED lamps is guaranteed.

Note!

There might be limitations from transformer producers on how many dimmable LED bulbs can be connected behind one transformer.

Type	EAN	Description	Package
6523URJGL-214-103	4011395232118	LED dimmer, rotary 2-100 VA, with neon lamp, Jussi	1/10
6523URCGL-84-103	4011395232125	LED dimmer, rotary 2-100 VA, with neon lamp, Impressivo	1/10
6523UR-103-500	4011395232101	LED dimmer, rotary 2-100 VA, insert with neon lamp	1/10
6540-84-102-510	4011395265789	Dimmer center plate, neon lamp included, white	1/10
6540-83-102-510	4011395265772	Dimmer center plate, neon lamp included, aluminium	1/10
6540-81-102-510	4011395265765	Dimmer center plate, neon lamp included, anthracite	1/10
Design series. Delivery time to ask.			
6540-866-102	4011395125496	Dimmer center plate, neon lamp included, steel	1/10
6540-884-102	4011395129425	Dimmer center plate, neon lamp included, white matt	1/10
6540-885-102	4011395129487	Dimmer center plate, neon lamp included, black matt	1/10



LED-dimmer, with rotary control

Rotary control dimmer for LED lamps. Via mode switch adjustable between leading edge control (RL) or trailing edge control (RC). 2-wire connection (N-wire not needed). Nominal power: 2-100 W/VA (retrofit LED loads). Nominal power: 10 - 250 W/VA (non-LED loads). Linear and low-noise operation. Mixed loads allowed. Electronic short-circuit and overload protection. Adjustable minimum brightness. Also applicable for 1-gang 2-way installations. Nominal voltage 230 V/50-60 Hz. Maximum 20 LED lamps behind one dimmer. Compatibility with defined Philips LED lamps is guaranteed.

Note!

There might be limitations from transformer producers on how many dimmable LED bulbs can be connected behind one transformer.

Type	EAN	Description	Package
Impressivo (incl. insert and center plate)			
6523U-102-500	4011395151310	LED dimmer insert, rotary 2-100 VA	1/10
2117C-214	6438199003887	Center plate, rotary button and nut	1/20
6540-84-102-510	4011395265789		1/10
6540-83-102-510	4011395265772	Impressivo, with rotary knob, with indication lamp	1/10
6540-81-102-510	4011395265765	Dimmer center plate, Impressivo, anthracite, with neon lamp	1/10
Design series. Delivery time to ask.			
6540-866-102	4011395125496	Dimmer center plate, neon lamp included, steel	1/10
6540-884-102	4011395129425	Dimmer center plate, neon lamp included, white matt	1/10
6540-885-102	4011395129487	Dimmer center plate, neon lamp included, black matt	1/10

**DALI-potentiometers**

For DALI broadcast service (via central telegram) according standard IEC 62386.

For switching and dimming up to 64 DALI- devices like electronic ballasts and transformers with DALI-interface.

With (2117/11U-500) or without (2117U-500) power supply. No center plate or frame included.

Type	EAN	Description	Package
Inserts			
2117U-500	4011395152218	DALI potentiometer insert	1/10
2117/11U-500	4011395152225	With integrated power supply	1/10
Center plates			
2115/11-214-500	4011395265758		1/10
6540-84-102-510	4011395265789	Dimmer center plate, neon lamp included, white	1/10
6540-83-102-510	4011395265772	Dimmer center plate, neon lamp included, aluminium	1/10
6540-81-102-510	4011395265765	Dimmer center plate, neon lamp included, anthracite	1/10
Design series. Delivery time to ask.			
6540-866-102	4011395125496	Dimmer center plate, neon lamp included, steel	1/10
6540-884-102	4011395129425	Dimmer center plate, neon lamp included, white matt	1/10
6540-885-102	4011395129487	Dimmer center plate, neon lamp included, black matt	1/10

**230 V Rotation dimmer for incandescent- and halogen lamps**

230 V dimmer for incandescent- and halogen lamps. Push switch function, change over contact. Nominal voltage:

230 V/50 Hz. Fuse T3,15 A/250 V.

Type	EAN	Description	Package
Jussi (incl. insert, center plate and cover frame)			
2210UJ-214	6410035126004	Dimmer 60-400 VA, one-pole rotary switch, incandescent lamp, fuse T1,6H/250 V, Jussi	1/10
2250UJGL-214	6410035126035	Dimmer 60-600 VA, push switch with change-over contact, with neon lamp, fuse T3,15 H/250 V, Jussi	1/10
Impressivo (sold in parts)			
2250U	4011395365205	Dimmer, 60-600 VA, insert	1/10
6540-84-102-510	4011395265789	Dimmer center plate, neon lamp included, white	1/10
6540-83-102-510	4011395265772	Dimmer center plate, neon lamp included, aluminium	1/10
6540-81-102-510	4011395265765	Dimmer center plate, neon lamp included, anthracite	1/10
Design series. Delivery time to ask.			
6540-866-102	4011395125496	Dimmer center plate, neon lamp included, steel	1/10
6540-884-102	4011395129425	Dimmer center plate, neon lamp included, white matt	1/10
6540-885-102	4011395129487	Dimmer center plate, neon lamp included, black matt	1/10

**Dimmer for electronic halogen transformers**

Dimmer for electronic halogen transformers. Push switch function, change over contact. Nominal voltage: 230 V / 50 Hz. Electronic short circuit- and overload protection. Suitable also for 230V incandescent- and halogen lamps.

Type	EAN	Description	Package
Jussi (incl. insert, center plate and cover frame)			
6513UJGL-214	6410035127858	El. transformer dimmer 40-420 VA, Jussi	1/10
6514UJ-214-501	4011395122778	Dimmer, 2-pole, 420 W/VA, Jussi	1/10
Impressivo (incl. insert and center plate)			
6513UJGL-84-102	4011395265680		1/10
Impressivo (sold in parts)			
6513U-102	4011395631003	El. transformer dimmer insert, 40-420 VA.	1/10
6544-84-501	4011395122815	Dimmer center plate, Impressivo, white, "0" marking.	1/10
6544-81-501	4011395122785	Dimmer center plate, Impressivo, anthracite, "0" marking.	1/10
6544-83-501	4011395122792	Dimmer center plate, Impressivo, aluminum, "0" marking.	1/10
6540-84-102-510	4011395265789	Dimmer center plate, neon lamp included, white	1/10
6540-83-102-510	4011395265772	Dimmer center plate, neon lamp included, aluminium	1/10
6540-81-102-510	4011395265765	Dimmer center plate, neon lamp included, anthracite	1/10
Design series. Delivery time to ask.			
6540-866-102	4011395125496	Dimmer center plate, neon lamp included, steel	1/10
6540-884-102	4011395129425	Dimmer center plate, neon lamp included, white matt	1/10
6540-885-102	4011395129487	Dimmer center plate, neon lamp included, black matt	1/10

**Potentiometer 1-10 V**

Potentiometer 1-10 V. For controlling electronic control gears for fluorescent lamps, analogy adjustment (IEC 929). Nominal voltage: 230 V/50 Hz. Control current max. 50 mA DC. Switching capability 4 A cos ϕ 0,9. Up to 4 control gears can be directly connected to 1 dimmer. With larger loads an external relay or contactor must be used.

Type	EAN	Description	Package
Jussi (incl. insert, center plate and cover frame)			
2112UJ-214-510	6410035127919	Potentiometer 1-10 V, Jussi	1/10
IMPRESSIVO (inc. insert and center plate)			
2112UJGL-84-101	4011395265697		1/10
Impressivo (sold in parts)			
2112U-101	4011395463802	Potentiometer insert 1-10 V	1/10
6540-84-102-510	4011395265789	Dimmer center plate, neon lamp included, white	1/10
6540-83-102-510	4011395265772	Dimmer center plate, neon lamp included, aluminium	1/10
6540-81-102-510	4011395265765	Dimmer center plate, neon lamp included, anthracite	1/10
Design series. Delivery time to ask.			
6540-866-102	4011395125496	Dimmer center plate, neon lamp included, steel	1/10
6540-884-102	4011395129425	Dimmer center plate, neon lamp included, white matt	1/10
6540-885-102	4011395129487	Dimmer center plate, neon lamp included, black matt	1/10

**LED-Touch Dimmer**

Touch dimmer for LED lamps. Leading and trailing edge control (RLC-type). 2-wire connection. Rated power 2 - 100 VA. Linear and low-noise operation. Mixed loads allowed. Electronic short-circuit and overload protection. Adjustable minimum brightness. Nominal voltage 230 V / 50-60 Hz. Also applicable for 1-gang 2-way installations. Operation also possible via conventional push buttons (Functions: on, off and dim). Maximum 20 LED lamps behind one dimmer. Compatibility with defined Philips LED lamps is guaranteed.

Note!

There might be limitations from transformer producers on how many dimmable LED bulbs can be connected behind one transformer

Type	EAN	Description	Package
Impressivo (sold in parts)			
6526U-500	4011395196045	LED dimmer push button	1/10
6543-214-102-500	4011395175804		1/10
6543-84-101	4011395996317	Touch dimmer center plate, Impressivo, white, with neon lamp	1/10
6543-81-101	4011395056240	Touch dimmer center plate, Impressivo, anthracite, with neon lamp	1/10
6543-83-101	4011395074466	Touch dimmer center plate, Impressivo, aluminum, with neon lamp	1/10
Design series. Delivery time to ask.			
6543-866-101	4011395087473	Touch dimmer center plate, painted steel	1/10
6543-884-101	4011395129449	Touch dimmer center plate, white matt	1/10
6543-885-101	4011395129517	Touch dimmer center plate, black matt	1/10

**LED dimmer MRDC**

LED RL/RC rotary and RLC push type dimmers installed MRDC

Type	EAN	Description	Package
6523-500	4011395198636	LED dimmer rotary MRDC	1/10

**Controller 1-10 V**

Memory touch-type controller, DIN rail-mounting. For electronic control gears. For fluorescent lamps with control output. For LED control via control gears. Operation only possible via conventional push button. Nominal voltage: 230V/50Hz. Control current max. 50 mA. Switching capability 4 A cos ϕ 0,9 or ϕ 0,5. It is possible to directly connect up to 4 control gears to 1 dimmer. With larger loads, an external relay or contactor must be used.

Type	EAN	Description	Package
6550	4011395599204	Controller 1-10 V	1/10

Dimmer spareparts

Type	EAN	Description	Package
3855	4011395376607	Neon lamp for dimmer	10/200
2117C-214	6438199003887	Center plate, rotary button and nut	1/20
2115C-214	6418677330650	Rotary button for Jussi dimmers, NOT for 2210UJ-214	20/200
2210C-214	6418677330667	Rotary button for Jussi dimmer 2210UJ-214	20/200

Motion detectors



Motion detector 180 Comfort

230 V, 10 A relay, IP20, for flush mounting. Detection area 180 degrees, approximately 8 m to the sides and approximately 12 m to the front at the mounting height. Adjustable lighting level 5-250 lux, switch-off delay 2 sec.- 30 min. Three-way operating switch (off - automatic - always on), which can be locked to the automatic position. Mounting height 1-1.2 m.

Type	EAN	Description	Package
Impressivo (sold in parts)			
6401U-102	4011395991299	Universal relay unit insert, 10 A.	1/10
6800-214-104	4011395990643	Watchdog 180 Comfort sensor	1/10
6800-84-104	4011395996331	Motion detector sensor, white, Impressivo. 180 Comfort.	1/10
6800-81-104	4011395056257	Motion detector sensor, anthracite, Impressivo. 180 Comfort.	1/10
6800-83-104	4011395070192	Motion detector sensor, aluminum, Impressivo. 180 Comfort.	1/10



Motion detector 180 Comfort multiple surveillance

230 V, 10 A relay, IP20, for flush mounting. Detection area 180°. The area has been extended approximately 35° downwards. This enables e.g. the surveillance of a stairway from an upper platform. The detection range depends on the mounting height; for more information, see the specifications. Adjustable lighting level 5 - 250 lux, switch-off delay 10sec-30min. Three-way operating switch (off - automatic - always on), which can be locked to the automatic position.

Type	EAN	Description	Package
Jussi (incl. insert, center plate and cover frame)			
6401/6800-214M	4011395158173	180 Comfort multiple surveillance, Jussi	1/10
Impressivo (sold in parts)			
6401U-102	4011395991299	Universal relay unit insert, 10 A.	1/10
6800-84-104M	4011395996355	Motion detector sensor, white, Impressivo. 180 Comfort multiple surveillance	1/10
6800-81-104M	4011395056264	Motion detector sensor, anthracite, Impressivo. 180 Comfort multiple surveillance	1/10
6800-83-104M	4011395075203	Motion detector sensor, aluminum, Impressivo. 180 Comfort multiple surveillance	1/10



Motion detector Aqua 180

230 V, 10 A relay, IP44, for flush mounting. Detection area 180 degrees. The area has been extended approximately 35 degrees downwards. This enables e.g. the surveillance of a stairway from an upper platform. The detection range depends on the installation height; for more information, see the specifications. Adjustable lighting level 5 - 250 lux, switch-off delay 2 sec. - 30 min. The sensor component is mounted with the supplied Torx screws. Operation temperature -25 to +55 °C.

Type	EAN	Description	Package
6401U/6800UW	6410035150719	Motion detector, Aqua 180, IP44, Jussi	1/10

Thermostats



Floor heating thermostat

Floor heating thermostat for room-specific temperature adjustment. 230 V~, 50 Hz, 15 A / 3450 W, IP 31. Sensor: 3 m NTC 15 kΩ / 25 °C. Operating temperature: -10... +30 °C. Switch: 2-pole. Screw terminals: max. 2 x 2.5 mm². Temperature drop: fixed 5 °C. Adjustment range: +5... + 45 °C. Hysteresis +/- 0,4 °C. Ball pressure temperature: 75 °C. Utilization category: 2 (home use). Type: 1C. Method of mounting: fixed. To ensure energy efficiency, the temperature drop control must be connected to a centralized timer system (EU regulation regarding Eco-design).

Type	EAN	Description	Package
Jussi (incl. insert, center plate and cover frame)			
TF16-15-214	6438199004532	Floor heating thermostat, 16 A, with sensor, Jussi	1/10
Impressivo (koos sisu ja kattega)			
TF16-15-84	6438199004679	Floor heating thermostat, 16 A, with sensor, IMPRESSIVO, white	1/10
Impressivo (sold in parts)			
TF16-15U	6438199004556	Floor heating thermostat, 16 A, with sensor, Insert	1/10
T-11-84	6438199001029	Center plate, for thermostat, Impressivo, white	1/10
T-11-81	6438199001005	Center plate, for thermostat, Impressivo, anthracite	1/10
T-11-83	6438199001012	Center plate, for thermostat, Impressivo, aluminum	1/10
T-11-866	6438199001043	Center plate, for thermostat, Impressivo, painted steel	1/10

Motor controllers



Motor controller 1A and 2,5A, IP21

For controlling the operating speed of fan motors. Nominal voltage: 230 V, 50 Hz.

Type	EAN	Description	Package
Jussi (incl. insert, center plate and cover frame)			
2299UCJ-214	6410035127551	Motor controller 0.1-1 A, Jussi	1/10
2297UCJ-214	6410035127568	Motor controller 0.1-2.5 A, Jussi	1/10
Design series. Delivery time to ask.			
6540-866-102	4011395125496	Dimmer center plate, neon lamp included, steel	1/10
6540-884-102	4011395129425	Dimmer center plate, neon lamp included, white matt	1/10
6540-885-102	4011395129487	Dimmer center plate, neon lamp included, black matt	1/10



Motor controller 4.3 A

For controlling the operating speed of fan motors. Nominal voltage: 230 V, 50 Hz. Delivered with incandescent lamp and a reserve fuse. Installation in a double mounting box e.g. AU17.2.

Type	EAN	Description	Package
2296UCJ-214	6410035127575	Motor controller 0.2-4.3 A, Jussi	1/20

Audio



DigitalRadio set

2-gang combination digital radio and loudspeaker (flush mounted). The radio offers a stereo RDS tuner with 8 memory presets as well as programmable clock, alarm and snooze functions which are controlled with the switch rocker.

Type	EAN	Description	Package
8220-84	4011395113110	DigitalRadio set, Impressivo, white	1/10



DigitalRadio

The radio offers a stereo RDS tuner with 8 memory presets as well as programmable clock, alarm and snooze functions. Output max. 2x2W. Frequency response: 100 - 10 000 Hz. Reception frequency 87,50 - 108,0 Mhz. IP20.

Type	EAN	Description	Package
Insert			
8215U	4011395104439	Digital Radio Insert, FM	1/10
Jussi center plate			
8252-214	4011395104521	DigitalRadio, center plate, Jussi	1/10
Impressivo center plates			
8252-84	4011395104569	DigitalRadio, center plate, Impressivo, white	1/10
8252-81	4011395104538	DigitalRadio, center plate, Impressivo, anthracite	1/10
8252-83	4011395104552	DigitalRadio, center plate, Impressivo, aluminum	1/10
Design series. Delivery time to ask.			
8252-866	4011395104637	DigitalRadio, center plate, painted steel	1/10
8252-884	4011395130063	DigitalRadio, center plate, white matt	1/10
8252-885	4011395130117	DigitalRadio, center plate, black matt	1/10



Loudspeaker

For DigitalRadio 8215U. Size 2". Rated output 2W. Frequency response: 200 - 20 000 Hz, IP20.

Type	EAN	Description	Package
Insert			
8223U	4011395104446	Loudspeaker insert	1/10
Jussi			
8253-214	4011395104811	Loudspeaker, center plate, Jussi	1/10
IMPRESSIVO			
8253-84	4011395104859	Loudspeaker, center plate, Impressivo, white	1/10
8253-81	4011395104828	Loudspeaker, center plate, Impressivo, anthracite	1/10
8253-83	4011395104842	Loudspeaker, center plate, Impressivo, aluminum	1/10
Design series. Delivery time to ask.			
8253-866	4011395104927	Loudspeaker center plate, painted steel	1/10
8253-884	4011395130087	Loudspeaker center plate, white matt	1/10
8253-885	4011395130131	Loudspeaker center plate, black matt	1/10

**iNetRadio**

WLAN Internet radio with display for flush-mounted installation. For the reception of national and international radio stations via Internet. Radio station search possible via various genres. Integrated web-server for configuration and control. Remote operation with smartphone via browser surface. UPnP replay function. It is controlled via smartphone. For mono/stereo operation. 8 radio stations storable.

Type	EAN	Description	Package
IMPRESSIVO set Design series. Delivery time to ask.			
8240-84-500	4011395157251	iNetRadio kit	1/10
Design series. Delivery time to ask.			
8216U-500	4011395157220	iNetRadio	1/10
8252-214	4011395104521	DigitalRadio, center plate, Jussi	1/10
8252-84	4011395104569	DigitalRadio, center plate, Impressivo, white	1/10
8252-81	4011395104538	DigitalRadio, center plate, Impressivo, anthracite	1/10
8252-83	4011395104552	DigitalRadio, center plate, Impressivo, aluminum	1/10

Timers

Countdown timer

User friendly timer with fixed time settings 15 min, 30 min, 1h, 2h, 4h or 8h. Countdown time is set with a screwdriver. 2-pole switch.



Type	EAN	Description	Package
Jussi (incl. insert and center plate)			
T210-214	6438199002231	Basic timer, Jussi	1/10
Impressivo (incl. insert and center plate)			
T210-84	6438199002248	Basic timer, Impressivo, white	1/10
T210-81	6438199002255	Basic timer, Impressivo, anthracite	1/10
T210-83	6438199002262	Basic timer, Impressivo, aluminum	1/10

Timer kits

Timer kits include Jussi-timer, single schuko socket outlet and installation frame or box.

Fixed time options: 15 min, 30 min, 1h, 2h, 4h and 8h. Exchangeable labels with the time options to mark center plate with selected time. 230 VAC, 50Hz, 0 - 40C, IP21, 2-pole wiring. 10A resistiv load (2300 W), 2AX-load (e.g. fluorescent lamp). Screw terminals max 2,5 mm². Signal light when active.



Type	EAN	Description	Package
T210-20EUCKS-214	6438199003429	Timer set frame, Jussi	1/10
T210-20EUCKS-214.H	6438199003412	Timer set corner box Jussi	1/10

Timer switches

Timer switch display, 10 A. Four switching times per day can be user-defined for each day of the week. Automatic summer/wintertime switch-over. 14-hour power reserve. Nominal voltage: 230 V/50 Hz. Operating temperature range: 0 °C - 35 °C. Timer switch insert is connected to universal relay unit 6401U-102. Suitable center plates 6435-8X.



Type	EAN	Description	Package
Inserts			
6401U-102	4011395991299	Universal relay unit insert, 10 A.	1/10
6455-101-500	4011395186657	Timer switch display	1/10
Centre plates			
6435-214	4011395071656	Center plate for timer switch, Jussi	1/10
6435-84	4011395071854	Timer switch, center plate, Impressivo, white	1/10
6435-83	4011395071922	Timer switch, center plate, Impressivo, aluminum	1/10
Design series. Delivery time to ask.			
6435-866	4011395086919	Timer switch, center plate, painted steel	1/10
6435-884	4011395148013	Timer switch, center plate, white matt	1
6435-885	4011395148020	Timer switch, center plate, black matt	1

RF-products

Radiofrequency operated switches and relays



RF EnOcean products

Type	EAN	Description	Package
Delivery time to ask			
1786RF-84	6418677334719	Push button EnOcean, 1-gang, Impressivo, white	1
1786RF-81	6418677334733	Push button EnOcean, 1-gang, Impressivo, anthracite	1
1786RF-83	6418677334726	Push button EnOcean, 1-gang, Impressivo, aluminum	1
1785RF-84	6418677334740	Push button EnOcean, 2-gang, Impressivo, white	1
Delivery time to ask			
1785RF-81	6418677334764	Push button EnOcean, 2-gang, Impressivo, anthracite	1
1785RF-83	6418677334757	Push button EnOcean, 2-gang, Impressivo, aluminum	1
6401/RF	6418677334771	Switch actuator EnOcean, 1-fold 10 A, FM	1
Delivery time to ask			
EG/A32.2.1	4016779942577	KNX/EnOcean Gateway, SM	1

RF-products with battery

Radio frequency operated battery powered switches, watchdogs, dimmers, relays and displays.



1-gang, RF-wireless push buttons, Jussi and Impressivo

Type	EAN	Description	Package
6731-214-500	8427238091549	Wireless Push Button 1-gang Jussi RF	1/10
6731-84-500	8427238091587	1-gang Impressivo RF, white	1/10
By order: delivery time to ask			
6731-83-500	8427238091594	Wireless Push Button 1-gang Impressivo RF, aluminum	1/10
6731-866-500	8427238091600	Wireless Push button 1-gang Impressivo RF painted steel	1/10



2-gang, RF-wireless push buttons, Impressivo

Type	EAN	Description	Package
6732-214-500	8427238091563	Wireless Push Button 2-gang Jussi RF	1/10
6732-84-500	8427238091631	Wireless Push Button 2-gang Impressivo RF, white	1/10
By order: delivery time to ask			
6732-83-500	8427238091624	Wireless Push Button 2-gang Impressivo RF, aluminum	1/10
6732-866-500	8427238091648	Wireless Push button 2-gang Impressivo RF painted steel	1/10




4-gang, RF-wireless push buttons, Impressivo

Type	EAN	Description	Package
6733-84-500	8427238091716	Wireless Push Button 4-gang Impressivo RF, white	1/10
By order: delivery time to ask			
6733-83-500	8427238091709	Wireless Push Button 4-gang Impressivo RF, aluminum	1/10
6733-866-500	8427238091723	Wireless Push Button 4-gang Impressivo RF painted steel	1/10

**RF-receivers, flushmounted**

Type	EAN	Description	Package
6701-101-500	4011395182642	Watchdog receiver, RF, 230 V, 10AX	1/10
6702-500	8427238091747	Receiver, RF, reley, 230 V, 10AX	1/10
6703-500	8427238091754	Switch actuator RF, 230 V, 2x3AX	1/10
6705-500	8427238091761	Blind actuator, RF, 230 V, 2x3A	1/10
6704-500	4011395134375	Universal dimming actuator, RF, 230 V, 35-210W	1/10

Technical information



Technical information

Impressivo

Flush mounting	74
DKS-system	81
Surface mounting	75
Cover frames frames	76

Jussi
















Flush mounting	79
DKS-system	81
Cover frames frames	82
Surface mounting	83
Surface mounting IP44/IP55	84

Electronics

Dimmers and timers	84
--------------------	----


Impressivo

Flush mounting


 Switch, IP21	 Switch, IP44	 1-gang socket outlet, IP21
 1-gang socket outlet with lid, IP21	 1-gang socket outlet with lid, IP44	 3-gang euro socket
 2-gang socket outlets, IP21	 302EUJW-8X	 3120EUC-84
 3150UC-84.1	 2464	 2463
 ASE1	 1819.0x	 1819DC-8x

Impressivo


Surface mounting




106xA-8x, 106xxA-8x, 1461A-8x




404EA-8x




402EA-8x




402EL-8x




402EE-8x




1721A-8x



1721L-8x




1722H-8x




2456.26

Impressivo-cover frames frames


Cover frames, 85 mm, IP21




Cover frames, 100 mm, IP21




Surface mounting cover frames 100 mm, IP21/IP44




Surface mounting cover frames 85 mm, IP21/IP44




Surface mounting boxes 80 mm, IP20




 accent cover frames, 91 mm



1721-28x




1722-28x




1723-28x




1724-28x




1725-28x

 carat cover frames, 107 mm



1721-8xx




1722-8xx




1723-8xx




1724-8xx

 Pure stainless steel and future® linear, 80 mm



1721-8xxK




1722-8xxK



1723-8xxK




1724-8xxK




1725-8xxK


Jussi flush mounting




Switches




rockers




303UC




302EUJ




302EUJ.1




232EUJ




302EUC




232EUC




302UC




20EUJKS-212




20EUCKS-212, 20EUCBLI-214




3120EUC-214




23-01UC-212




FOT50xx




FOT50xx-100




1819.0x




1819DC-214




1819-214




2531




2531-100




1743-03-214




0248.00




FOT3103




FLK1010




2250UJGL-214




2607



2608


















2538-212




2538-100-214

DKS-system

**Impressivo, 1758-xx****Jussi, 1758-214****1850EB, 9-pin D-connector****1853EB, XLR type FP****1854EB, XLR type MP****1855EB, 2 x BNC/TNC****1857EB, 2 x BNC/TNC****1867EB, 2 x RJ45 Keystone****1868EB, IBM LAN****1869EB, blank****1870EB, 2 x Simplex ST fiber****1872EB, 2 x RJ45, Systimax****1874EB, 2 x SCD fiber****1875EB, 2 x RJ45 AMP****1876EB, XLR D-type, Speakon**

Jussi cover frames




2511

2512

2513

2514

2515




2521

2522

2523

2524

2525



2521-100


2522-100

2523-100


2524-100

2525-100


Jussi surface mounting




106xA4, 106xxA4, 1466AK4




20EAKS, 23EAKS




402EA, 232EA




404EA




402EL




402EA.E




2511L




2551L-212




2552L-212




2512H




2551R-212




2521R-100



2522R-100




2523R-100




2511R-212

Jussi surface mounting IP44/IP55



Electronics





—

ABB OY

P.O. Box 16 (Porvoon Sisäkehä 2)

Porvoo

Finland

Tel: +358 10 22 11

abb.com

installationmaterials.com