

LED DEC FG P45 4,5W/822 E27 DIM BX

Filament lamps are suitable for replacing clear incandescent bulbs and halogen lamps. The lamps emit plenty of light towards the base. This is very important for luminaires on which the base of the lamp points downward. The lamps emit warm yellow (2200 K) light and, when combined with the elegant cord, look impressive even without a lampshade. Models that are dimmable with LED dimmers can be recognised by the DIM symbol on the package. The eco-friendly cardboard packages are colour-coded. The colour indicates the corresponding incandescent bulb, making the choice simpler for the consumer. Technical specifications are also clearly presented.



Bulb type

compact

PRODUCT CODE	GTIN1	LXHXW	KG	PRODUCT FAMILY		
LED DEC FG P45 4,5W/822 E27 DIM BX						
9410730	6435200276186	45 x 78 x 45	0.020	DECOR		

TECHNICAL DATAS (ETIM)			
Radiation angle (°)	360	Weighted energy consumption in 1,000	5
Beam angle (°)	360	hours (kWh)	
ETIM class	EC001959	Length (mm)	78
Energy efficiency class	A++	Colour housing	Transparent
Photobiological safety according to EN	RG1	Min. number of switching cycles	50000
62471		Power factor	0,4
Diameter (mm)	45	Colour of light	822
Filament lamp	No	Colour of light acc. EN 12464-1	Warm <3300 K
Dimmable	Yes	Light colour category	Warm
Voltage type	AC	Colour of light (max)	2200
Socket	E27	Colour of light (min)	2200
With remote control	No	Lamp efficacy (Im/W)	89
Remote operation possible	No	Luminous flux (lm)	400
Average nominal lifespan (h)	15000	Luminous flux (max) (lm)	400
Degree of protection (IP)	Other	Luminous flux (min) (lm)	400
Lamp designation	Other	Colour	Other
Lamp power (W)	4,5	Colour controllable (RGB)	No
Lamp power (max) (W)	4,5	Colour temperature (K) (numeric)	2200
Lamp power (min) (W)	4,5	Colour temperature (max) (K)	2200
Lamp shape	Round/globe	Colour temperature (min) (K)	2200
Type of glass/cover	Clear	Colour rendering index CRI	80-89
Nominal voltage (max) (V)	240	Colour consistency (McAdam ellipse)	SDCM5
Nominal voltage (min) (V)	220		

