



Smart Gateway



220-240V, 50/60Hz, -20°C to 35°C


Operating frequency: 2402-2480MHz

Maximum radio-frequency output power: 2dBm






Setup




- 1 Wi-Fi
- 2 Ethernet to router
- 3 Power cable


- Bluetooth
- LAN link
- Power






Pairing



Wall Mounting



Astro Clock



Astro Timer




+/- 120 min / XX:XX


Midnight Cut



Circadian



Circadian Customized



Use with



SG Smart Products



LEDDim Smart
820334



TW LEDDim Smart
820384



Smart Switch
820360



Smart Plug
820340



LEDDim Smart Pill
820336



LEDDim Smart DIN
820327



Works with

Apple HomeKit

Apple® and HomeKit® are trademarks of Apple Inc., registered in the U.S. and other countries.

To control this HomeKit-enabled accessory, the latest version of iOS or iPadOS is recommended.

Use of the Works with Apple badge means that an accessory has been designed to work specifically with the technology identified in the badge and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.



works with the
Google Assistant

Google, Google Assistant and all related logos are trademarks of Google, Inc. or its affiliates.



WORKS WITH
alexa

Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.