SIEMENS

Product data sheet

3VA9988-0AA12



AUXILIARY SWITCH CHANGEOVER CONTACTS TYPE HQ (7MM) ACCESSORY FOR 3VA-BREAKER

Similar to image

Allgemeine Technische Daten:		
Width / Comment		1 slot (7 mm)
Tightening torque / with screw-type terminals / maximum	N∙m	0.5
Wire stripping length	mm	15
Connectable conductor cross-section	mm²	0.5 1.5
Insulation voltage / rated value	V	690
Overvoltage class	_	III
Degree of pollution	_	3
Impulse voltage resistance / rated value	V	4
Operating voltage		
• at 50 Hz / at AC / rated value / minimum	V	240
for DC / rated value / minimum	V	250
\bullet at 60 Hz / with AC / compliant with CSA and UL / rated value	V	300
with DC / compliant with CSA and UL / rated value	V	250
Thermal current	А	6
Operating current		
• at AC-12		
• at 12 V / rated value	А	6
• at 24 V / rated value	А	6

• at 48 V / rated value	А	6
• at 110 V / rated value	А	6
• at 230 V / rated value	А	6
• at AC-15		
• at 12 V / rated value	А	3
• at 24 V / rated value	А	3
• at 48 V / rated value	А	3
• at 110 V / rated value	А	3
• at 230 V / rated value	А	3
• at DC-12		
• at 12 V / rated value	А	6
• at 24 V / rated value	А	4
• at 48 V / rated value	А	2
• at 110 V / rated value	А	0.5
• at 230 V / rated value	А	0.25
• at DC-13		
• at 12 V / rated value	А	1
• at 24 V / rated value	А	0.8
• at 48 V / rated value	А	0.4
• at 110 V / rated value	А	0.2
• at 220 V / rated value	А	0.1

Certificates/approvals:

Declaration of Conformity

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)


http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system) https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3VA9988-0AA12

Service&Support (Manuals, Certificates, Characteristics, FAQs,...) http://support.automation.siemens.com/WW/view/en/3VA9988-0AA12/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9988-0AA12

CAx-Online-Generator http://www.siemens.com/cax



last change:

Apr 21, 2014